FLASHER UNIT

we can flashers from 0.02A current to large current,and from DC 3V to DC24, and design flashing frequency and flashing type depending on customer's special needs.

HEAVY DUTY MAX 10 LAMPS



MAX 8 LAMP
MAGNETIC TYPE NON-POLA



MAX 12 LAMP
P.C BOARD IC TYPE

MAX 10 LAMP
MAGNETIC TYPE NON-POLA

ELECTRONIC FLASHER WITH BULB FAILURE WARNING

When the blinker is normal,the flasher will flash 85 times per minute .If the blinker bulb is burnt, the flashing speed will increase to 170 times per minute to remind the driver to change the blinker bulb for a new one.If the driver is not aware of the bulb burnt,the car behind him might make a wrong judgment ,and causes an accident.

CF-13G
12V 2(4)X21W+5W



CF-13J
12V 2(4)X21W+5W



CF-14F
12V 2(4)X21W+4W



CF-14G
12V 2(4)X21W+5W



DF-13
12V-23WX2+5W



DF-13MAZ
12V-23WX2+5W



FF-13
25W MAX 30 bulbs
WITH 30A FUSE



552W
12V 21W)X2+5W
(THERMO-COUPLE TYPE)

Flasher keeps on lighting up to warn the driver when the blinker bulb is burnt.

G302W
12V 21W)X2+5W
(THERMO-COUPLE TYPE)

Flasher keeps on lighting up to warn the driver when the blinker bulb is burnt.

▶ FOR TRAILER SYSTEM ◀ ▶ ALTERNATING FLASHER ◀

Heary Duty electranic, will flash 2.3.4 or 6 bulbs and side repeater.

For Ambulance & Police Vehicle 15 Amps Capacity each side.



CF-14GA

12V
(2+1)x21W
6x21W



CF-15GA

12V
(2+1)x21W
6x21W



CF-2L

12V
15Ax2

▶ IC TYPE-WITHOUT GROUND TERMINAL ◀ ▶ FLASHER WITH BUZZER ◀

CF-12AN

12V
21-23W MAX 6 BULBS

CF-13AN

12V
21-23W MAX 6 BULBS



AF-12-BUZ

▶ ▶ ▶ ▶ ELECTRONICR FLASHER ◀ ◀ ◀ ◀



WF-128

12v
21-23W MAX 8 LAMPS

CF-28

12v
21-23W 2/4 LAMPS

81980-22070

12v
23W*2+5W

81980-22060

12v
23W*2+5W

CF-EF45

12v
21-23W MAX 20 LAMPS

CF-29

12v
21-23W 3/6 LAMPS

CF-14F-4

12V 42-92W

81980-12070

12v
23W*2+(0-8)W

G TYPE

552
6V.12V 24V

536
6V.12V 24V

550
6V.12V 24V

G301
6V.12V 24V

G302
6V.12V 24V



G304
6V.12V 24V

G305
6V.12V 24V

G211
6V.12V

G211A
6V.12V

G210
6V.12V

GF213B
6V.12V

G209
6V.12V

G216
6V.12V

P TYPE

We assemble this type flasher by special material and manufacture by automatic machine.

Q552
12V.2P

550S2-P2-1
12V

550L2-P-1
12V

G2054-PRB
24V.2P

550S2-P2
12V3P

5522-P1
12V.2P

550L2-P1
12V.3P

CF-L(LED FLASHER)

Effectively tricks the car computer to solve LED related urn signal Problems,including flashing too fast, malfunctions or burnt bulb indications.

CF-13ANL-R

CF-12ANL-R



CF-12AN-L



CF-13AN-L

LF1-64-CU-1

LF-1J-02

LF-1J-01-0311

LF1-S

WITH CONNECTOR 12V

LED "LIGHT" GOES OFF FULLY (NON BLEED OVER)

LF1-S

WITH CONNECTOR 6V-12V

LF1-S-PIN

FOR ELECTRO-BIKE
-WATER PROOF

G215-XU

12V.24V



G215-EB

12V.24V

12V OR 24V
W/2 TERMINAL
W/2 WIRE
0.05-2A



CF-13GL-02

European



CF-13JL-02

Japan



CF-13JL-02-120

120 C/M

(non bulb burnt out warning)(load 0.02-20A)

CF27-L

ALTERNATING FLASHER

LF2-01

WITHOUT GROUND THREMINAL

CF18-ALT



CF12ANL-01

WITHOUT GROUND THREMINAL

CF2L-L

ALTERNATING FLASHER