

1/2" SOCKET SETS

1614-2773

Socket and Tool Set, 73pcs 1/4 1/2



Q'ty	Series	Contents	g
9	16121-11	1/4" Sockets, 6-Point 5, 6, 7, 8, 9, 10, 11, 12, 13mm	6200
1	16135-05	1/2" 3/8" 3-Way Adapter	
10	16141-11	1/2" Sockets, 6-Point 10, 11, 12, 13, 14, 15, 17, 19, 22, 24mm	
1	16142-02	1/2" Ratchet Handle, 36T	
1	16143-02	1/2" Extension Bar, 250mm	
1	16145-02	1/2" Universal Joint, 78mm	
2	16148-01	1/2" Spark Plug Sockets, 16, 21mm	
1	819-7	1/4" Spinner Handle, 135mm	
5		Screwdrivers	
	811-2	⊖ 6.5x100, 8.0x150	
	811-4	⊖ 6.5x25	
	812-2	⊕ 2x100	
	812-4	⊕ 2x25	
21		1/4" Bits, 25mm	
	961-11	⊖ 3, 4, 5, 6, 7	
	962-11	⊕ 1, 2, 3	
	963-11	⊕ 1, 2, 3	
	964-11	⊕ 10, 15, 20, 25, 30	
	966-11	● 3, 4, 5, 6, 7	
1	969-2-11	1/4" Adapter, 25mm	
8	1242-1	Combination Wrenches 10, 11, 12, 13, 14, 15, 17, 19mm	
7	1586-3	Short Hex Keys 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	
1	15608-02	Water Pump Pliers, 250mm	
1		Linesman Pliers, 160mm	
1		300G Hammer	
1		220-250V Tester	
1		Ratchet Bit Driver	

1614-2899

Socket and Tool Set, 99pcs 1/4 1/2



Q'ty	Series	Contents	g
13	16121-11	1/4" Sockets, 6-Point 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm	7833
8	16121-12	1/4" Deep Sockets, 6-Point, 50mm 6, 7, 8, 9, 10, 11, 12, 13mm	
1	16122-04	1/4" Ratchet Handle, 36T	
1	16123-02	1/4" Extension Bar, 150mm	
1	16124-01	1/4" Sliding T Bar, 115mm	
1	16124-04	1/4" Spinner Handle, 145mm	
1	16125-01	1/4" Universal Joint, 40mm	
17		1/4" Bit Sockets, 32mm	
	16127-11	⊖ 4, 5.5, 6.5	
	16127-21	⊕ 1, 2	
	16127-31	⊕ 1, 2	
	16127-41	⊕ 8, 10, 15, 20, 25, 30	
	16127-61	● 3, 4, 5, 6	
1	16135-05	1/2" 3/8" 3-Way Adapter	
15		5/16" Bits	
	16136-11	⊖ 8, 10, 12	
	16136-21	⊕ 3, 4	
	16136-31	⊕ 3, 4	
	16136-41	⊕ 40, 45, 50, 55	
	16136-61	● 8, 10, 12, 14	
18	16141-11	1/2" Sockets, 6-Point 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 20, 21, 22, 23, 24, 27, 30, 32mm	
4	16141-12	1/2" Deep Sockets, 6-Point, 77mm 14, 15, 17, 19mm	
1	16142-02	1/2" Ratchet Handle, 36T	
2	16143-02	1/2" Extension Bars, 125, 250mm	
1	16145-02	1/2" Universal Joint, 78mm	
1	16145-05	Coupler, 1/2"x5/16"	
2	16148-01	1/2" Spark Plug Sockets, 16, 21mm	
6		Screwdrivers	
	951-7	⊖ 6.5x25	
	1541-2	⊖ 5.5x100, 6.5x125	
	952-6	⊕ 2x25	
	1542-2	⊕ 1x80, 2x100	
2		Samurai Pliers	
	15604-12	Diagonal Cutting Nipper, 160mm	
	15601-321	Combination Pliers, 180mm	
3	1586-3	Short Hex Keys, 1.5, 2.0, 2.5mm	

1/2" SOCKET SETS

1614-2928

Socket Set, 28pcs 1/2



Q'ty	Series	Contents	g
20	16141-11	1/2" Sockets, 6-Point 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 19, 20, 21, 22, 23, 24, 27, 30, 32mm	5125
1	16142-02	1/2" Ratchet Handle, 36T	
3	16143-02	1/2" Extension Bars, 75, 125, 250mm	
1	16144-01	1/2" Sliding T Bar, 250mm	
1	16145-02	1/2" Universal Joint, 78mm	
2	16148-01	1/2" Spark Plug Sockets, 16, 21mm	

1614-3027

Socket Set, 27pcs 1/2



Q'ty	Series	Contents	g
20	16141-11	1/2" Sockets, 6-Point 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 19, 20, 21, 22, 23, 24, 27, 30, 32mm	4750
1	16142-02	1/2" Ratchet Handle, 36T	
1	16143-02	1/2" Extension Bar, 75mm	
1	16144-01	1/2" Sliding T Bar, 250mm	
1	16145-02	1/2" Universal Joint, 78mm	
2	16148-01	1/2" Spark Plug Sockets, 16, 21mm	
1	1739-21	1/2" Speedy Extension Bar, 250mm	

1614-31104

Socket and Tool Set, 104pcs 1/4 1/2



Q'ty	Series	Contents	g
13	16121-11	1/4" Sockets, 6-Point 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm	8300
8	16121-12	1/4" Deep Sockets, 6-Point, 50mm 6, 7, 8, 9, 10, 11, 12, 13mm	
1	16122-04	1/4" Ratchet Handle, 36T	
1	16123-02	1/4" Extension Bar, 150mm	
1	16124-01	1/4" Sliding T Bar, 115mm	
1	16124-04	1/4" Spinner Handle, 145mm	
1	16125-01	1/4" Universal Joint, 40mm	
17		1/4" Bit Sockets, 32mm	
	16127-11	⊖ 4, 5.5, 6.5	
	16127-21	⊕ 1, 2	
	16127-31	⊕ 1, 2	
	16127-41	⊕ 8, 10, 15, 20, 25, 30	
	16127-61	● 3, 4, 5, 6	
1	16135-05	1/2" 3/8" 3-Way Adapter	
15		5/16" Bits	
	16136-11	⊖ 8, 10, 12	
	16136-21	⊕ 3, 4	
	16136-31	⊕ 3, 4	
	16136-41	⊕ 40, 45, 50, 55	
	16136-61	● 8, 10, 12, 14	
18	16141-11	1/2" Sockets, 6-Point 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 20, 21, 22, 23, 24, 27, 30, 32mm	
4	16141-12	1/2" Deep Sockets, 6-Point, 77mm 14, 15, 17, 19mm	
1	16142-02	1/2" Ratchet Handle, 36T	
2	16143-02	1/2" Extension Bars, 125, 250mm	
1	16145-02	1/2" Universal Joint, 78mm	
1	16145-05	Coupler, 1/2"x5/16"	
2	16148-01	1/2" Spark Plug Sockets, 16, 21mm	
8	1242-1	Combination Wrenches offset Ring (15°) 10, 11, 12, 13, 14, 15, 17, 19mm	
5	1244-43	Double Hinged Socket Wrenches 8-9, 10-11, 12-13, 14-15, 16-17mm	
3	1586-3	Short Hex Keys, 1.5, 2.0, 2.5mm	



1/2" SOCKET SETS

1614-32110

Socket and Tool Set, 110pcs 1/4 1/2



Q'ty	Series	Contents	g
13	16121-11	1/4" Sockets, 6-Point 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm	8033
8	16121-12	1/4" Deep Sockets, 6-Point, 50mm 6, 7, 8, 9, 10, 11, 12, 13mm	
1	16122-04	1/4" Ratchet Handle, 36T	
1	16123-02	1/4" Extension Bar, 150mm	
1	16124-01	1/4" Sliding T Bar, 115mm	
1	16124-04	1/4" Spinner Handle, 145mm	
1	16125-01	1/4" Universal Joint, 40mm	
17		1/4" Bit Sockets, 32mm ⊖ 4, 5.5, 6.5 ⊕ 1, 2 ⊗ 1, 2 ⊗ 8, 10, 15, 20, 25, 30 ⊗ 3, 4, 5, 6	
1	16135-05	1/2" 3/8" 3-Way Adapter	
15		5/16" Bits ⊖ 8, 10, 12 ⊕ 3, 4 ⊗ 3, 4 ⊗ 40, 45, 50, 55 ⊗ 8, 10, 12, 14	
18	16141-11	1/2" Sockets, 6-Point 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 20, 21, 22, 23, 24, 27, 30, 32mm	
4	16141-12	1/2" Deep Sockets, 6-Point, 77mm 14, 15, 17, 19mm	
1	16142-02	1/2" Ratchet Handle, 36T	
2	16143-02	1/2" Extension Bars, 125, 250mm	
1	16145-02	1/2" Universal Joint, 78mm	
1	16145-05	Coupler, 1/2"x5/16"	
2	16148-01	1/2" Spark Plug Sockets, 16, 21mm	
10	1242-1	Combination Wrenches offset Ring (15°) 8, 9, 10, 11, 12, 13, 14, 15, 17, 19mm	
3	1586-3	Short Hex Keys, 1.5, 2.0, 2.5mm	
9	1588-1	Extra Long Ballpoint Hex Keys 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	

1614-33103

Socket and Tool Set, 103pcs 1/4 1/2



Q'ty	Series	Contents	g
13	16121-11	1/4" Sockets, 6-Point 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm	2300
8	16121-12	1/4" Deep Sockets, 6-Point, 50mm 6, 7, 8, 9, 10, 11, 12, 13mm	
1	16122-04	1/4" Ratchet Handle, 36T	
1	16123-02	1/4" Extension Bar, 150mm	
1	16124-01	1/4" Sliding T Bar, 115mm	
1	16124-04	1/4" Spinner Handle, 145mm	
1	16125-01	1/4" Universal Joint, 40mm	
17		1/4" Bit Sockets, 32mm ⊖ 4, 5.5, 6.5 ⊕ 1, 2 ⊗ 1, 2 ⊗ 8, 10, 15, 20, 25, 30 ⊗ 3, 4, 5, 6	
1	16135-05	1/2" 3/8" 3-Way Adapter	
15		5/16" Bits ⊖ 8, 10, 12 ⊕ 3, 4 ⊗ 3, 4 ⊗ 40, 45, 50, 55 ⊗ 8, 10, 12, 14	
18	16141-11	1/2" Sockets, 6-Point 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 20, 21, 22, 23, 24, 27, 30, 32mm	
4	16141-12	1/2" Deep Sockets, 6-Point, 77mm 14, 15, 17, 19mm	
1	16142-02	1/2" Ratchet Handle, 36T	
2	16143-02	1/2" Extension Bars, 125, 250mm	
1	16145-02	1/2" Universal Joint, 78mm	
1	16145-05	Coupler, 1/2"x5/16"	
2	16148-01	1/2" Spark Plug Sockets, 16, 21mm	
12	1242-1	Combination Wrenches offset Ring (15°) 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	
3	1586-3	Short Hex Keys, 1.5, 2.0, 2.5mm	

1/2" SOCKET SETS

1614-3424

Socket Set, 24pcs 1/2



Q'ty	Series	Contents	g
18	16141-11	1/2" Sockets, 6-Point 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 22, 23, 24, 27, 30, 32mm	5500
1	16142-02	1/2" Ratchet Handle, 36T	
2	16143-02	1/2" Extension Bars, 125, 250mm	
1	16144-01	1/2" Sliding T Bar, 250mm	
1	16145-02	1/2" Universal Joint, 78mm	
1	16144-04	1/2" Speedy Driver, 395mm	

1614-3524

Socket Set, 24pcs 1/2



Q'ty	Series	Contents	g
18	16141-41	1/2" Sockets, 12-Point 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 22, 23, 24, 27, 30, 32mm	5500
1	16142-02	1/2" Ratchet Handle, 36T	
2	16143-02	1/2" Extension Bars, 125, 250mm	
1	16144-01	1/2" Sliding T Bar, 250mm	
1	16145-02	1/2" Universal Joint, 78mm	
1	16144-04	1/2" Speedy Driver, 395mm	

1614-3903

Magnetic Extension Bar Set, 3pcs 1/4 3/8 1/2



Q'ty	Series	Contents	g
1	16123-03	1/4" Magnetic Extension Bar	522
1	16133-05	3/8" Magnetic Extension Bar	
1	16143-06	1/2" Magnetic Extension Bar	

1614-4218

Socket Set, 18pcs 1/2



Q'ty	Series	Contents	g
1	16135-05	1/2" 3/8" 3-Way Adapter	3288
13	16141-11	1/2" Sockets, 6-Point 10, 11, 12, 13, 14, 15, 17, 19, 22 24, 27, 30, 32mm	
1	16142-02	1/2" Ratchet Handle, 36T	
2	16143-02	1/2" Extension Bar, 125, 250mm	
1	16145-02	1/2" Universal Joint, 78mm	

1614-43147

Socket Display Stand Set, 147pcs



Q'ty	Series	Contents	kg
147	16141-41	1/2" Sockets, 12-Point 10mmx11, 11mmx11, 12mmx11 13mmx11, 14mmx11, 15mmx11 16mmx11, 17mmx10, 19mmx10 22mmx8, 23mmx8, 24mmx8 26mmx7, 27mmx7 30mmx6, 32mmx6	20.35




3/4" HAND SOCKETS AND ACCESSORIES

16161-11

Socket, 6-Point 3/4"

- DIN 3124, ISO2725
- Chrome vanadium steel
- Mirror and mat chrome finish




Size	D1 mm	D2 mm	L mm	g	Code
17	29	33	50	180	170
18	29	33	50	170	180
19	29	33	50	165	190
20	31	33	50	175	200
21	31	33	50	165	210
22	32	36	50	215	220
23	33	36	50	220	230
24	34	36	51	225	240
25	36	35	52	225	250
26	38	36	52	225	260
27	38	36	52	225	270
28	40	38	52	265	280
29	40	38	52	255	290
30	42	38	54	285	300
32	44	38	56	305	320
33	46	38	56	330	330
34	46	38	56	320	340
35	48	42	58	390	350
36	50	42	58	425	360
37	52	45	60	510	370
38	52	45	60	490	380
39	54	45	62	540	390
40	54	45	62	530	400
41	56	45	64	560	410
42	57	45	64	565	420
43	58	46	65	590	430
44	60	47	66	610	440
45	60	47	66	600	450
46	62	47	68	660	460
47	64	48	70	700	470
48	64	48	70	710	480
50	68	48	72	815	500
51	70	48	72	915	510
52	70	48	72	910	520
54	72	48	74	940	540
55	74	48	76	1050	550
56	76	48	76	1100	560
57	76	48	76	1040	570
58	78	48	78	1050	580
60	80	48	78	1100	600
63	84	50	80	1250	630
65	86	50	82	1200	650
70	92	50	86	1300	700

16161-21

SAE Socket, 12-Point 3/4"

- Chrome vanadium steel
- Mirror chrome finish




Size	D1 mm	D2 mm	L mm	g	Code
3/4"	29	33	50	165	2432
13/16"	31	33	50	165	2632
7/8"	32	36	50	215	2832
15/16"	34	36	51	225	3032
1"	38	36	52	225	3232
1-1/16"	38	36	52	225	3432
1-1/8"	40	38	52	255	3632
1-3/16"	42	38	54	285	3832
1-1/4"	44	38	56	305	4032
1-5/16"	46	38	56	330	4232
1-3/8"	48	42	58	390	4432
1-7/16"	50	42	60	425	4632
1-1/2"	52	45	60	490	4832
1-5/8"	56	45	64	560	5032
1-11/16"	56	45	64	555	5232
1-3/4"	60	47	66	610	5432
1-13/16"	62	47	68	660	5632
1-7/8"	64	48	70	740	5832
2"	68	48	72	815	6432
2-1/8"	72	48	74	850	6832
2-3/16"	74	48	76	910	7032
2-1/4"	76	48	76	940	7232
2-3/8"	80	48	76	1050	7632

3/4" HAND SOCKETS AND ACCESSORIES

16161-41

Socket, 12-Point 3/4"

- DIN 3124, ISO 2725
- Chrome vanadium steel
- Mirror and mat chrome finish




Size	D1 mm	D2 mm	L mm	g	Code
17	29	33	50	180	170
19	29	33	50	165	190
21	31	33	50	165	210
22	32	36	50	215	220
23	33	36	50	220	230
24	34	36	51	225	240
25	36	35	52	225	250
26	38	36	52	225	260
27	38	36	52	225	270
28	40	38	52	265	280
29	40	38	52	255	290
30	42	38	54	285	300
32	44	38	56	305	320
33	46	38	56	330	330
34	46	38	56	320	340
35	48	42	58	390	350
36	50	42	58	425	360
38	52	45	60	490	380
40	54	45	62	530	400
41	56	45	62	560	410
42	57	45	64	565	420
44	60	47	66	610	440
46	62	47	68	660	460
48	64	48	70	710	480
50	68	48	72	815	500
54	72	48	74	940	540
55	74	48	76	1050	550
58	78	48	78	1050	580
60	80	48	78	1100	600

16162-01

Ratchet Handle, Push Release 3/4"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




Teeth	D mm	H mm	L mm	g	Code
24	62	58	510	2695	510

16162-02

Ratchet Handle 3/4"

- DIN 3122, ISO3315
- Compact head with working angle of 15°
- Chrome vanadium steel
- Mat chrome finish




Teeth	D mm	H mm	L mm	g	Code
24	62	58	510	2673	510

16162-03

Ratchet Handle, Push Release 3/4"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




Teeth	D mm	H mm	L mm	g	Code
24	62	58	500	1988	500

16162-04

Ratchet Handle 3/4"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish



Teeth	D mm	H mm	L mm	g	Code
24	62	58	500	1988	500

16162-05

Ratchet Handle 3/4"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




Teeth	D mm	H mm	L mm	g	Code
43	69	58	500	2410	500

3/4" HAND SOCKETS AND ACCESSORIES

16162-06

Swivel Handle 3/4"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




H mm	L mm	g	Code
56.5	510	1807	510

16162-07

Swivel Handle with Quick Release 3/4"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




H mm	L mm	g	Code
56.5	530	1930	530

16163-01

Extension Bar 3/4"

- DIN 3123, ISO3316
- Chrome vanadium steel
- Mat chrome finish




L mm	g	Code
100	423	100
200	805	200
400	1554	400

16163-02

Quick Release Extension Bar 3/4"

- DIN 3123, ISO3316
- Chrome vanadium steel
- Mat chrome finish




L mm	g	Code
100	447	100
200	841	200
400	1621	400

16164-01

Sliding T Bar 3/4"

- DIN 3122, ISO3315
- Chrome Vanadium Steel
- Mat Chrome Finish




H mm	L mm	g	Code
60	460	1322	460

16164-02

Sliding T Bar with Push Release 3/4"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




H mm	L mm	g	Code
60	460	1331	460

16165-01

Universal Joint 3/4"

- DIN 3123, ISO3316
- Chrome vanadium steel
- Mat chrome finish




D mm	L mm	g	Code
40	100	508	100

16165-02

Adapter 3/4"

- DIN 3123, ISO3316
- Chrome vanadium steel
- Mat chrome finish



Size	D mm	L mm	g	Code
1/2" x 3/4"	35	48	225	1234

3/4" HAND SOCKETS AND ACCESSORIES

16164-03

L Handle 3/4"

- Chrome vanadium steel
- Mat chrome finish



D mm	L mm	g	Code
135	450	1881	450



1616-0121

SAE Socket Set, 21pcs 3/4"



Q'ty	Series	Contents	kg
16	16161-21	3/4" SAE Sockets 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16" 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2" 1-5/8", 1-3/4", 1-13/16", 1-7/8", 2"	15.5
1	16162-01	3/4" Ratchet Handel, 24 teeth, Push Release	
3	16163-01	3/4" Extension Bars, 100, 200, 400mm	
1	16164-01	3/4" Sliding T Bar, 460mm	

1616-0221


Socket, 12-Point Set, 21pcs 3/4"



Q'ty	Series	Contents	kg
16	16161-41	3/4" Sockets, 12-Point 19, 21, 22, 23, 24, 26, 27, 29, 30, 32 35, 36, 38, 41, 46, 50mm	15
1	16162-01	3/4" Ratchet Handel, 24 teeth, Push Release	
3	16163-01	3/4" Extension Bars, 100, 200, 400mm	
1	16164-01	3/4" Sliding T Bar, 460mm	

1616-0314


SAE Socket Set, 14pcs 3/4"



Q'ty	Series	Contents	g
10	16161-21	3/4" SAE Sockets 7/8", 15/16", 1", 1-1/8", 1-1/4", 1-7/16" 1-1/2", 1-5/8", 1-3/4", 2"	12500
1	16162-01	3/4" Ratchet Handel, 24 teeth, Push Release	
2	16163-01	3/4" Extension Bars, 100, 200mm	
1	16164-01	3/4" Sliding T Bar, 460mm	

1616-0414

Socket, 6-Point Set, 14pcs 3/4"



Q'ty	Series	Contents	g
10	16161-11	3/4" Sockets, 6-Point 22, 24, 27, 30, 32, 36, 38, 41, 46, 50mm	12.5
1	16162-01	3/4" Ratchet Handel, 24 teeth, Push Release	
2	16163-01	3/4" Extension Bars, 100, 200mm	
1	16164-01	3/4" Sliding T Bar, 460mm	

1616-0506

Adapter Set, 6pcs

1/4" 3/8" 1/2" 3/4"




Q'ty	Series	Contents	g
1	16125-07	3/8" x 1/4"	654
2	16135-08	1/4" x 3/8", 1/2" x 3/8"	
2	16145-06	3/8" x 1/2", 3/4" x 1/2"	
1	16165-03	1/2" x 3/4"	

1" IMPACT SOCKETS AND ACCESSORIES

12782-21

Impact Sockets, 6-Point 1"

- DIN 3121, ISO 2725
- Chrome molybdenum alloy steel
- Phosphate sunk finish




Size	D mm	D1 mm	L mm	g mm	Code
22	39	54	57	600	22
23	40	54	57	600	23
24	41	54	57	600	24
26	44	54	57	620	26
27	45	54	57	620	27
29	47	54	57	640	29
30	49	54	62	660	30
32	51	54	62	660	32
33	52	54	62	660	33
34	54	54	62	670	34
35	55	54	62	690	35
36	56	54	62	690	36
38	59	54	66	700	38
41	62	54	66	820	41
46	69	54	70	970	46
50	74	54	70	1020	50
55	80	54	82	1350	55
60	96	54	85	1650	60
65	92	54	85	1900	65
70	99	54	90	2100	70
71	99	86	93	2500	71
75	104	86	95	2800	75
80	112	86	95	2900	80
85	118	86	95	3200	85
90	124	86	100	3800	90
95	130	95	105	-	95
100	136	95	105	-	100

12782-91

Impact Extension Bar 1"

- DIN 3121, ISO 2725
- Chrome molybdenum alloy steel
- Phosphate sunk finish




L mm	g mm	Code
175	1400	175
250	1900	250
325	2400	325

12782-62

Impact Deep Socket, 6-Point 1"

- DIN 3121, ISO 2725
- Chrome molybdenum alloy steel
- Phosphate sunk finish




Size	D mm	D1 mm	L mm	g mm	Code
22	39	54	108	910	22
24	41	54	108	960	24
27	45	54	108	1020	27
29	48	54	108	1020	29
30	49	54	108	1060	30
32	51	54	108	1080	32
33	53	54	108	1080	33
34	54	54	108	1140	34
35	55	54	108	1160	35
36	56	54	108	1200	36
38	59	54	108	1220	38
41	63	54	108	1280	41
46	69	54	108	1400	46
50	74	54	108	1400	50
55	80	54	108	1700	55
60	86	54	108	1850	60
65	93	54	108	2150	65
70	99	54	108	2300	70
71	99	86	125	3000	71
75	104	86	125	4000	75
80	112	86	130	4500	80

12782-92

Impact Extension Bar (Pin Hole) 1"

- DIN 3121, ISO 2725
- Chrome molybdenum alloy steel
- Phosphate sunk finish



L mm	g mm	Code
175	1400	175
250	1900	250
325	2400	325

1278-0109

Impact Socket Set, 9pcs 1"




Q'ty	Series	Contents	g mm
9	12782-21	1" Impact Sockets, 6-Point 24, 27, 30, 32, 36, 38, 41, 46, 50mm	8500

1/4" HAND SOCKETS AND ACCESSORIES

16121-11

Socket, 6-Point 1/4"

- DIN 3124, ISO2725
- Chrome vanadium steel
- Mirror and mat chrome finish




Size	D1 mm	D2 mm	L mm	g mm	Code
3.2	5.9	11.8	25	10	032
4	6.7	11.8	25	10	040
4.5	7.2	11.8	25	10	045
5	8.0	11.8	25	10	050
5.5	8.7	11.8	25	10	055
6	9.3	11.8	25	11	060
7	10.6	11.8	25	11	070
8	11.9	11.3	25	12	080
9	12.8	11.8	25	15	090
10	13.8	12.0	25	16	100
11	15.6	14.0	25	23	110
12	16.8	15.0	25	25	120
13	17.8	16.1	25	29	130
14	19.7	17.0	25	36	140

16121-12

Deep Socket, 6-Point 1/4"

- DIN 3124, ISO2725
- Chrome vanadium steel
- Mirror and mat chrome finish




Size	D1 mm	D2 mm	L mm	g mm	Code
4	6.7	11.8	50	20	040
4.5	7.2	11.8	50	20	045
5	8.0	11.8	50	20	050
5.5	8.7	11.8	50	20	055
6	9.3	11.8	50	20	060
7	10.6	11.8	50	20	070
8	11.9	11.3	50	24	080
9	12.8	11.8	50	30	090
10	13.8	12.0	50	36	100
11	15.6	14.0	50	46	110
12	16.8	15.0	50	50	120
13	17.8	16.1	50	52	130
14	19.7	17.0	50	54	140

16121-21

SAE Socket, 6-Point 1/4"

- Chrome vanadium steel
- Mirror chrome finish




Size	D1 mm	D2 mm	L mm	g mm	Code
1/8"	5.9	11.8	25	10	0432
5/32"	6.7	11.8	25	10	0532
3/16"	8.0	11.8	25	10	0632
7/32"	8.7	11.8	25	10	0732
1/4"	9.3	11.8	25	10	0832
9/32"	10.6	11.8	25	11	0932
5/16"	11.9	11.3	25	11	1032
11/32"	12.8	11.8	25	12	1132
3/8"	12.8	11.8	25	15	1232
13/32"	13.8	12.0	25	16	1332
7/16"	15.6	14.0	25	23	1432
15/32"	16.8	15.0	25	25	1532
1/2"	17.8	16.1	25	29	1632
9/16"	19.7	17.0	25	36	1832

16121-22

SAE Deep Socket, 6-Point 1/4"

- Chrome vanadium steel
- Mirror chrome finish



Size	D1 mm	D2 mm	L mm	g mm	Code
5/32"	6.7	11.8	50	20	0532
3/16"	7.2	11.8	50	20	0632
7/32"	8.0	11.8	50	20	0732
1/4"	8.7	11.8	50	20	0832
9/32"	9.3	11.8	50	20	0932
5/16"	10.6	11.8	50	20	1032
11/32"	11.9	11.3	50	24	1132
3/8"	12.8	11.8	50	30	1232
13/32"	13.8	12.0	50	36	1332
7/16"	15.6	14.0	50	46	1432
15/32"	16.8	15.0	50	50	1532
1/2"	17.8	16.1	50	52	1632




1/4" HAND SOCKETS AND ACCESSORIES

16121-31

Torks Socket

1/4"

- Chrome vanadium steel
- Mirror and mat chrome finish




Size	D1 mm	D2 mm	L mm	g mm	Code
E4	6.7	11.8	25	10	040
E5	7.2	11.8	25	10	050
E6	8.0	11.8	25	10	060
E7	9.3	11.8	25	11	070
E8	10.0	11.8	25	11	080
E10	13.0	13.6	25	16	100
E11	15.6	15.6	25	20	110

16121-32

Torks Deep Socket

1/4"

- Chrome vanadium steel
- Mirror and mat chrome finish




Size	D1 mm	D2 mm	L mm	g mm	Code
E4	6.7	11.8	50	14	040
E5	7.2	11.8	50	16	050
E6	8.0	11.8	50	20	060
E7	9.3	11.8	50	20	070
E8	10.0	11.8	50	24	080
E10	13.0	13.6	50	36	100

16122-01

Mini Ratchet Handle

1/4"

- Assist the fast rotation
- Chrome vanadium steel
- Mirror chrome finish




Teeth	D mm	H mm	L mm	g mm	Code
72	17.5	13.5	97	54	97

16122-02

Mini Ratchet Handle

1/4"

- Chrome vanadium steel
- Mirror chrome finish





Teeth	D mm	H mm	L mm	g mm	Code
72	17.5	18	97	54	97

16122-03

Ratchet Handle

1/4"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mirror chrome finish




Teeth	D mm	H mm	L mm	g mm	Code
45	27	26	140	140	140

16122-04

Ratchet Handle, Straight

1/4"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




Teeth	D mm	H mm	L mm	g mm	Code
36	25	20	147	111	36
72	25	20	147	111	72

16122-05

Ratchet Handle, Curved

1/4"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish



Teeth	D mm	H mm	L mm	g mm	Code
36	25	20	147	111	36
72	25	20	147	111	72

1/4" HAND SOCKETS AND ACCESSORIES

16122-07

Swivel Ratchet Handle

1/4"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




Teeth	D mm	L mm	g mm	Code
72	31	145	145	72

16122-08

Stubby Ratchet Handle

1/4"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




Teeth	D mm	L mm	g mm	Code
36	25	108	364	36

16122-13

Ratchet T Handle

1/4"

- Maximum torque: 65Nm




Teeth	H mm	L mm	g mm	Code
72	30	118	77	72

16122-14

Ratchet Handle

1/4"

- Chrome vanadium steel
- Satin chrome finish




Teeth	D mm	H mm	L mm	g mm	Code
36	25	18	145	128	36

16122-15

Swivel Stubby Ratchet Handle

1/4"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish





Teeth	D mm	L mm	g mm	Code
72	31	168	137	72

16122-06

Swivel Handle

1/4"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




H mm	L mm	g mm	Code
28	150	120	150

16123-01

Wobble Extension Bar

1/4"

- DIN 3123, ISO3316
- Chrome vanadium steel
- Mat chrome finish



L mm	g mm	Code
50	25	050
75	35	075
100	45	100
150	65	150
225	96	225

16123-03

Magnetic Extension Bar

1/4"

- DIN 3123, ISO3316
- Retaining bolts and screws securely
- Chrome vanadium steel
- Mat chrome finish




L mm	g mm	Code
37	15	037
52	25	052

1/4" HAND SOCKETS AND ACCESSORIES

16123-02

Extension Bar 1/4"

- DIN 3123, ISO3316
- Chrome vanadium steel
- Mat chrome finish

	
L mm	g
55	25
75	35
100	45
150	65
Code	
050	
075	
100	
150	

16123-04

Flexible Extension Bar 1/4"

- Chrome vanadium steel
- Chrome plated

	
L mm	g
150	57
Code	
145	

16124-01

Sliding T Bar 1/4"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish

	
H mm	L mm
24	115
g	Code
35	115

16124-04

Spinner Handle 1/4"


- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish

	
L mm	L1 mm
145	60
g	Code
64	145

16125-01

Universal Joint 1/4"


- DIN 3123, ISO3316
- Chrome vanadium steel
- Mat chrome finish

	
D mm	L mm
14	40
g	Code
27	40

16125-04

Adapter 1/4"


- DIN 3123, ISO3316
- Chrome vanadium steel
- Mat chrome finish

	
Size	D mm
3/8" x 1/4"	12
L mm	g
25	15
Code	
3814	

16125-06

Coupler 1/4"

- DIN 3124, ISO2725
- Chrome vanadium steel
- Mat chrome finish

	
Hex x DR.	D mm
1/4" x 1/4"	12
L mm	g
25	15
Code	
1414	

16127-11

Bit Sockets, SL 1/4"

- DIN ISO 2380-1, DIN 3120
- Socket double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)

	
a x b	L mm
0.5 3.0	32
0.8 4.0	32
1.0 5.5	32
1.2 6.5	32
1.6 8.0	32
g	Code
12	032030
12	032040
12	032055
12	032065
12	032080

16127-21

Bit Sockets, PH 1/4"

- DIN ISO 8764-1, DIN 3120
- Socket double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)

	
+	L mm
0	32
1	32
2	32
3	32
g	Code
12	0320
12	0321
12	0322
12	0323

1/4" HAND SOCKETS AND ACCESSORIES

16127-31

Bit Sockets, PZ 1/4"

- DIN ISO 8764-1, DIN 3120
- Socket double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)

	
✳	L mm
0	32
1	32
2	32
3	32
g	Code
12	0320
12	0321
12	0322
12	0323

16127-41

Bit Sockets, TX 1/4"

- DIN 3120
- Socket double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)

	
✳	L mm
6	32
7	32
8	32
9	32
10	32
15	32
20	32
25	32
27	32
30	32
40	32
g	Code
12	03206
12	03207
12	03208
12	03209
14	03210
14	03215
14	03220
14	03225
14	03227
14	03230
14	03240

16127-51

Bit Socket, TX Tamper-Proof 1/4"

- DIN 3120
- Socket double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)

	
✳	L mm
6	32
7	32
8	32
9	32
10	32
15	32
20	32
25	32
27	32
30	32
40	32
g	Code
12	03206
12	03207
12	03208
12	03209
12	03210
14	03215
14	03220
14	03225
14	03227
14	03230
14	03240

16127-61

Bit Socket, HX 1/4"

- DIN 3120
- Socket double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)

	
✳	L mm
2.0	32
2.5	32
3.0	32
4.0	32
5.0	32
6.0	32
7.0	32
8.0	32
10.0	32
g	Code
12	032020
12	032025
12	032030
12	032040
14	032050
14	032060
16	032070
16	032080
20	032100

1612-0112

Socket Set, 12pcs 1/4"

	
Q'ty	Series
12	16121-11
Contents	g
1/4" Sockets, 6-Point, 25mm	190
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm	

1612-0203

Wobble Extension Bar Set, 3pcs 1/4"

	
Q'ty	Series
3	16123-01
Contents	g
1/4" Wobble Extension Bars	203
100, 150, 225mm	

1612-0310

Bit Socket Set, HX, 10pcs 1/4"

	
Q'ty	Series
10	16127-61
Contents	g
1/4" Bit Sockets, HX, 32mm	260
2, 2.5, 3, 4, 5, 5.5, 6, 7, 8, 10	



1/4" SOCKET SETS

1612-0414

Socket and Bit Socket Set, TX, 14pcs 1/4"



Q'ty	Series	Contents	g
6	16121-31	1/4" Torks Sockets, 25mm E4, E5, E6, E7, E8, E10	460
1	16125-04	3/8" x 1/4" Adapter	
7	16127-41	1/4" Bit Sockets, TX, 32mm 10, 15, 20, 25, 27, 30, 40	

1612-0517

Socket Set, 17pcs 1/4"



Q'ty	Series	Contents	g
12	16121-11	1/4" Sockets, 6-Point, 25mm 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm	1030
1	16122-04	1/4" Ratchet Handle, 36T	
2	16123-02	1/4" Extension Bars, 55, 100mm	
1	16124-04	1/4" Spinner Handle, 145mm	
1	16125-01	1/4" Universal Joint, 40mm	

1612-0633

Bit Socket Set, 33pcs 1/4"



Q'ty	Series	Contents	g
12	16121-11	1/4" Sockets, 6-Point, 25mm 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm	1120
1	16122-04	1/4" Ratchet Handle, 36T	
2	16123-02	1/4" Extension Bars, 55, 100mm	
1	16124-01	1/4" Sliding T Bar, 115mm	
1	16124-04	1/4" Spinner Handle, 145mm	
1	16125-01	1/4" Universal Joint, 40mm	
12		1/4" Bit Sockets, 32mm	
	16127-11	10, 15, 20, 25, 27, 30, 40	
	16127-21	1, 2, 3	
	16127-61	3, 4, 5, 6, 8	
3	1586-1	Hex Key Wrenches, 1.5, 2.0, 2.5mm	

1612-0711

Bit Socket Set, TX, 11pcs 1/4"



Q'ty	Series	Contents	g
11	16127-41	6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40	270

1612-0847

Socket Set, 47pcs 1/4"



Q'ty	Series	Contents	g
13	16121-11	1/4" Sockets, 6-Point, 25mm 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11 12, 13, 14mm	1320
4	16121-12	1/4" Deep Sockets, 50mm 8, 10, 11, 13mm	
1	16122-04	1/4" Ratchet Handle, 36T	
2	16123-02	1/4" Extension Bars, 55, 100mm	
1	16124-01	1/4" Sliding T Bar, 115mm	
1	16124-04	1/4" Spinner Handle, 145mm	
1	16125-01	1/4" Universal Joint, 40mm	
21		1/4" Bit Sockets, 32mm	
	16127-11	4, 5.5, 6.5	
	16127-21	1, 2, 3	
	16127-31	1, 2, 3	
	16127-41	10, 15, 20, 25, 30, 40	
	16127-61	3, 4, 5, 6, 7, 8	
3	1586-1	Hex Key Wrenches, 1.5, 2.0, 2.5mm	

1/4" SOCKET SETS

1612-1542

Socket Set, 42pcs 1/4"




Q'ty	Series	Contents	g
20		1/4" Bits, 25mm	989
	961-11	4, 5.5, 6.5	
	962-11	1, 2, 3	
	963-11	1, 2, 3	
	964-11	10, 15, 20, 25, 27, 30, 40	
	966-11	3, 4, 5, 6	
1	967-21-10	1/4" Hex Quick Holder	
1	969-2-21	Adapter, 50mm	
14	16121-11	1/4" Sockets, 6-Point, 25mm 3.2, 4, 4.5, 5, 5.5, 6, 7, 8 9, 10, 11, 12, 13, 14mm	
1	16122-04	1/4" Ratchet Handle, 36T	
2	16123-02	1/4" Extension Bars, 55, 150mm	
1	16125-01	1/4" Universal Joint, 40mm	
1	16125-06	Coupler, 1/4"x1/4"	
1	S119-9	1/4" Interchangeable Screwdriver	

1612-1620

Ratchet T Handle Set, 20pcs 1/4"



Q'ty	Series	Contents	g
7	16121-11	1/4" Torks Sockets, 25mm 4, 5, 6, 7, 8, 10, 11	738
1	16122-13	1/4" Ratchet T Handle, 72T	
2	16123-02	1/4" Extension Bars, 100, 150mm	
1	16125-01	1/4" Universal Joint, 40mm	
9	16127-41	1/4" Bit Sockets, 32mm 8, 9, 10, 15, 20, 25, 27, 30, 40	



1612-1732

Ratchet T Handle Set, 32pcs 1/4"



Q'ty	Series	Contents	g
20		1/4" Bits, 25mm	1320
	961-11	4, 6.5	
	962-11	1, 2, 3	
	963-11	1, 2	
	964-11	10, 15, 20, 25, 27, 30, 40	
	966-11	3, 4, 5, 6, 8, 10	
7	16121-11	1/4" Sockets, 6-Point, 25mm 8, 9, 10, 11, 12, 13, 14mm	
1	16122-13	1/4" Ratchet T Handle, 72T	
2	16123-02	1/4" Extension Bars, 100, 150mm	
1	16125-01	1/4" Universal Joint, 40mm	
1	16125-06	Coupler, 1/4"x1/4"	

1612-1839

Ratchet T Handle Set, 39pcs 1/4"



Q'ty	Series	Contents	g
25		1/4" Bits, 25mm	1320
	961-11	4, 5.5, 6.5	
	962-11	1, 2, 3	
	963-11	1, 2, 3	
	964-11	8, 9, 10, 15, 20, 25, 27, 30, 40	
	966-11	3, 4, 5, 6	
	968-11	5, 6, 8	
1	969-2-21	Adapter, 50mm	
10	16121-11	1/4" Sockets, 6-Point, 25mm 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm	
1	16122-13	1/4" Ratchet T Handle, 72T	
1	16123-04	1/4" Telescopic Extension Bar, 185mm	
1	16125-01	1/4" Universal Joint, 40mm	

1612-1902

Ratchet T Handle Set, 2pcs 1/4"




Q'ty	Series	Contents	g
1	16122-13	1/4" Ratchet T Handle, 72T	233.5
1	16123-04	1/4" Telescopic Extension Bar, 185mm	

3/8" HAND SOCKETS AND ACCESSORIES

16131-11

Sockets, 6-Point 3/8"

- DIN 3124, ISO2725
- Chrome vanadium steel
- Mirror and mat chrome finish




Size	D1 mm	D2 mm	L mm	g mm	Code
6	9.6	16.8	28	25	060
7	11.0	16.8	28	25	070
8	12.2	16.8	28	25	080
9	13.5	16.8	28	25	090
10	14.7	16.8	28	25	100
11	16.0	16.8	28	25	110
12	17.8	17.8	28	25	120
13	18.8	18.8	28	28	130
14	19.8	18.0	28	38	140
15	21.8	19.0	28	40	150
16	21.8	20.0	28	41	160
17	23.8	21.0	28	59	170
18	25.8	22.0	30	68	180
19	25.8	23.0	30	68	190
20	27.8	23.0	30	65	200
21	27.8	24.0	30	65	210
22	29.8	25.0	30	83	220
23	31.7	26.0	30	87	230
24	31.8	27.0	30	87	240

16131-12

Deep Sockets, 6-Point 3/8"

- DIN 3124, ISO2725
- Chrome vanadium steel
- Mirror and mat chrome finish




Size	D1 mm	D2 mm	L mm	g mm	Code
6	9.6	16.8	63	50	060
7	11.0	16.8	63	50	070
8	12.2	16.8	63	50	080
9	13.5	16.8	63	50	090
10	14.7	16.8	63	50	100
11	16.0	16.8	63	50	110
12	17.8	17.8	63	64	120
13	18.8	18.8	63	64	130
14	19.8	18.0	63	74	140
15	21.8	19.0	63	74	150
16	21.8	20.0	63	85	160
17	23.8	21.0	63	103	170
18	25.8	22.0	63	123	180
19	25.8	23.0	63	116	190
20	27.8	23.0	63	143	200
21	27.8	24.0	63	139	210
22	29.8	25.0	63	171	220
23	31.7	26.0	63	198	230
24	31.8	27.0	63	178	240

16131-21

SAE Sockets, 6-Point 3/8"

- Chrome vanadium steel
- Mirror chrome finish




Size	D1 mm	D2 mm	L mm	g mm	Code
5/16"	12.2	16.8	28	25	1032
11/32"	13.5	16.8	28	25	1132
3/8"	14.7	16.8	28	25	1232
13/32"	14.7	16.8	28	25	1332
7/16"	16.0	16.8	28	25	1432
15/32"	17.8	17.8	28	28	1532
1/2"	18.8	18.8	28	28	1632
9/16"	19.8	18.0	28	38	1832
5/8"	21.8	20.0	28	41	2032
11/16"	23.8	21.0	28	59	2232
3/4"	25.8	23.0	30	68	2432
13/16"	27.8	24.0	30	65	2632
7/8"	29.8	25.0	30	83	2832

16131-22

SAE Deep Sockets, 6-Point 3/8"

- Chrome vanadium steel
- Mirror chrome finish




Size	D1 mm	D2 mm	L mm	g mm	Code
3/8"	14.7	16.8	63	50	1232
7/16"	16.0	16.8	63	50	1432
1/2"	18.8	16.8	63	64	1632
9/16"	19.8	18.0	63	74	1832
5/8"	21.8	20.0	63	85	2032
11/16"	23.8	21.0	63	103	2232
3/4"	25.8	23.0	63	116	2432
13/16"	27.8	24.0	63	160	2632
7/8"	29.8	25.0	63	196	2832

3/8" HAND SOCKETS AND ACCESSORIES

16131-31

Torks Sockets 3/8"

- Chrome vanadium steel
- Mirror and mat chrome finish




Size	D1 mm	D2 mm	L mm	g mm	Code
E6	7.9	16.8	28	20	060
E7	8.9	16.8	28	20	070
E8	10.9	16.8	28	22	080
E10	14.3	16.8	28	24	100
E11	13.4	16.8	28	26	110
E12	15.5	16.8	28	26	120
E14	17.8	16.6	28	30	140
E16	19.8	18.0	28	37	160
E18	21.8	19.1	28	42	180
E20	23.9	20.1	28	52	200

16131-32

Torks Deep Sockets 3/8"

- Chrome vanadium steel
- Mirror and mat chrome finish




Size	D1 mm	D2 mm	L mm	g mm	Code
E6	7.9	16.8	63	50	060
E7	8.9	16.8	63	54	070
E8	10.9	16.8	63	54	080
E10	14.3	16.8	63	68	100
E11	13.4	16.8	63	68	110
E12	15.5	16.8	63	68	120
E14	17.8	16.6	63	82	140
E16	19.8	18.0	63	88	160

16131-41

Sockets, 12-Point 3/8"

- DIN 3124, ISO2725
- Chrome vanadium steel
- Mirror and mat chrome finish




Size	D1 mm	D2 mm	L mm	g mm	Code
6	9.6	16.8	28	25	060
7	11.0	16.8	28	25	070
8	12.2	16.8	28	25	080
9	13.5	16.8	28	25	090
10	14.7	16.8	28	25	100
11	16.0	16.8	28	25	110
12	17.8	17.8	28	25	120
13	18.8	18.8	28	28	130
14	19.8	18.0	28	38	140
15	21.8	19.0	28	40	150
16	21.8	20.0	28	41	160
17	23.8	21.0	28	59	170
18	25.8	22.0	30	68	180
19	25.8	23.0	30	68	190
20	27.8	23.0	30	65	200
21	27.8	24.0	30	65	210
22	29.8	25.0	30	83	220
23	31.7	26.0	30	87	230
24	31.8	27.0	30	87	240

16131-51

SAE Socket, 12-Point 3/8"

- Chrome vanadium steel
- Mirror chrome finish



Size	D1 mm	D2 mm	L mm	g mm	Code
5/16"	12.2	16.8	28	25	1032
11/32"	13.5	16.8	28	25	1132
3/8"	14.7	16.8	28	25	1232
13/32"	14.7	16.8	28	25	1332
7/16"	16.0	16.8	28	25	1432
15/32"	17.8	17.8	28	28	1532
1/2"	18.8	18.8	28	28	1632
9/16"	19.8	18.0	28	38	1832
5/8"	21.8	20.0	28	41	2032
11/16"	23.8	21.0	28	59	2232
3/4"	25.8	23.0	30	68	2432
13/16"	27.8	24.0	30	65	2632
7/8"	29.8	25.0	30	83	2832




3/8" HAND SOCKETS AND ACCESSORIES

16132-01

Ratchet Handle 3/8"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mirror chrome finish



Teeth	D mm	H mm	L mm	g	Code
45	35	34	200	350	200

16132-02

Ratchet Handle, Straight 3/8"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish



Teeth	D mm	H mm	L mm	g	Code
36	31	26	202	244	36
72	31	26	202	244	72

16132-03

Ratchet Handle, Curved 3/8"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




Teeth	D mm	H mm	L mm	g	Code
36	31	26	202	244	36
72	31	26	202	244	72

16132-06

Swivel Ratchet Handle 3/8"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish



Teeth	D mm	L mm	g	Code
72	43	230	410	230

16132-07

Stubby Ratchet Handle 3/8"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish



Teeth	D mm	L mm	g	Code
36	31	137	364	137

16132-08

Swivel Stubby Ratchet Handle 3/8"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




Teeth	D mm	L mm	g	Code
72	43	168	364	72

16132-04

Swivel Handle 3/8"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish



H mm	L mm	g	Code
28	200	160	200
28	250	210	250

16132-05

Flexible Handle 3/8"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mirror chrome finish




H mm	L mm	g	Code
47	300	470	300
47	375	963	375

3/8" HAND SOCKETS AND ACCESSORIES

16133-01

Wobble Extension Bar 3/8"

- DIN 3123, ISO3316
- Chrome vanadium steel
- Mat chrome finish



L mm	g	Code
43	45	043
75	80	075
150	140	150
200	190	200
225	205	225
250	230	250
450	306	450
600	407	600
900	620	900

16133-02

Extension Bar 3/8"

- DIN 3123, ISO3316
- Chrome vanadium steel
- Mat chrome finish




L mm	g	Code
43	45	043
75	75	075
125	95	125
150	140	150
250	185	250
450	306	450
600	407	600
900	620	900

16133-03

Magnetic Antenna Extension Bar 3/8"

- DIN 3123, ISO3316
- With magnetic antenna to pick up screw
- Chrome vanadium steel
- Satin chrome finish




L mm	L1 mm	g	Code
75	40	45	075
150	40	130	150
250	40	190	250


16133-04

Quick Release Extension Bar 3/8"

- DIN 3123, ISO3316
- Chrome vanadium steel
- Lock system prevents socket ios
- Mat chrome finish



L mm	g	Code
75	45	075
150	153	150
250	240	250
450	326	450
600	422	600




16133-05

Magnetic Extension Bar 3/8"

- DIN 3123, ISO3316
- Retaining bolts and screws securely
- Chrome vanadium steel
- Satin chrome finish



L mm	g	Code
43	40	043
77	75	077



3/8" HAND SOCKETS AND ACCESSORIES

16133-06

Flexible Extension Bar 3/8"

- Chrome vanadium steel
- Chrome plated




L mm	g	Code
193	280	193

16134-01

Sliding T Bar 3/8"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




H mm	L mm	g	Code
21.5	165	155	165
21.5	200	160	200

16134-02

Speedy Driver 3/8"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




H mm	L mm	L1 mm	g	Code
90	390	95	418	390

16135-01

Universal Joint 3/8"

- DIN 3123, ISO3316
- Chrome vanadium steel
- Mat chrome finish




D mm	L mm	g	Code
18	55	51	055

16135-04

Adapter 3/8"

- DIN 3123, ISO3316
- Chrome vanadium steel
- Mat chrome finish




Size	D mm	L mm	g	Code
1/4" x 3/8"	17	28	20	1438
1/2" x 3/8"	18	35	45	1238

16135-05

3-Way Adapter 3/8"

- DIN 3123, ISO3316
- Chrome vanadium steel
- Mat chrome finish



Size	D mm	L mm	g	Code
1/4" x 3/8"	19	29	32	1438
1/2" x 3/8"	24	44	70	1238

16135-06

Coupler 3/8"

- DIN3124, ISO2725
- Chrome vanadium steel
- Mat chrome finish




Hex. x DR.	L mm	g	Code
1/4" x 3/8"	30	18	1438
5/16" x 3/8"	30	25	51638
10mm x 3/8"	30	25	1038

3/8" HAND SOCKETS AND ACCESSORIES

16135-07

Adapter 3/8"

- Chrome vanadium steel
- Mat chrome finish




Size	L mm	D mm	g	Code
1/2" x 3/8"	25	30	54	3812

16137-11

Bit Sockets, SL 3/8"

- DIN ISO 2380-1, DIN 3120
- Socket double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)




a x b	L mm	g	Code
0.8 4.0	48	35	048040
0.8 4.5	48	35	048045
1.0 5.5	48	35	048055
1.2 6.5	48	35	048065
1.2 8.0	48	35	048080

16137-21

Bit Sockets, PH 3/8"

- DIN ISO 8764-1, DIN 3120
- Socket double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)




	L mm	g	Code
1	48	35	0481
2	48	35	0482
3	48	35	0483
4	48	35	0484

16137-31

Bit Sockets, PZ 3/8"

- DIN ISO 8764-1, DIN 3120
- Socket double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)




	L mm	g	Code
1	48	35	0480
2	48	35	0481
3	48	35	0482
4	48	35	0483

16137-41

Bit Sockets, TX 3/8"

- DIN3120
- Sockets double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)



	L mm	g	Code
8	48	35	04808
8	140	60	14008
10	48	35	04810
10	140	60	14010
15	48	35	04815
15	140	60	14015
20	48	35	04820
20	140	60	14020
25	48	35	04825
25	140	60	14025
27	48	35	04827
27	140	60	14027
30	48	35	04830
30	140	60	14030
40	48	35	04840
40	140	60	14040
45	48	35	04845
45	140	60	14045
50	48	35	04850
50	140	60	14050
55	48	35	04855
55	140	60	14055

3/8" HAND SOCKETS AND ACCESSORIES

16137-51

Bit Socket, TX Tamper-Proof 3/8"

- DIN 3120
- Socket double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)



	L mm	g 	Code
8	48	35	04808
10	48	35	04810
15	48	35	04815
20	48	35	04820
25	48	35	04825
27	48	35	04827
30	48	35	04830
40	48	35	04840
45	48	35	04845
50	48	35	04850
55	48	35	04855

16137-61

Bit Socket, HX 3/8"

- DIN 7422, DIN 3120
- Sockets double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)




	L mm	g 	Code
3.0	48	35	048030
3.0	140	60	140030
4.0	48	35	048040
4.0	140	60	140040
5.0	48	35	048050
5.0	140	60	140050
5.5	48	35	048055
5.5	140	60	140055
6.0	48	35	048060
6.0	140	60	140060
7.0	48	39	048070
7.0	140	64	140070
8.0	48	42	048080
8.0	140	67	140080
9.0	48	44	048090
9.0	140	69	140090
10.0	48	47	048100
10.0	140	72	140100

16138-1

Spark Plug Sockets, 6-Point 3/8"

- Chrome vanadium steel
- Mirror and mat chrome finish



Size	D mm	L mm	g 	Code
16	22	65	96	16
18	26	67	142	18
21	28	67	146	21

16138-2

Deep Spark Plug Sockets, 12-Point 3/8"

- Chrome vanadium steel
- Mirror chrome finish




Size	D mm	L mm	g 	Code
14	20	90	90	090
14	19	250	322	250
14	19	300	392	300

16138-3

Universal Deep Spark Plug Sockets, 12-point 3/8"

- Chrome vanadium steel
- Mirror chrome finish




Size	D mm	L mm	g 	Code
14	20	145	182	145
14	19	275	335	275

3/8" HAND SOCKETS AND ACCESSORIES

12733-1

Spark Plug Sockets 3/8"

- 12-point
- Chrome vanadium steel
- Mirror chrome finish




Size	D mm	L mm	g 	Code
14	20	90	90	090
14	19	250	322	250
14	19	300	392	300

12733-2

Universal Spark Plug Sockets 3/8"

- 12-point
- Chrome vanadium steel
- Mirror chrome finish



Size	D mm	L mm	g 	Code
14	20	145	182	145
14	19	275	335	275

12733-3

Wobble T Handle 3/8"

- Chrome vanadium steel
- Mirror chrome finish




Size	L mm	g 	Code
3/8"	290	243	290

12733-4

Flexible Extension Spark Plug Sockets 3/8"

- Chrome vanadium steel
- Mirror and mat chrome finish




Size	L mm	g 	Code
16	207	200	207
21	210	255	210
16	382	310	382
21	385	370	385

12733-5

Spark Plug Sockets 3/8"

- Chrome vanadium steel
- Mirror and mat chrome finish



Size	D mm	L mm	g 	Code
16	22	65	96	160
18	26	67	142	180
21	28	67	146	210
5/8"	22	65	96	058
13/16"	28	65	140	1316

1273-0103

Spark Plug Sockets Set, 3pcs 3/8"



Q'ty	Series	Contents	g 
2	12733-5	3/8" Spark Plug Socket, (Magnetdic)	587
1	12733-3	16, 21mm Wobble T Handle	

3/8" HAND SOCKETS AND ACCESSORIES

1613-0109

Socket Set, 9pcs 3/8"



Q'ty	Series	Contents	g
9	16131-11	3/8" Sockets, 6-Point 9, 10, 11, 12, 13, 14, 15, 17, 19mm	316

1613-0207

Torks Socket Set, 7pcs 3/8"



Q'ty	Series	Contents	g
7	16131-31	3/8" Torks Sockets, 28mm E6, E7, E8, E10, E11, E12, E14mm	215

1613-0303

Wobble Extension Bar Set, 3pcs 3/8"



Q'ty	Series	Contents	g
3	16133-01	3/8" Wobble Extension Bars 75, 150, 200mm	325

1613-0422

Socket Set, 22pcs 3/8"



Q'ty	Series	Contents	g
15	16131-11	3/8" Sockets, 6-Point 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 16, 17, 18, 19, 22mm	2400
1	16132-02	3/8" Ratchet Handle, 36T	
2	16133-02	3/8" Extension Bars, 75, 150mm	
1	16134-01	3/8" Sliding T Bar, 165mm	
1	16135-01	3/8" Universal Joint, 55mm	
2	16138-01	3/8" Spark Plug Sockets, 16, 21mm	

1613-0516

Bit Socket Set, TX, 16pcs 3/8"



Q'ty	Series	Contents	g
8	16137-41	3/8" Bit Sockets, TX, 48mm ⊕ 15, 20, 25, 27, 30, 40, 45, 50	2310
8	16137-42	3/8" Bit Sockets, TX, 140mm ⊕ 15, 20, 25, 27, 30, 40, 45, 50	

1613-0616

Bit Socket Set, HX, 16pcs 3/8"



Q'ty	Series	Contents	g
8	16137-61	3/8" Bit Sockets, HX, 48mm ● 4, 5, 6, 7, 8, 9, 10, 12	2310
8	16137-62	3/8" Bit Sockets, HX, 140mm ● 4, 5, 6, 7, 8, 9, 10, 12	

3/8" SOCKET SETS

1613-0741

Socket Set, 41pcs 1/4" 3/8"



Q'ty	Series	Contents	g
8	16121-11	1/4" Sockets, 6-Point, 25mm 4, 4.5, 5, 5.5, 6, 7, 8, 9mm	2500
1	16124-04	1/4" Spinner Handle, 145mm	
12	16127-11	1/4" Bit Sockets, 32mm ⊖ 4, 5.5, 6.5	
	16127-21	⊕ 1, 2, 3	
	16127-31	⊕ 1, 2	
	16127-61	● 3, 4, 5, 6	
9	16131-11	3/8" Sockets, 6-Point 10, 11, 12, 13, 14, 15, 16, 17, 19mm	
1	16132-02	3/8" Ratchet Handle, 36T	
2	16133-02	3/8" Extension Bars, 75, 150mm	
1	16135-01	3/8" Universal Joint, 55mm	
1	16135-04	1/4" ■x3/8" □ Adapter	
2	16138-01	3/8" Spark Plug Sockets, 16, 21mm	
1	16145-04	3/8" ■x1/2" □ 3-Way Adapter	
3	1586-1	Hex Key Wrenches, 1.5, 2.0, 2.5mm	

1613-0826

Socket Set, 26pcs 3/8"



Q'ty	Series	Contents	g
18	16131-11	3/8" Sockets, 6-Point 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 16, 17, 18, 19, 20, 21, 22, 24mm	5200
1	16132-02	3/8" Ratchet Handle, 36T	
3	16133-02	3/8" Extension Bars, 43, 75, 150mm	
1	16134-01	3/8" Sliding T Bar, 165mm	
1	16135-01	3/8" Universal Joint, 55mm	
2	16138-01	3/8" Spark Plug Sockets, 16, 21mm	

1613-0962

Socket and Tool Set, 62pcs 1/4" 3/8"



Q'ty	Series	Contents	g
22		1/4" Bits, 25mm ⊖ 4, 5.5, 6.5 ⊕ 1, 2, 3 ⊕ 1, 2, 3 ⊕ 10, 15, 20, 25, 27, 30, 40 ● 3, 4, 5, 6, 7, 8	4750
1	15601-321	Combination Pliers, 180mm	
1	15604-12	Diagonal Cutting Nippers, 160mm	
8	16121-11	1/4" Sockets, 6-Point, 25mm 4, 4.5, 5, 5.5, 6, 7, 8, 9mm	
1	16124-04	1/4" Spinner Handle, 145mm	
1	16125-06	Coupler, 1/4"x1/4"	
14	16131-11	3/8" Sockets, 6-Point 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 20, 21, 22, 24mm	
1	16132-02	3/8" Ratchet Handle, 36T	
2	16133-02	3/8" Extension Bars, 75, 150mm	
1	16134-01	3/8" Sliding T Bar, 165mm	
1	16135-01	3/8" Universal Joint, 55mm	
1	16135-04	1/4" ■x3/8" □ Adapter	
2	16138-01	3/8" Spark Plug Sockets, 16, 21mm	
6		Screwdrivers S111-3 ⊖ 5.5x100, 6.5x125 951-7 ⊖ 6.5x25 S112-3 ⊕ 1x80, 2x100 952-6 ⊕ 2x25	



3/8" SOCKET SETS

1613-1139

Bit and Socket Set, 39pcs 3/8" 10



Q'ty	Series	Contents	g
10	16131-31	3/8" Torks Sockets, 28mm E6, E7, E8, E10, E11, E12, E14, 1E6, E18, E20	1550
1	16134-01	3/8" Sliding T Bar, 165mm	
1	16135-06	Coupler, 3/8"x10mm	
26	16146-41	10mm Bits, HX, 30mm	
	16146-51	⊕ 20, 25, 30, 40, 45, 50, 55	
	16146-61	⊙ 4, 5, 6, 7, 8, 10, 12	
	16146-71	⊛ 5, 6, 8, 10, 12	
1	1739-21	3/8" Speedy Extension Bar, 230mm	

1613-1256

Bit Set, 56pcs 3/8" 10



Q'ty	Series	Contents	g
1	16135-06	Coupler, 3/8"x10mm	2138
1	16134-01	3/8" Sliding T Bar, 165mm	
1	16145-05	Coupler, 1/2"x10mm	
26	16146-41	10mm Bits, HX, 30mm	
	16146-51	⊕ 20, 25, 30, 40, 45, 50, 55	
	16146-61	⊙ 4, 5, 6, 7, 8, 10, 12	
	16146-81	⊛ 5, 6, 8, 10, 12	
26	16146-42	10mm Bits, HX, 75mm	
	16146-52	⊕ 20, 25, 30, 40, 45, 50, 55	
	16146-62	⊙ 4, 5, 6, 7, 8, 10, 12	
	16146-82	⊛ 5, 6, 8, 10, 12	
1	1739-21	3/8" Speedy Extension Bar, 230mm	

1613-1329

Bit Socket Set, TX, 29pcs 1/4" 3/8



Q'ty	Series	Contents	g
5	16121-31	1/4" Torks Sockets, 25mm E4, E5, E6, E7, E8	1500
6	16131-31	3/8" Torks Sockets, 28mm E10, E12, E14, E16, E18, E20	
1	16135-06	Coupler, 3/8"x1/4"	
10	16137-41	3/8" Bit Sockets, TX, 48mm	
7	965-11	1/4" Bits, 25mm	
		⊕ 10, 15, 20, 25, 27, 30, 40, 45, 50, 55	
		⊙ 10, 15, 20, 25, 27, 30, 40	

1613-1409

Bolt Extractor Socket Set, 9pcs 3/8




Q'ty	Series	Contents	g
9	16131-61	3/8" Bolt Extractor Socket 8, 10, 11, 12, 13, 14, 16, 17, 19mm	657

1/2" HAND SOCKETS AND ACCESSORIES

16141-11

Sockets, 6-Point 1/2

- DIN 3124, ISO2725
- Chrome vanadium steel
- Mirror and mat chrome finish




Size	D1 mm	D2 mm	L mm	g	Code
8	13.0	21.8	38	49	080
9	14.3	21.8	38	49	090
10	15.3	21.8	38	49	100
11	16.6	21.8	38	50	110
12	17.6	21.8	38	50	120
13	19.1	21.8	38	51	130
14	20.3	21.8	38	53	140
15	21.7	21.8	38	53	150
16	21.8	21.8	38	53	160
17	23.8	22.0	38	60	170
18	25.5	24.0	38	70	180
19	25.7	22.9	38	70	190
20	27.8	25.0	38	78	200
21	27.8	26.0	38	78	210
22	29.9	26.0	38	90	220
23	31.8	27.0	38	106	230
24	31.8	27.8	40	110	240
25	33.8	30.0	42	115	250
26	33.8	30.0	42	130	260
27	35.8	31.0	42	150	270
28	37.8	32.0	42	160	280
29	37.8	33.0	42	180	290
30	39.9	34.0	45	193	300
31	41.8	35.8	45	206	310
32	41.8	35.8	45	219	320
34	41.8	35.8	45	234	340

16141-12

Deep Sockets, 6-Point 1/2

- DIN 3124, ISO2725
- Chrome vanadium steel
- Mirror and mat chrome finish




Size	D1 mm	D2 mm	L mm	g	Code
8	13.0	21.8	77	90	080
9	14.3	21.8	77	90	090
10	15.3	21.8	77	90	100
11	16.6	21.8	77	90	110
12	17.6	21.8	77	90	120
13	19.1	21.8	77	90	130
14	20.3	21.8	77	104	140
15	21.7	21.8	77	104	150
16	21.8	21.8	77	104	160
17	23.8	22.0	77	120	170
18	25.5	24.0	77	149	180
19	25.7	24.0	77	134	190
20	27.8	25.0	77	162	200
21	27.8	26.0	77	158	210
22	29.9	26.0	77	184	220
24	31.8	27.8	77	210	240
27	35.8	31.0	77	236	270
30	39.9	34.0	77	305	300
32	41.8	35.8	77	336	320

16141-21

SAE Sockets, 6-Point 1/2

- Chrome vanadium steel
- Mirror chrome finish



Size	D1 mm	D2 mm	L mm	g	Code
5/16"	13.0	21.8	38	49	1032
3/8"	14.3	21.8	38	49	1232
7/16"	16.6	21.8	38	50	1432
15/32"	17.6	21.8	38	50	1532
1/2"	19.1	21.8	38	51	1632
9/16"	20.3	21.8	38	53	1832
19/32"	21.7	21.8	38	53	1932
5/8"	21.8	21.8	38	53	2032
21/32"	23.8	22.0	38	72	2132
11/16"	23.8	22.0	38	60	2232
3/4"	25.7	22.9	38	78	2432
25/32"	27.8	25.0	38	78	2532
13/16"	27.8	26.0	38	78	2632
7/8"	29.9	26.0	38	99	2832
15/16"	31.8	27.8	40	110	3032
1"	33.8	30.0	42	115	3232
1"-1/16"	35.8	31.0	42	150	3432
1"-1/8"	37.8	33.0	42	180	3632
1"-3/16"	39.9	34.0	45	193	3832
1"-1/4"	41.8	35.8	45	219	4032

16141-22

SAE Deep Sockets, 6-Point 1/2

- Chrome vanadium steel
- Mirror chrome finish



Size	D1 mm	D2 mm	L mm	g	Code
3/8"	15.3	21.8	77	90	1232
7/16"	16.6	21.8	77	90	1432
1/2"	19.1	21.8	77	90	1632
9/16"	20.3	21.8	77	104	1832
19/32"	21.7	21.8	77	104	1932
5/8"	21.8	21.8	77	104	2032
11/16"	23.8	22.0	77	120	2232
3/4"	25.7	24.0	77	134	2432
13/16"	27.8	26.0	77	158	2632
7/8"	29.9	26.0	77	184	2832
15/16"	31.8	27.8	77	210	3032
1"	33.8	30.0	77	225	3232
1-1/16"	35.8	31.0	77	236	3432




1/2" HAND SOCKETS AND ACCESSORIES

16141-31

Torks Sockets

- Chrome vanadium steel
- Mirror and mat chrome finish

1/2"




Size	D1 mm	D2 mm	L mm	g mm	Code
E8	11.6	22.0	38	48	080
E10	13.5	22.0	38	48	100
E11	14.3	22.0	38	50	110
E12	15.0	22.0	38	50	120
E14	16.4	22.0	38	53	140
E16	19.0	22.0	38	56	160
E18	24.0	22.1	38	77	180
E20	25.9	24.0	38	90	200
E22	25.9	24.1	38	84	220
E24	28.0	24.1	38	88	240

16141-32

Torks Deep Sockets

- Chrome vanadium steel
- Mirror and mat chrome finish

1/2"




Size	D1 mm	D2 mm	L mm	g mm	Code
E10	13.5	22.0	77	96	100
E11	14.3	22.0	77	96	110
E12	15.0	22.0	77	103	120
E14	16.4	22.0	77	107	140
E16	19.0	22.0	77	123	160
E18	24.0	22.1	77	141	180
E20	25.9	24.0	77	164	200
E24	28.0	24.1	77	202	240

16141-41

Socket, 12-Point

1/2"

- DIN 3124, ISO2725
- Chrome vanadium steel
- Mirror and mat chrome finish



Size	D1 mm	D2 mm	L mm	g mm	Code
8	13.0	21.8	38	49	080
9	14.3	21.8	38	49	090
10	15.3	21.8	38	49	100
11	16.6	21.8	38	50	110
12	17.6	21.8	38	50	120
13	19.1	21.8	38	51	130
14	20.3	21.8	38	53	140
15	21.7	21.8	38	53	150
16	21.8	21.8	38	53	160
17	23.8	22.0	38	60	170
18	25.5	24.0	38	70	180
19	25.7	22.9	38	70	190
20	27.8	25.0	38	78	200
21	27.8	26.0	38	78	210
22	29.9	26.0	38	90	220
23	31.8	27.0	38	106	230
24	31.8	27.8	40	110	240
25	33.8	30.0	42	115	250
26	33.8	30.0	42	130	260
27	35.8	31.0	42	150	270
28	37.8	32.0	42	160	280
29	37.8	33.0	42	180	290
30	39.9	34.0	45	193	300
31	41.8	35.8	45	206	310
32	41.8	35.8	45	219	320
34	41.8	35.8	45	234	340


1/2" HAND SOCKETS AND ACCESSORIES

16141-51

SAE Socket, 12-Point

1/2"

- Chrome vanadium steel
- Mirror chrome finish




Size	D1 mm	D2 mm	L mm	g mm	Code
5/16"	13.0	21.8	38	49	1032
3/8"	14.3	21.8	38	49	1232
7/16"	16.6	21.8	38	50	1432
15/32"	17.6	21.8	38	50	1532
1/2"	19.1	21.8	38	51	1632
9/16"	20.3	21.8	38	53	1832
19/32"	21.7	21.8	38	53	1932
5/8"	21.8	21.8	38	53	2032
21/32"	23.8	22.0	38	72	2132
11/16"	23.8	22.0	38	60	2232
3/4"	25.7	22.9	38	78	2432
25/32"	27.8	25.0	38	78	2532
13/16"	27.8	26.0	38	78	2632
7/8"	29.9	26.0	38	99	2832
15/16"	31.8	27.8	40	110	3032
1"	33.8	30.0	42	115	3232
1-1/16"	35.8	31.0	42	150	3432
1-1/8"	37.8	33.0	42	180	3632
1-3/16"	39.9	34.0	45	193	3832
1-1/4"	41.8	35.8	45	219	4032

16142-01

Ratchet Handle

1/2"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mirror chrome finish




Teeth	D mm	H mm	L mm	g mm	Code
45	41	40	250	550	250

16142-02

Ratchet Handle, Straight

1/2"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




Teeth	D mm	H mm	L mm	g mm	Code
36	40	38	260	547	36
72	40	38	260	547	72

16142-03

Ratchet Handle, Curved

1/2"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




Teeth	D mm	H mm	L mm	g mm	Code
36	40	38	260	547	36
72	40	38	260	547	72

16142-11

Ratchet Handle

1/2"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




Teeth	D mm	H mm	L mm	g mm	Code
72	39	33	250	445	250

16142-06

Swivel Ratchet Handle

1/2"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish



Teeth	D mm	L mm	g mm	Code
72	49	300	650	72

16142-10

Swivel Stubby Ratchet Handle

1/2"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




Teeth	D mm	L mm	g mm	Code
72	44	168	364	72

1/2" HAND SOCKETS AND ACCESSORIES

16142-09

Ratchet Handle, Go-Thru Type 1/2"


- Chrome vanadium steel
- Mat chrome finish



D mm	L mm	g	Code
43	270	510	270

Square Driver 1/2"

- Chrome vanadium steel
- Mat chrome finish





L mm	g	Code
38	40	38



16142-05

Flexible Handle 1/2"

- DIN 3122, ISO3315
- Heavy duty model
- Chrome vanadium steel
- Mirror chrome finish





H mm	L mm	g	Code
55	300	622	300
55	600	1400	600

16142-04

Swivel Handle 1/2"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish





H mm	L mm	g	Code
37	375	785	375
37	450	880	450

16143-01

Wobble Extension Bar 1/2"

- DIN 3123, ISO3316
- Square driver round profile gives working angle of 12°
- Chrome vanadium steel
- Mat chrome finish




L mm	g	Code
50	97	050
75	138	075
125	222	125
150	260	150
200	346	200
250	428	250
375	490	375
450	525	450
500	586	500
600	697	600

16143-02

Extension Bar 1/2"

- DIN 3123, ISO3316
- Chrome vanadium steel
- Satin chrome finish





L mm	g	Code
50	97	050
75	138	075
125	222	125
150	260	150
200	346	200
250	428	250
375	490	375
450	525	450
500	586	500
600	697	600

1/2" HAND SOCKETS AND ACCESSORIES


16143-03

Magnetic Antenna Extension Bar 1/2"

- DIN 3123, ISO 3316
- With magnetic antenna to keep screw
- Chrome vanadium steel
- Mat chrome finish




L mm	L1 mm	g	Code
75	40	138	075
125	40	200	125
150	40	250	150
250	40	420	250




16143-04

Quick Release Extension Bar 1/2"

- DIN 3123, ISO3316
- Chrome vanadium steel
- Mat chrome finish




L mm	g	Code
75	146	075
125	235	125
250	441	250
375	508	375
450	570	450
500	630	500
600	770	600



16143-06

Magnetic Extension Bar 1/2"

- DIN 3123, ISO3316
- Retaining bolts and screw securely
- Chrome vanadium steel
- Satin chrome finish



L mm	g	Code
77	101	077
250	413	250

16143-07

Flexible Extension Bar 1/2"

- Chrome vanadium steel
- Chrome plated




L mm	g	Code
205	285	205

16144-01

Sliding T Bar 1/2"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish





D mm	H mm	L mm	g	Code
24	26	250	365	250
24	26	300	415	300

16144-02

L Handle 1/2"

- Chrome vanadium steel
- Mat chrome finish



H mm	L mm	g	Code
60	200	332	200


1/2" HAND SOCKETS AND ACCESSORIES

16144-03

L Double Driver

1/2"

- Chrome vanadium steel
- Mat chrome finish




H mm	L mm	g	Code
75	285	550	300

16144-04

Speedy Driver

1/2"

- DIN 3122, ISO3315
- Chrome vanadium steel
- Mat chrome finish




H mm	L mm	L1 mm	g	Code
120	395	110	560	395

16145-02

Universal Joint

1/2"

- DIN 3123, ISO 3316
- Chrome vanadium steel
- Mat chrome finish




D mm	L mm	g	Code
25	78	155	078

16145-03

Adapter

1/2"

- DIN 3123, ISO 3316
- Chrome vanadium steel
- Mat chrome finish




Size	D mm	L mm	g	Code
3/8" x 1/2"	22	35	51	3812
3/4" x 1/2"	25	42	115	3412

16145-04

3-Way Adapter

1/2"

- DIN 3123, ISO 3316
- Chrome vanadium steel
- Mat chrome finish



Size	D mm	L mm	g	Code
3/8" x 1/2"	24	44	70	3812

16145-05

Coupler

1/2"

- DIN 3124, ISO 2725
- Chrome vanadium steel
- Mat chrome finish



HEX x DR.	L mm	g	Code
1/4" x 1/2"	38	40	1412
5/16" x 1/2"	38	42	51612
10mm x 1/2"	38	50	1012

1/2" HAND SOCKETS AND ACCESSORIES

16147-11

Bit Socket, SL

1/2"

- DIN ISO 2380-1, DIN 3120
- Socket double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)



a	b	L mm	g	Code
1.2	8.0	55	70	05508
1.6	9.0	55	70	05509
1.6	10.0	55	70	05510
1.8	10.0	55	92	05511
2.0	12.0	55	92	05512
2.5	14.0	55	112	05514
2.5	16.0	55	112	05516

16147-21

Bit Sockets, PH

1/2"

- DIN ISO 8764-1, DIN 3120
- Socket double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)



	L mm	g	Code
2	55	65	0552
3	55	65	0553
4	55	70	0554

16147-31

Bit Socket, PZ

1/2"

- DIN ISO 8764-1, DIN 3120
- Socket double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)




	L mm	g	Code
2	55	65	0552
3	55	65	0553
4	55	70	0554

16147-41

Bit Socket, TX

1/2"

- DIN3120
- Socket double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)



	L mm	g	Code
8	140	143	14008
10	140	143	14010
15	55	85	05515
15	140	143	14015
20	55	85	05520
20	100	122	10020
20	140	143	14020
25	55	85	05525
25	100	122	10025
25	140	143	14025
27	55	85	05527
27	100	122	10027
27	140	143	14027
30	55	85	05530
30	100	122	10030
30	140	143	14030
40	55	85	05540
40	100	122	10040
40	140	143	14040
45	55	85	05545
45	100	122	10045
45	140	143	14045
50	55	85	05550
50	100	122	10050
50	140	143	14050
55	55	87	05555
55	100	122	10055
55	140	143	14055
60	55	95	05560
60	100	122	10060
70	55	99	05570
70	100	122	10070




1/2" HAND SOCKETS AND ACCESSORIES

16147-51

Bit Socket, TX Tamper-Proof 1/2"

- DIN 3120
- Socket double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)




	L mm	g 	Code
8	140	143	14008
10	140	143	14010
15	55	85	05515
15	140	143	14015
20	55	85	05520
20	100	122	10020
20	140	143	14020
25	55	85	05525
25	100	122	10025
25	140	143	14025
27	55	85	05527
27	100	122	10027
27	140	143	14027
30	55	85	05530
30	100	122	10030
30	140	143	14030
40	55	85	05540
40	100	122	10040
40	140	143	14040
45	55	85	05545
45	100	122	10045
45	140	143	14045
50	55	85	05550
50	100	122	10050
50	140	143	14050
55	55	87	05555
55	100	122	10055
55	140	143	14055
60	55	95	05560
60	100	122	10060
70	55	99	05570
70	100	122	10070

16147-61

Bit Socket, HX 1/2"

- DIN 7422, DIN 3120
- Socket double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)



	L mm	g 	Code
4.0	55	85	05504
5.0	55	85	05505
5.0	100	122	10005
5.0	140	143	14005
5.0	180	183	18005
6.0	55	85	05506
6.0	100	122	10006
6.0	140	143	14006
7.0	55	85	05507
7.0	100	122	10007
7.0	140	143	14007
8.0	55	85	05508
8.0	100	122	10008
8.0	140	143	14008
9.0	55	88	05509
10.0	55	88	05510
10.0	140	143	14010
12.0	55	99	05512
12.0	140	143	14012
14.0	55	134	05514
14.0	65	140	06514
17.0	55	146	05517
17.0	70	185	07017
19.0	55	157	05519

16147-81

Bit Socket, SP 1/2"

- DIN 3120
- Socket double finish
- Chrome vanadium steel
- Bit silicon alloy steel (S2)




	L mm	g 	Code
5	55	67	05505
6	55	67	05506
6	100	85	10006
8	55	67	05508
8	100	87	10008
10	55	88	05510
10	100	110	10010
12	55	100	05512
12	100	151	10012
14	55	131	05514
14	100	187	10014
16	55	162	05516
16	100	242	10016

1/2" HAND SOCKETS AND ACCESSORIES

16148-1

Spark Plug Socket, 6-POINT 1/2"


- Chrome vanadium steel
- Mirror chrome finish



12743-4

Flexible Extension Spark Plug Sockets 1/2"


- Chrome vanadium steel
- Mirror and mat chrome finish



12743-5

Spark Plug Sockets 1/2"

- Chrome vanadium steel
- Mirror and mat chrome finish



1614-0109

Torks Socket Set, 9pcs 1/2"



1614-0210

Socket Set, 10pcs 1/2"



1614-0303

Wobble Extension Bar Set, 3pcs 1/2"



1614-0505

Bit Socket, HX Set, 5pcs 1/2"



1/2" HAND SOCKETS AND ACCESSORIES

1614-0609

Extension Bar Set, 9pcs 1/4 3/8 1/2



Q'ty	Series	Contents	g
3	16123-01	1/4" Wobble Extension Bars 50, 100, 225mm	1900
3	16133-01	3/8" Wobble Extension Bars 75, 150, 225mm	
3	16143-01	1/2" Wobble Extension Bars 50, 125, 250mm	

1614-0714

Torks Socket Set, 14pcs 1/4 3/8 1/2



Q'ty	Series	Contents	g
5	16121-31	1/4" Torks Sockets, 25mm E4, E5, E6, E7, E8	975
2	16131-31	3/8" Torks Sockets, 28mm E10, E12mm	
5	16141-31	1/2" Torks Sockets, 38mm E14, E16, E18, E20, E24	
2	16135-04	3/8" 1/4 x 1/4" 1/4 Adapter	
	16145-03	1/2" 1/4 x 3/8" 1/4	

1614-0824

Socket Set, 24pcs 1/2



Q'ty	Series	Contents	g
18	16141-11	1/2" Sockets, 6-Point 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 20, 21, 22, 23, 24, 27, 30, 32mm	925
1	16142-02	1/2" Ratchet Handle, 36T	
2	16143-02	1/2" Extension Bars, 125, 250mm	
1	16144-01	1/2" Sliding T Bar, 250mm	
1	16145-02	1/2" Universal Joint, 78mm	
1	16148-01	1/2" Spark Plug Socket, 21mm	

1614-0915

Bits Set, TX, 15pcs 10 1/2



Q'ty	Series	Contents	g
1	16145-05	Coupler, 1/2"x10mm	925
7	16146-41	10mm Bits, TX, 30mm ⊕ 20, 25, 30, 40, 45, 50, 55	
7	16146-42	10mm Bits, TX, 75mm ⊕ 20, 25, 30, 40, 45, 50, 55	

1614-1059

Socket Set, 59pcs 1/4 1/2



Q'ty	Series	Contents	g
12	16121-11	1/4" Sockets, 6-Point 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm	5250
1	16122-04	1/4" Ratchet Handle, 36T	
1	16123-02	1/4" Extension Bar, 100mm	
1	16124-04	1/4" Spinner Handle, 145mm	
1	16124-01	1/4" Sliding T Bar, 115mm	
1	16125-01	1/4" Universal Joint, 40mm	
18	16127-11	1/4" Bit Sockets, 32mm ⊖ 4, 5.5, 6.5	
	16127-21	⊕ 1, 2, 3	
	16127-31	⊕ 1, 2	
	16127-41	⊕ 10, 15, 20, 25, 27, 30	
	16127-61	⊕ 4, 5, 6, 8	
1	16135-05	1/2" 1/4 x 3/8" 1/4 3-Way Adapter	
14	16141-11	1/2" Sockets, 6-Pont 10, 11, 12, 13, 14, 15, 17, 19, 21 22, 24, 27, 30, 32mm	
1	16142-02	1/2" Ratchet Handle, 36T	
2	16143-02	1/2" Extension Bars, 125, 250mm	
1	16145-02	1/2" Universal Joint, 78mm	
2	16148-01	1/2" Spark Plug Sockets, 16, 21mm	
3	1586-3	Short Hex Keys, 1.5, 2.0, 2.5mm	

1/2" SOCKET SETS

1614-1111

Torks Socket Set, 11pcs 1/4 3/8 1/2



Q'ty	Series	Contents	g
3	16121-31	1/4" Torks Sockets, 25mm E4, E5, E6	825
5	16131-31	3/8" Torks Sockets, 28mm E7, E8, E10, E11, E12	
3	16141-31	1/2" Torks Sockets, 38mm E14, E18, E20	

1614-1209

Bit Socket, TX Set, 9pcs 1/2



Q'ty	Series	Contents	g
9	16147-41	1/2" Bit Sockets, TX, 55mm ⊕ 20, 25, 27, 30, 40, 45, 50, 55, 60	1175

1614-1309

Bit Socket, HX Set, 9pcs 1/2



Q'ty	Series	Contents	g
9	16147-61	1/2" Bit Sockets, HX, 55mm ● 4, 5, 6, 7, 8, 10, 12, 14, 17	1175

1614-1412

Bit Socket, TX Set, 12pcs 1/4 3/8 1/2



Q'ty	Series	Contents	g
3	16127-41	1/4" Bit Sockets, TX, 32mm ⊕ 8, 10, 15	1025
4	16137-41	3/8" Bit Sockets, TX, 48mm ⊕ 20, 25, 27, 30	
5	16147-41	1/2" Bit Sockets, TX, 55mm ⊕ 40, 45, 50, 55, 60	

1614-1508

Bit Socket, HX Set, 8pcs 1/2



Q'ty	Series	Contents	g
6	16147-61	1/2" Bit Sockets, HX, 55mm ● 5, 6, 7, 8, 10, 12	1175
1	16147-61	1/2" Bit Sockets, HX, 65mm ● 14	
1	16147-61	1/2" Bit Sockets, HX, 70mm ● 17	

1614-1611

Bits, SP Set, 11pcs 10 1/2



Q'ty	Series	Contents	g
1	16145-05	Coupler, 1/2"x10mm	675
5	16146-81	10mm Bits, SP, 30mm ● 5, 6, 8, 10, 12	
5	16146-82	10mm Bits, SP, 75mm ● 5, 6, 8, 10, 12	



1/2" SOCKET SETS

1614-1709

Bit Socket, HX Set, 9pcs 1/2"



Q'ty	Series	Contents	g
5	16147-61	1/2" Bit Sockets, HX, 55mm ● 5, 6, 7, 8, 10	1600
3	16147-61	1/2" Bit Sockets, HX, 110mm ● 5, 6, 8	
1	16147-61	1/2" Bit Sockets, HX, 140mm ● 10	

1614-1819

Socket Set, 19pcs 1/2"



Q'ty	Series	Contents	g
14	16141-11	1/2" Sockets, 6-Point 10, 11, 12, 13, 14, 15, 16, 17, 19 22, 24, 27, 30, 32mm	925
1	16142-02	1/2" Ratchet Handle, 36T	
2	16143-02	1/2" Extension Bars, 125, 250mm	
1	16144-01	1/2" Sliding T Bar, 250mm	
1	16145-02	1/2" Universal Joint, 78mm	

1614-1925

Socket Set, 25pcs 1/2"



Q'ty	Series	Contents	g
18	16141-11	1/2" Sockets, 6-Point 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 21, 22, 24, 27, 30, 32mm	4875
1	16142-02	1/2" Ratchet Handle, 36T	
2	16143-02	1/2" Extension Bars, 125, 250mm	
1	16144-01	1/2" Sliding T Bar, 250mm	
1	16145-02	1/2" Universal Joint, 78mm	
2	16148-01	1/2" Spark Plug Sockets, 16, 21mm	

1614-2016

Bit Socket, HX Set, 16pcs 1/2"



Q'ty	Series	Contents	g
10	16147-61	1/2" Bit Sockets, HX, 55mm ● 5, 6, 7, 8, 9, 10, 12, 14, 17, 19	3000
6	16147-61	1/2" Bit Sockets, HX, 140mm ● 5, 6, 7, 8, 10, 12	

1614-2115

Bits, HX Set, 15pcs 10 1/2"



Q'ty	Series	Contents	g
1	16145-05	Coupler, 1/2"x10mm	925
7	16146-61	10mm Bits, HX, 30mm ● 4, 5, 6, 7, 8, 10, 12	
7	16146-62	10mm Bits, HX, 75mm ● 4, 5, 6, 7, 8, 10, 12	

1614-2220

Bit Socket, TX Set, 20pcs 1/2"




Q'ty	Series	Contents	g
10	16147-41	1/2" Bit Sockets, TX, 55mm ⊗ 15, 20, 25, 27, 30, 40, 45, 50, 55, 60	3417
10	16147-42	1/2" Bit Sockets, TX, 140mm ⊗ 15, 20, 25, 27, 30, 40, 45, 50, 55, 60	

1/2" SOCKET SETS

1614-2313

Socket Set, 13pcs 1/2"



Q'ty	Series	Contents	g
11	16141-11	1/2" Sockets, 6-Point 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22mm	2000
1	16142-02	1/2" Ratchet Handle, 36T	
1	16143-02	1/2" Extension Bar, 125mm	

1614-2427

Socket Set, 27pcs 1/2"



Q'ty	Series	Contents	g
20	16141-11	1/2" Sockets, 6-Point 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 19, 20, 21, 22, 23, 24, 27, 30, 32mm	4750
1	16142-02	1/2" Ratchet Handle, 36T	
2	16143-02	1/2" Extension Bars, 125, 250mm	
1	16144-01	1/2" Sliding T Bar, 250mm	
1	16145-02	1/2" Universal Joint, 78mm	
2	16148-01	1/2" Spark Plug Sockets, 16, 21mm	

1614-2540

Torks Socket and Bit Socket Set, 40pcs 1/4" 1/2"



Q'ty	Series	Contents	g
4	16121-31	1/4" Torks Sockets, 25mm E4, E5, E6, E8	2400
8	16127-41	1/4" Bit Sockets, 32mm ⊗ 8, 10, 15, 20, 25, 27, 30, 40	
5	16127-61	1/4" Bit Sockets, HX, 32mm ● 2.5, 3, 4, 5, 6	
4	16141-31	1/2" Torks Sockets, 38mm E10, E12, E14, E18	
4	16147-41	1/2" Bit Sockets, 55mm ⊗ 45, 50, 55, 60	
5	16147-61	1/2" Bit Sockets, HX, 55mm ● 7, 8, 10, 12, 14	
5	16147-61	1/2" Bit Sockets, HX, 140mm ● 6, 7, 8, 10, 12	
5	1586-3	Short Hex Keys, 1.25, 1.5, 2.0, 2.5, 3.0mm	

1614-2630

Torks Socket and Bits Set, 30pcs 10 1/4" 1/2"



Q'ty	Series	Contents	g
5	16121-31	1/4" Torks Sockets, 25mm E4, E5, E6, E7, E8	1500
9	16141-31	1/2" Torks Sockets, 38mm E10, E11, E12, E14, E16, E18, E20, E22, E24	
2	16135-06	Couplers 3/8"x10mm	
	16145-05	1/2"x10mm	
7	16146-41	10mm Bits, TX, 30mm ⊗ 20, 25, 30, 40, 45, 50, 55	
7	16146-42	10mm Bits, TX, 75mm ⊗ 20, 25, 30, 40, 45, 50, 55	

