

Single Open-End Wrenches


New Products

Adjustable Wrench



Automobile Repair Tools


Powerful Single Open-End Wrench



CONFORMS TO DIN STANDARD

SIZE	L	A	B	G
17	178	43,7	8,0	107
19	178	43,7	8,0	107
21	203	20,3	9,2	161
22	203	20,3	9,2	161
23	220	50,3	10,5	203
24	220	50,3	10,5	203
26	240	59,0	11,3	290
27	240	59,0	11,3	290
29	267	65,5	12,1	341
30	272	68,5	12,3	335
32	285	71,8	12,5	410
35	317	78,8	14,1	542
36	317	78,8	14,1	556
38	320	84,3	14,9	740
41	340	88,6	17,2	875
46	395	96,9	17,8	1060
50	425	103,4	19,6	1402
55	425	105,4	20,1	1403
60	470	132,1	22,9	2544
65	470	132,1	22,4	2441
70	500	152,3	25,2	3457
75	500	153,5	25,0	3333


Sharp End Of A Single Wrench



INDUSTRIAL TOOL

SIZE	L	A	B	G
17	335	33,5	11,0	262
19	335	33,5	11,0	262
21	354	34,0	12,6	357
22	354	34,0	12,6	357
23	354	34,0	12,6	357
24	388	39,8	13,7	535
26	388	39,8	13,7	535
27	406	43,5	14,5	633
29	406	43,5	14,5	633
30	414	48,0	14,6	750
32	414	48,0	14,6	750
35	476	54,4	18,1	1160
36	476	54,4	18,1	1160
38	476	54,4	18,1	1160
41	532	68,0	24,0	2070
46	532	68,0	24,0	2070
50	553	73,5	24,2	2070
55	610	89,9	25,6	2860
58	610	89,9	25,6	2860
60	610	89,9	25,6	2860

Single-Head Hex Wrench



CONFORMS TO AMERICAN NATIONAL STANDARD INSTITUTE (ANSI)

SIZE	L	A	B	G
22	116	38.4	14	180
24	205	42.5	14.4	220
27	215	46	15.3	260



BFNFM : Mirror Finishing


Flat Panel : All Drop Forged From Chrome Vanadium Steel

BFNFS : Sand Finished On The Handle

Flat Panel : All Drop Forged From Chrome Vanadium Steel

BFNSS : Sand Finished On The Handle

Sunk Panel : All Drop Forged From Chrome Vanadium Steel



CONFORMS TO AMERICAN NATIONAL STANDARD INSTITUTE

SIZE	L	A	B	C	D	G
10x11	175.5	18	20	11.2	11.2	81
10x12	175.5	18	20	11.2	11.2	82.5



With 6 point, straight slot, reinforced design, offset, for brake line screw fittings