


BITS, NUTSETTERS AND BIT HOLDERS



BIT


- Cold forged tips for high precision and exact fit in the screw.
- Manufactured from S2 steel.
- Superior hardness and high torque which exceeds DIN standard.
- Torsion structured, long service life.



Cold Forged Tip



Tin coated
Extra wearing resistant




FUNCTIONS:

Adjustable penetration depth (flush or maximum depth of 9mm) and auto-stop at fixed position reduces damage risks to wood, plaster and other surfaces.




RSC® BIT

- Whirlpower Patented RSC® ribbed design to reduce slip and cam-out.
- High precision tip use cold forging technology to fit screw securely.
- RSC® BIT brings you smooth operations and prevents damage to fasteners further extending bits service life.



SURFACE TREATMENT


- SAND – Standard surface treatment
- TIN – Titanium coating to improve the surface properties for more protection and wear resistance.
- TiCN – Titanium coating to improve the surface properties for more protection and wear resistance.
- DIAMOND – For longer service life and secure screw fit. Diamond coating effectively increases, holding force between bit and screw.



BIT QUALITY

- Torque strength 40% higher than DIN standard
- 58-62 HRC

TORQUE BREAKING TEST



BITS, NUTSETTERS AND BIT HOLDERS

961-11

RSC® Bit, SL 1/4

- DIN 3126, ISO 1173
- Slotted bit C6.3
- Silicon alloy steel (S2)



	a x b	L mm		Code
	0.5 3.0	25	10	02531
	0.6 3.5	25	10	02532
	0.6 4.5	25	10	02542
	0.8 4.0	25	10	02543
	0.8 5.5	25	10	02551
	1.0 5.5	25	10	02552
	1.2 6.5	25	10	02561
	1.2 8.0	25	8	02581
	1.6 8.0	25	8	02582
	1.6 10.0	25	8	02591

961-12

RSC® Bit, SL 1/4

- DIN 3126, ISO 1173
- Slotted bit C6.3
- Silicon alloy steel (S2)



	a x b	L mm		Code
	0.6 4.5	25	10	02542
	0.8 5.5	25	10	02551
	1.0 5.5	25	10	02552
	1.2 6.5	25	10	02561
	1.2 8.0	25	8	02581

961-21

RSC® Bit, SL 1/4

- DIN 3126, ISO 1173
- Slotted bit E6.3
- Silicon alloy steel (S2)



	a x b	L mm		Code
	0.5 3.0	50	10	05031
	0.6 3.5	50	10	05032
	0.6 4.5	50	10	05042
	0.8 4.0	50	10	05043
	0.8 5.5	50	10	05051
	1.0 5.5	50	10	05052
	1.2 6.5	50	10	05061
	1.2 8.0	50	8	05081
	1.6 8.0	50	8	05082
	1.6 10.0	50	8	05091

962-11

RSC® Bit, PH 1/4

- DIN 3126, ISO 1173
- Phillips bit C6.3
- Silicon alloy steel (S2)



	L mm		Code
0	25	10	0250
1	25	10	0251
2	25	10	0252
3	25	10	0253
4	25	8	0254

962-12

RSC® Bit, PH 1/4

- DIN 3126, ISO 1173
- Phillips bit C6.3
- Silicon alloy steel (S2)



	L mm		Code
1	25	10	0251
2	25	10	0252
3	25	10	0253

962-21

RSC® Bit, PH 1/4

- DIN 3126, ISO 1173
- Phillips bit E6.3
- Silicon alloy steel (S2)



	L mm		Code
0	50	10	0500
1	50	10	0501
2	50	10	0502
3	50	10	0503

963-11

RSC® Bit, PZ 1/4

- DIN 3126, ISO 1173
- Pozidrive bit C6.3
- Silicon alloy steel (S2)



	L mm		Code
0	25	10	0250
1	25	10	0251
2	25	10	0252
3	25	10	0253
4	25	10	0254

963-12

RSC® Bit, PZ 1/4

- DIN 3126, ISO 1173
- Pozidrive bit C6.3
- Silicon alloy steel (S2)



	L mm		Code
1	25	10	0251
2	25	10	0252
3	25	10	0253

963-21

RSC® Bit, PZ 1/4

- DIN 3126, ISO 1173
- Pozidrive bit E6.3
- Silicon alloy steel (S2)



	L mm		Code
1	50	10	0501
2	50	10	0502
3	50	10	0503

BITS, NUTSETTERS AND BIT HOLDERS

964-11

Bit, TX

- DIN 3126, ISO 1173
- Torks bit C6.3
- Silicon alloy steel (S2)



	L mm		Code
5	25	10	02505
6	25	10	02506
7	25	10	02507
8	25	10	02508
9	25	10	02509
10	25	10	02510
15	25	10	02515
20	25	10	02520
25	25	10	02525
27	25	10	02527
30	25	10	02530
40	25	10	02540

964-12

Bit, TX

- DIN 3126, ISO 1173
- Torks bit C6.3
- Silicon alloy steel (S2)



	L mm		Code
5	25	10	02505
6	25	10	02506
7	25	10	02507
8	25	10	02508
9	25	10	02509
10	25	10	02510
15	25	10	02515
20	25	10	02520
25	25	10	02525
27	25	10	02527
30	25	10	02530
40	25	10	02540

964-21

Bit, TX

- DIN 3126, ISO 1173
- Torks bit E6.3
- Silicon alloy steel (S2)



	L mm		Code
6	50	10	05006
7	50	10	05007
8	50	10	05008
9	50	10	05009
10	50	10	05010
15	50	10	05015
20	50	10	05020
25	50	10	05025
27	50	10	05027
30	50	10	05030
40	50	10	05040

965-11

Bit, TH

- DIN 3126, ISO 1173
- Tampe-proof bit C6.3
- Silicon alloy steel (S2)



	L mm		Code
7	25	10	02507
8	25	10	02508
9	25	10	02509
10	25	10	02510
15	25	10	02515
20	25	10	02520
25	25	10	02525
27	25	10	02527
30	25	10	02530
40	25	10	02540

965-21

Bit, TH

- DIN 3126, ISO 1173
- Tampe-proof E6.3
- Silicon alloy steel (S2)



	L mm		Code
6	50	10	05006
7	50	10	05007
8	50	10	05008
9	50	10	05009
10	50	10	05010
15	50	10	05015
20	50	10	05020
25	50	10	05025
27	50	10	05027
30	50	10	05030
40	50	10	05040

966-11

Bit, HX

- DIN 3126, ISO 1173
- Hex bit C6.3
- Silicon alloy steel (S2)



	L mm		Code
1.5	25	10	025015
2.0	25	10	025020
2.5	25	10	025025
3.0	25	10	025030
4.0	25	10	025040
5.0	25	10	025050
6.0	25	10	025060
8.0	25	8	025080
10.0	25	8	025100

BITS, NUTSETTERS AND BIT HOLDERS

966-21

Bit, HX

- DIN 3126, ISO 1173
- Hex bit E6.3
- Silicon alloy steel (S2)



	L mm		Code
2.5	50	10	050025
3.0	50	10	050030
4.0	50	10	050040
5.0	50	10	050050
6.0	50	10	050060
8.0	50	8	050080

967-21-2

Magnetic Levitation Bit Holder



- Suitable for bits DIN 3126
- Bit holder E6.3
- Stainless steel bit holder C6.3



	L mm		Code
1/4"	62	10	06214
1/4"	150	10	15014

967-21-7

Flexible Quick Bit Holder



- Suitable for bits DIN 3126
- Stainless steel bit holder C6.3



	L mm		Code
1/4"	300	10	30014

967-21-9

Quick Screw Holding Driver



- Suitable for bits DIN 3126
- Bit holder E6.3
- Stainless steel bit holder C6.3



	L mm		Code
1/4"	70	10	07014

967-21-10

Hex Quick Holder



- Suitable for bits DIN 3126
- Bit holder E6.3
- Stainless steel bit holder C6.3



	L mm		Code
1/4"	60	10	06014

967-21-41

Universal Bit Holder



- Suitable for bits DIN 3126
- Bit holder E6.3
- Stainless steel bit holder C6.3



	L mm		Code
1/4"	60	10	06014
1/4"	75	10	07514
1/4"	150	10	15014

967-21-42

Universal Bit Holder



- Suitable for bits DIN 3126
- Bit holder E6.3
- Brass bit holder C6.3



	L mm		Code
1/4"	60	10	06014
1/4"	75	10	07514
1/4"	150	10	15014

967-24-2

Mini Ratchet Handle



- Chrome vanadium steel
- Bit holder E6.3
- Nylon fiber handle



		L mm		Code
1/4"	1/4"	99	10	1414
1/4"	-	99	10	14

BITS, NUTSETTERS AND BIT HOLDERS

969-1-11

Bit, SQ 
• DIN 3126, ISO 1173
• Square bit C6.3
• Silicon alloy steel (S2)



	L mm		Code
0	25	10	0250
1	25	10	0251
2	25	10	0252
3	25	10	0253

969-1-21

Bit, SQ 
• DIN 3126, ISO 1173
• Square bit E6.3
• Silicon alloy steel (S2)



	L mm		Code
0	50	10	0500
1	50	10	0501
2	50	10	0502
3	50	10	0503

969-3-21

Adapter(Pin Type) 
• DIN 3126, ISO 1173
• Socket adapter E6.3
• Silicon alloy steel (S2)



	L mm		Code
1/4"	50	10	05014
1/4"	75	10	07514
1/4"	100	10	10014
1/4"	125	10	12514
1/4"	150	10	15014
1/4"	200	10	20014

969-3-22

Adapter(Pin Type) 
• DIN 3126, ISO 1173
• Socket adapter E6.3
• Silicon alloy steel (S2)



	L mm		Code
3/8"	50	10	05038

9603-11

Bit, 3V(3-Vane) 
• DIN 3126, ISO 1173
• 3-Vane bit C6.3
• Silicon alloy steel (S2)



	L mm		Code
0	25	10	02500
1	25	10	02501
2	25	10	02502
3	25	10	02503
4	25	10	02504
5	25	10	02505

9603-21

Bit, 3V(3-Vane) 
• DIN 3126, ISO 1173
• 3-Vane bit E6.3
• Silicon alloy steel (S2)



	L mm		Code
3	50	10	05003
4	50	10	05004
5	50	10	05005
6	50	10	05006

9604-11

Bit, 4V(4-Vane) 
• DIN 3126, ISO 1173
• 4-Vane bit C6.3
• Silicon alloy steel (S2)



	L mm		Code
4	25	10	02504
5	25	10	02505
6	25	10	02506
8	25	10	02508
10	25	10	02510

9604-21

Bit, 4V(4-Vane) 
• DIN 3126, ISO 1173
• 4-Vane bit E6.3
• Silicon alloy steel (S2)



	L mm		Code
4	50	10	05004
5	50	10	05005
6	50	10	05006
8	50	10	05008
10	50	10	05010

BITS, NUTSETTERS AND BIT HOLDERS

16136 -11

Bit, SL 
• DIN 3127
• Silicon alloy steel (S2)



	a x b	L mm		Code
0.8	5.5	30	10	030055
1.2	7	30	10	030070
1.2	8	30	10	030080
1.6	10	30	10	030100
2.0	12	30	10	030120

16136-21

Bit, PH 
• DIN 3128
• Silicon alloy steel (S2)



	L mm		Code
1	30	10	0301
2	30	10	0302
3	30	10	0303
4	30	10	0304

16136-31

Bit, PZ 
• DIN 3128
• Silicon alloy steel (S2)



	L mm		Code
1	30	10	0301
2	30	10	0302
3	30	10	0303
4	30	10	0304

16136-41

Bit, TX 
• Silicon alloy steel (S2)



	L mm		Code
10	30	10	03010
15	30	10	03015
20	30	10	03020
25	30	10	03025
27	30	10	03027
30	30	10	03030
40	30	10	03040
45	30	10	03045
50	30	10	03050
55	30	10	03055
60	30	10	03060

16136-42

Bit, TX 
• Silicon alloy steel (S2)



	L mm		Code
10	70	10	07010
15	70	10	07015
20	70	10	07020
25	70	10	07025
27	70	10	07027
30	70	10	07030
40	70	10	07040
45	70	10	07045
50	70	10	07050
55	70	10	07055
60	70	10	07060

16136-51

Bit, TH 
• Silicon alloy steel (S2)



	L mm		Code
10	30	10	03010
15	30	10	03015
20	30	10	03020
25	30	10	03025
27	30	10	03027
30	30	10	03030
40	30	10	03040
45	30	10	03045
50	30	10	03050
55	30	10	03055
60	30	10	03060

16136-52

Bit, TH 
• Silicon alloy steel (S2)



	L mm		Code
10	70	10	07010
15	70	10	07015
20	70	10	07020
25	70	10	07025
27	70	10	07027
30	70	10	07030
40	70	10	07040
45	70	10	07045
50	70	10	07050
55	70	10	07055
60	70	10	07060



BITS, NUTSETTERS AND BIT HOLDERS

16136-61

Bit, HX 5/16

• Silicon alloy steel (S2)



	L mm		Code
3	30	10	03030
4	30	10	03040
5	30	10	03050
6	30	10	03060
7	30	10	03070
8	30	10	03080
10	30	10	030100
1/8"	30	10	0300432
5/32"	30	10	0300532
3/16"	30	10	0300632
1/4"	30	10	0300832
9/32"	30	10	0300932
5/16"	30	10	0301032
3/8"	30	10	0301232

16146-41

Bits, TX 10

• Silicon alloy steel (S2)



	L mm		Code
10	30	10	03010
15	30	10	03015
20	30	10	03020
25	30	10	03025
27	30	10	03027
30	30	10	03030
40	30	10	03040
45	30	10	03045
47	30	10	03047
50	30	10	03050
55	30	10	03055
60	30	10	03060

16146-42

Bits, TX 10

• Silicon alloy steel (S2)



	L mm		Code
10	75	10	07510
15	75	10	07515
20	75	10	07520
25	75	10	07525
27	75	10	07527
30	75	10	07530
40	75	10	07540
45	75	10	07545
50	75	10	07550
55	75	10	07555
60	75	10	07560

16146-51

Bits, TH 10

• Silicon alloy steel (S2)



	L mm		Code
10	30	10	03010
15	30	10	03015
20	30	10	03020
25	30	10	03025
27	30	10	03027
30	30	10	03030
40	30	10	03040
45	30	10	03045
50	30	10	03050
55	30	10	03055
60	30	10	03060

16146-52

Bits, TH 10

• Silicon alloy steel (S2)



	L mm		Code
10	75	10	07510
15	75	10	07515
20	75	10	07520
25	75	10	07525
27	75	10	07527
30	75	10	07530
40	75	10	07540
45	75	10	07545
50	75	10	07550
55	75	10	07555
60	75	10	07560

16146-61

Bits, HX 10

• Silicon alloy steel (S2)



	L mm		Code
4	30	10	03004
5	30	10	03005
6	30	10	03006
7	30	10	03007
8	30	10	03008
10	30	10	03010
12	30	10	03012
14	30	10	03014

BITS, NUTSETTERS AND BIT HOLDERS

16146-62

Bits, HX 10

• Silicon alloy steel (S2)



	L mm		Code
4	75	10	07504
5	75	10	07505
6	75	10	07506
7	75	10	07507
8	75	10	07508
10	75	10	07510
12	75	10	07512
14	75	10	07514

16146-81

Bits, SP 10

• Silicon alloy steel (S2)



	L mm		Code
5	30	10	03005
6	30	10	03006
8	30	10	03008
10	30	10	03010
12	30	10	03012

16146-82

Bits, SP 10

• Silicon alloy steel (S2)



	L mm		Code
5	75	10	07505
6	75	10	07506
8	75	10	07508
10	75	10	07510
12	75	10	07512

96-0731

Bit Set, 31pcs



Q'ty	Series	Contents
30	962-11 963-11	Bits, 25mm ⊕ 1x4, 2x5, 3x3 ⊕ 1x5, 2x10, 3x3
1	967-21-2	Magnetic Levitation Bit Holder

96-1231

Bit Set, 31pcs



Q'ty	Series	Contents
30	965-11 966-3-11	Bits, 25mm ⊕ 8, 10, 15, 20, 25, 30, 40 ⊕ 2.0, 2.5, 3.0, 4.0, 5.0, 6.0 5/64", 3/32", 7/64", 1/8", 9/64", 5/32"
	9602-11	⊕ 4, 6, 8, 10
	9604-11	⊕ 6, 8, 10
	9603-11	⊕ 1, 2, 3, 4
1	967-21-2	Magnetic Levitation Bit Holder

96-1332

Bit Set, 32pcs



Q'ty	Series	Contents
30	961-11 962-11 963-11 965-11 966-11	Bits, 25mm ⊕ 4.5, 5.5, 6.5 ⊕ 1x3, 2x3, 3x3 ⊕ 1x3, 2x3, 3x3 ⊕ 10, 15, 20, 25, 30, 40 ⊕ 4.0, 5.0, 6.0
1	957-4	Quick Bit Holding Handle
1	967-21-2	Magnetic Levitation Bit Holder

96-18102

Bit Set, 102 pcs



Q'ty	Series	Contents
100	961-11 962-11 963-11 964-11 965-11 966-11	Bits, 25mm ⊕ 4.0x4, 5.5x4, 6.5x4, 8.0x3 ⊕ 1x3, 2x10, 3x2 ⊕ 1x3, 2x10, 3x2 ⊕ 10x5, 15x5, 20x5, 25x5, 30x5, 40x5 ⊕ 10x3, 15x3, 20x3, 25x3, 30x3 ⊕ 2.0x2, 3.0x2, 4.0x2, 5.0x2, 6.0x2
1	967-21-2	Magnetic Levitation Bit Holder
1	967-21-41	Universal Bit Holder

BITS, NUTSETTERS AND BIT HOLDERS

96-2731

Socket and Bit Set, 31pcs



Q'ty	Series	Contents
19		Bits, 25mm
	961-11	⊖ 4.5, 5.5, 6.5
	962-11	⊕ 1, 2, 3
	963-11	⊗ 1, 2, 3
	964-11	⊗ 10, 15, 20, 25, 30, 40
	966-11	● 3.0, 4.0, 5.0, 6.0
1	967-21-2	Magnetic Levitation Bit Holder
1	969-2-11	1/4" Adapter, 25mm
1	967-24-2	Ratchet Handle, 1/4" SQ. Drive 1/4" hex
9	16121-11	1/4" Sockets, 6-Point 5, 6, 7, 8, 9, 10, 11, 12, 13



96-3132

Bit Set, 32pcs

Q'ty	Series	Contents
30		Bits, 25mm
	961-11	⊖ 4.5, 5.5, 6.5
	962-11	⊕ 1x2, 2x5, 3x2
	963-11	⊗ 1x2, 2x5, 3x2
	965-11	⊗ 10, 15, 20, 25, 30, 40
	966-11	● 4.0, 5.0, 6.0
1	957-4	Quick Bit Holding Handle
1	967-21-2	Magnetic Levitation Bit Holder

96-3232

Bit Set, 32pcs

Q'ty	Series	Contents
30		Bits, 25mm
	965-11	⊗ 7, 8, 9, 10, 15, 20, 25, 30, 40
	966-3-11	● 2.0, 2.5, 3.0, 4.0, 5.0, 6.0
	969-1-11	⊖ 0, 1, 2, 3
	9602-11	⊖ 4, 6, 8, 10
	9604-11	⊗ 6, 8, 10
	9603-11	⊗ 1, 2, 3, 4
1	957-4	Quick Bit Holding Handle
1	967-21-2	Magnetic Levitation Bit Holder

96-3311

Ratchet T-Handle Driver Set, 11pcs



Q'ty	Series	Contents
10		1/4" Double Bit, 150mm
	7411-11	⊖ 4.0-6.0, 5.0-6.5
	7422-11	⊕ 1-2
	7433-11	⊗ 1-2
	7444-11	⊗ 10-15, 20-25, 30-40
	7468-11	● 4.0-4.0, 5.0-5.0, 6.0-6.0
1	1517-7	Ratchet T-Handle

96-3525

Ratchet T-Handle Driver Set, 25pcs



Q'ty	Series	Contents
14		Bits, 25mm
	964-11	⊗ 10, 15, 20, 25, 27, 30, 40
	965-11	⊗ 10, 15, 20, 25, 27, 30, 40
2	967-21-2	Magnetic Levitation Bit Holder, 62, 150mm
1	969-2-11	1/4" Adapter, 25mm
1	969-2-21	1/4" Adapter, 50mm
1	1517-7	Ratchet T-Handle
6	16121-31	1/4" Torks Socket, E4, E5, E6, E7, E8, E10

BITS, NUTSETTERS AND BIT HOLDERS

96-3635

T-Handle Socket and Bit Set, 35pcs



Q'ty	Series	Contents
23		Bits, 25mm
	961-11	⊖ 3.0, 4.0, 5.5, 6.5
	962-11	⊕ 1, 2x2, 3
	963-11	⊗ 1, 2, 3
	964-11	⊗ 8, 9, 10, 15, 20, 25, 30, 40
	966-11	● 3.0, 4.0, 5.0, 6.0
1	969-2-11	1/4" Adapter, 25mm
1	15173-73	T-Handle Bitholder(Magnetic)
10	16121-11	1/4" Sockets, 6-Point 4, 5, 6, 7, 8, 9, 10, 11, 12, 13

96-3849

Tool Kit, 49pcs



Q'ty	Series	Contents
28		Bits, 25mm
	961-11	⊖ 3.0, 4.0, 5.5, 6.5
	962-11	⊕ 1, 2, 3
	963-11	⊗ 1, 2, 3
	964-11	⊗ 10, 15, 20, 25, 27, 30, 40
	965-11	⊗ 10, 15, 20, 25, 27, 30, 40
	966-11	● 3.0, 4.0, 5.0, 6.0
2	967-21-2	Magnetic Levitation Bit Holder, 62, 150mm
1	969-2-11	1/4" Adapter, 25mm
1	969-2-21	1/4" Adapter, 50mm
1	1517-7	Ratchet T-Handle
6	16121-31	1/4" Torks Socket, E4, E5, E6, E7, E8, E10
10	16121-11	1/4" Sockets, 6-Point 4, 5, 6, 7, 8, 9, 10, 11, 12, 13



96-3932

Mini Ratchet and Bit Set, 32pcs

Q'ty	Series	Contents
29		Bits, 25mm
	961-11	⊖ 4.5, 5.5, 6.5
	962-11	⊕ 1x2, 2x3, 3x2
	963-11	⊗ 1x2, 2x3, 3x2
	964-11	⊗ 10x2, 15x2, 20x2, 25x3, 30x2, 40x1
1	967-21-2	Magnetic Levitation Bit Holder
1	969-2-11	1/4" Adapter, 25mm
1	16122-01	1/4" Mini Ratchet Handle, Hex(72teeth)

96-4032

Mini Ratchet and Bit Set, 32pcs

Q'ty	Series	Contents
29		Bits, 25mm
	961-11	⊖ 4.5, 5.5, 6.5
	962-11	⊕ 1x2, 2x5, 3x2
	963-11	⊗ 1x2, 2x4, 3x2
	964-11	⊗ 10, 15, 20, 25, 30, 40
	966-12	● 4.0, 5.0, 6.0
1	967-21-2	Magnetic Levitation Bit Holder
1	969-2-11	1/4" Adapter, 25mm
1	16122-01	1/4" Mini Ratchet Handle, Hex(72teeth)

96-4314

1Way Ratchet Driver Bit Set, 14pcs



Q'ty	Series	Contents
12		Bits, 25mm
	961-11	⊖ 5.5, 6.5
	962-11	⊕ 1, 2
	963-11	⊗ 1, 2
	964-11	⊗ 15, 20, 25
	966-11	● 4.0, 5.0, 6.0
1	967-21-41	Universal Bit Holder
1	1717-6	1Way Ratchet Handle



BITS, NUTSETTERS AND BIT HOLDERS

96-4414

3Way Ratchet Driver Bit Set, 14pcs



Q'ty	Series	Contents
12	961-11	Bits, 25mm
	962-11	⊖ 5.5, 6.5
	963-11	⊕ 1, 2
	964-11	⊗ 1, 2
	966-11	⊗ 15, 20, 25
	966-11	⊗ 4.0, 5.0, 6.0
1	967-21-41	Universal Bit Holder
1	1717-7	3Way Ratchet Handle

96-4532

Bit Set, 32pcs



Q'ty	Series	Contents
30	961-11	Bits, 25mm
	962-11	⊖ 3, 4, 5.5, 6.5
	963-11	⊕ 1, 2x2, 3
	964-11	⊗ 1, 2x2, 3
	964-11	⊗ 10, 15, 20, 25, 27, 30, 40
	965-11	⊗ 10, 15, 20, 25, 27, 30, 40
	966-11	⊗ 3.0, 4.0, 5.0, 6.0
1	967-21-2	Magnetic Levitation Bit Holder
1	16125-07	Adapter, 1/4"SQ. Driver 1/4"hex

96-4607

Quick Screw Holding Bit Set, 7pcs



Q'ty	Series	Contents
6	961-11	Bits, 25mm
	962-11	⊖ 4, 5.5, 6.5
	962-11	⊕ 1, 2, 3
1	967-21-9	Adjustable Bit Holding



96-4731

Bit Set, 31pcs

Q'ty	Series	Contents
30	961-11	Bits, 25mm
	962-11	⊖ 3, 4, 5.5, 6.5, 8
	963-11	⊕ 1x2, 2x6, 3x2
	963-11	⊕ 1, 2x3, 3
	964-11	⊗ 10, 15, 20, 25, 30, 40
	966-11	⊗ 3.0, 4.0, 5.0, 6.0
1	967-21-9	Adjustable Bit Holding


96-4831

Bit Set, 31pcs

Q'ty	Series	Contents
30	961-11	Bits, 25mm
	962-11	⊖ 3, 4, 5.5, 6.5, 8
	963-11	⊕ 1x2, 2x6, 3x2
	963-11	⊕ 1, 2x3, 3
	964-11	⊗ 10, 15, 20, 25, 30, 40
	966-11	⊗ 3.0, 4.0, 5.0, 6.0
1	967-21-2	Magnetic Levitation Bit Holder


96-4908

Mini Ratchet Wrench Set, 8pcs (72teeth)



Q'ty	Series	Contents
7	961-11	Bits, 19mm
	962-11	⊖ 6.5
	962-11	⊕ 1, 2, 3
	966-11	⊗ 3.0, 4.0, 5.0
1	16122-01	1/4" Mini Ratchet Handle, Hex(72teeth)

BITS, NUTSETTERS AND BIT HOLDERS



96-5121

Bit Set, 21pcs

Q'ty	Series	Contents
20	961-11	Bits, 25mm
	962-11	⊖ 4.5, 5.5, 6.5
	963-11	⊕ 1, 2x2, 3
	963-11	⊕ 1, 2x2, 3
	964-11	⊗ 10, 15, 20, 25, 30, 40
	966-11	⊗ 4.0, 5.0, 6.0
1	967-21-10	Hex Quick Holder

96-5221

Bit Set, 21pcs

Q'ty	Series	Contents
20	961-11	Bits, 25mm
	962-11	⊖ 4.5, 5.5, 6.5
	963-11	⊕ 1x2, 2x7, 3
	963-11	⊕ 1x2, 2x4, 3
1	967-21-10	Hex Quick Holder

96-5625

Socket and Bit Set, 25pcs



Q'ty	Series	Contents
16	961-11	Bits, 25mm
	962-11	⊖ 4, 5.5, 6.5
	962-11	⊕ 1, 2
	963-11	⊕ 1, 2
	964-11	⊗ 10, 15, 20, 25, 30, 40
	966-11	⊗ 4.0, 5.0, 6.0
6	16121-11	1/4" Sockets, 6-Point
		4, 5, 6, 8, 10, 13mm
1	16122-02	1/4" Mini Ratchet Handle, (72teeth)
1	16123-02	1/4" Extension Bar, 55mm
1	16125-07	Adapter, 1/4"SQ. Driver 1/4"hex

96-5758

T-Handle Ratchet Driver Set, 58pcs



Q'ty	Series	Contents
35	961-11	Bits, 25mm
	962-11	⊖ 4.0, 4.5, 5.5, 6.5, 8.0
	963-11	⊕ 1, 2x4, 3
	963-11	⊕ 1, 2x3, 3
	964-11	⊗ 10, 15, 20, 25, 27, 30, 40
	965-11	⊗ 10, 15, 20, 25, 27, 30, 40
	966-11	⊗ 3.0, 4.0, 5.0, 6.0, 8.0
1	967-21-2	Magnetic Levitation Bit Holder, 62mm
1	967-21-7	1/4" Flexible Quick Bit Holder, 190mm
1	969-2-11	1/4" Adapter, 25mm
1	969-2-21	1/4" Adapter, 50mm
10	16121-11	1/4" Sockets, 6-Point
		4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
6	16121-31	1/4" Torks Sockets, E4, E5, E6, E7, E8, E10
1	16125-06	1/4" Coupler, 1/4"x1/4"
1	1517-7	Ratchet T-Handle
1	1739-26	1/4" Speedy Extension Bar, 150mm

96-5856

3 Way Ratchet Driver Set, 56pcs



Q'ty	Series	Contents
35	961-11	Bits, 25mm
	962-11	⊖ 4.0, 4.5, 5.5, 6.5, 8.0
	963-11	⊕ 1, 2x4, 3
	963-11	⊕ 1, 2x3, 3
	964-11	⊗ 10, 15, 20, 25, 27, 30, 40
	965-11	⊗ 10, 15, 20, 25, 27, 30, 40
	966-11	⊗ 3.0, 4.0, 5.0, 6.0, 8.0
1	967-21-2	Magnetic Levitation Bit Holder, 62mm
1	967-21-7	1/4" Flexible Quick Bit Holder, 190mm
1	969-2-11	1/4" Adapter, 25mm
10	16121-11	1/4" Sockets, 6-Point
		4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
6	16121-31	1/4" Torks Sockets, E4, E5, E6, E7, E8, E10
1	15409-11	140-430mm Pick Tool
1	1717-7	3Way Ratchet Handle

