






















































TCK





























1.STANDARD SEAL TYPES:








































Body Symbols Lip Symbols		A2	B	B2	BR	C
		An auxiliary metal rings to prevent the root of the lip against deformation due to high pressure.	Metal O.D design with an inner case for greater structural rigidity or heavy dust outer cases necessary.	Metal design with fluid side rubber covered.	Metal O.D design for greater O.D sealing ability.	Rubber O.D and inner metal component design for excellent O.D sealing ability.
S	General oil sealing applications. Spring loaded. Single lip.	SA2 	SB 	SB2 	SBR 	SC 
T	With dust lip added capable are the same as S type. And dust lip can exclude light foreign materials.	TA2 	TB 	TB2 	TBR 	TC 
V	Economical design for grease retention or sealing viscous fluid. For slow speed. Single lip. Springless design.	VA2 	VB 	VB2 	VBR 	VC 
K	Dust lip added capable functions are the same as V type and dust lip can exclude light foreign materials.	KA2 	KB 	KB2 	KBR 	KC 
D	With double garter spring loaded lips especially of two different fluids.	DA2 	DB 	DB2 	DBR 	DC 

TCK
































2.NONSTANDARD DESIGNS:
































DA2-2 	DA2-2 	DCJA 	SBLA 	DBR1 	DBR9 	DBR9CY 
DBRY 	DBRYT 	DBYT 	DBF 	RDBF-1 	DCFE 	DC4 
DC4Y 	DCY 	DCYW 	DCYWT 	DA2-1 	DC4PFW 	DCF 
DCIW 	KA-T 	KBAJ 	KBA 	LKBCW-T 	RKBCW-T 	KACW-T 
KA3-T 	KA3-T1 	KB29 	KB29-1 	KBR9J 	KBR9 	KBRFP9W 
KBF 	KBF6 	KBFP9 	KB18 	KB18P 	KB3F 	KBXF 
KBCY 	KC3 	KC6 	KC69 	KCY 	HKCY 	KCY-1 






















KC6Y 	KCYPY 	KCP6Y 	KCF 	KCF-1 	KCF-2 	KC3PFW 
KC3PF9 	KCX 	KCXW 	KBR3C 	DKB 	HSA2 	SA2FI 
SA2FI-1 	SA2FIF 	SB2FIA 	SA2F 	SA2P 	SAJ-1 	SAJ-2 
SB2A-1 	SAJFE 	SCAT 	SCVA??? 	SC4AT??? 	SCA 	RSBR 
SBR-1 	SBRP-1 	RSBRF 	SBRF-1 	SBRFII 	SBRP 	LSB2 
RSB2 	HSB2 	SB2-1 	SB2T 	SB2CW 	RSB2CW 	HSBCY 
HSB29 	SB29J 	SB2J??? 	SB2J??? 	RSB2XF 	SBF1 	SBF 

















HSBF 	RSBF 	SBII 	VSC9 	LSBRJ 	VSB5Y 	VSBJ9 
RSBP 	SBP-1 	SBP-2  ☆	HSC 	LSC 	RSC 	SC-1 
SC-2 	SCT 	SC4 	SCW 	HSCW 	LSCW 	RSCW 
SCB 	SCB-1 	SCB-2 	SCB-3 	SCBT 	SCBN 	SCB4 
SCBWN 	LSCF 	SC9 	SC9-1 	SCV 	SCII 	SCII-1 
SCIIF 	RSCIIF 	HSCIIF 	SCIF 	SCPF 	SCF9J 	VSBF 
SCP 	SCP-1 	RSCP-2 	SCPW 	SC3PFEA 	SCBP 	SCP9W 





















SCUBY 	SCUCY 	PVC4 	LTB 	HTB 	TBT 	TB4
TB6FC 	HTBRCY 	TBY 	LTBCY 	TBCY-1 	RTBC9 	HTBC9
HTB6C9 	RTB6C9 	TB6PFC 	LTB6PFC 	LTB2 	RTB2 	HTB2
TB2-1 	LTB2-1 	HTB2-2 	LTB26 	RTB26 	HTB26 	TB6
TB23 	TB23-1 	TB9Y 	HTB29 	TB29 	RTB29 	TB29J
RTB2P 	TB2V 	LTBR 	RTBR 	TBRCWY 	HTBRCWY 	TBR39
TB18 	RTB18 	HTB18 	TB18-1 	TB18-2 	RTBR18 	TB186

TBR189 	TB816 	TB816-1 	HTB813C 	TB819-1 	TB819 	HTB81CWAPU 
TB2FI 	TB26FIY 	TC9FI 	HTBFI 	TBF19 	TC3X-1 	HTCFX-1 
TC3X 	TBF 	LTBF 	RTBF 	HTBF 	TBF-1 	TBF-2 
TBF-3 	TBF6 	LTBF6 	TB9F 	RTB9F 	LTBFY 	SBFY 
TBFI 	LTBFI 	TBFI F 	HTBFI F 	TBFC 	HTBFC 	HTBFC-1 
LTCFA 	LTBFC-1 	RTBFC-1 	TAR 	TBFBC-1 	TC9BF9W 	RTBRBC9 
LTBFBC69 	HTBFBC69 	LTBRFBC9 	HTBFA 	HTBFA 	LTBP 	LTC 

RTC 	HTC 	TC-1 	TC-2 	TCT 	TC4 	LTC4 
RTC4 	TC61 	TCW 	HTCW 	LTCW 	RTCW 	TCWT 
TC3 	RTC3 	TC3-1 	TCB 	RTCBW 	LTCBWY 	TCF-1 
TC3F 	TC3F-1 	TCFW 	HTCFW 	TCFW-1 	LTCBZ 	RTCBZ 
TCV 	TCVB 	TCSP 	TCF 	TCF-2 	TCII4FY 	LTBRF 
TCXFY 	LTCF-1 	TBRFII 	TCII4Y 	TCPW 	TC4PF 	TC6PF9 
TB9X 	TC4PF 	DC4PF 	TC6PFW 	TC4PFW-1 	TC6PFW 	TBP9FIC 

TBRFC2 	TBF9J 	TBF9J-1 	HTCFX-1A 	PTCY 	TCY 	LTCY 
RTCY 	HTCY 	TCY-1 	TCWY 	LTCWY 	RTCWY 	TCWY-1 
TC4WY 	LTCBWY 	TC4Y 	TC4Y-1 	TC46Y 	LTC46Y 	TC6Y 
TC6Y-1 	TCBYT 	TCB4Y 	TCB4Y-1 	TC9 	LTC9 	RTC9 
HTC9 	LTC9W 	HTC9W 	TC69 	TCFWY 	HTCBPY 	VA 
VAX 	VAT 	VAP 	VA-T 	VA-T1 	VA-T2 	RVA-T 
VA-FE 	VA-PU 	VAX-BL 	VAX-BL1 	VB2P 	VB2PF 	VB2P-1 

VBP-1 	VB2Y 	VBF 	VB21 	VB18 	OVB18 	VCW 
VC6Y 	VC9 	VCB-1 	VCBF 	VCT 	VCP 	VCF9J 
VCF9JW-1 	VCF9JW 	VCF9JW-2 	VCY 	VCWF 	VCH 	VCXY 
VCF 	VCF??? 	WPC 	WPB 	VCBY 	VCO 	VCQ 
VP 	VPW 	VSC 	VSCRV 	VVB 	WEP 	WREP 
WS 	WSCR2 	XAS 	XUY 	Y 	YB1 	上軸蓋 
油面窗 	軸蓋下 	CK0182 				

SBRFII			SBP-2			
VB2Y			HTB81CWAPU			
TBRFII			LTBRF			
TC9BF9W			TBFBC-1			
TCAT-1			HTBFA			

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7644	4			RAB	0.00	9.00	5.00
7543	3			RA	0.00	14.00	4.00
2162	6			RA	0.00	16.00	4.00
7770	4			RA	0.00	18.00	4.00
6289	4	K3039710		FB	0.00	18.00 / 23.00	17.00
7631	2			RA	0.00	19.00	7.00
2173	4			RA	0.00	20.00	4.00
5524	4	SP630552		RA	0.00	22.00	3.00
7545	3			RA	0.00	22.00	4.00
7462	10			RAB	0.00	22.00	5.00
5297	4			RA	0.00	22.00	7.00
CK 0134	12			RAB	0.00	22.00	7.00
3316	2			RA	0.00	22.23	3.18
7612	3			RAB	0.00	24.00	4.00
CK 0229	12			RAB	0.00	24.00	7.00
2172	2			RA	0.00	25.00	7.00
7369	1			RA	0.00	25.00	8.00
7546	3			RA	0.00	26.00	6.50
5247	16	T-115		OB	0.00	26.00	11.00
5377	16			OB	0.00	27.00	13.00
7547	2			RA	0.00	28.00	4.00
5257	4			RA	0.00	28.00	5.00
2175	4			RA	0.00	28.00	7.00
CK 0135	12			RAB	0.00	28.00	7.00
1259	2				0.00	28.00	8.00 / 11.00
6291	3	K6049805	EZ9005A	RA	0.00	28.50	7.00
7635	3			RA	0.00	30.00	5.00
5494	4			RA	0.00	30.00	7.00
7613	6			RAB	0.00	30.00	7.00
CK 0228	12			RAB	0.00	30.00	8.00
2732	4	1480-284046		RAY	0.00	30.00	10.00 / 12.70
3732	4			RAY	0.00	31.00 / 32.50	2.50 / 5.30
* 3101			CF-46088	DKBU	0.00	31.10 / 51.20	21.60
3101	3			KBU	0.00	31.10 / 40.00	21.60
7771	6			RA	0.00	32.00	5.00
7461	12			RA	0.00	32.00	7.00
CK 0147	12			RAB	0.00	32.00	8.00
2161	6			RA	0.00	32.00	9.50
3103	4		CF-46088A	XUY	0.00	32.00 / 56.50	33.00
7370	1			RA	0.00	35.00	5.00
5495	4			RA	0.00	35.00	7.00
2160	6			RA	0.00	35.00	8.00
CK 0053	23			RAB	0.00	35.00	8.00
CQ 0053	23			RAB	0.00	35.00	8.00
7548	2			RA	0.00	37.00	5.00
7648	2			RA	0.00	37.00	7.00
CK 0146	9			RAB	0.00	37.00	7.00
CK 0103	10			RAB	0.00	37.00	10.00
3102	3			OVBY	0.00	39.50 / 40.30	38.50

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
5375	4		CF-29014B	RAW	0.00	40.00	4.00 / 6.00
5755	2	CF-31113	K1019806	RA	0.00	40.00	5.00 / 6.00
4006	4			RA	0.00	40.00	7.00
CK 0100	12			RAB	0.00	40.00	7.00
7605	2			RA	0.00	42.00	6.00
7549	6			RA	0.00	42.00	7.00
CK 0077	12			RAB	0.00	42.00	7.00
7371	1			RA	0.00	42.00	8.00
4007	6			RA	0.00	42.00	9.50
CK 0181	9			RAB	0.00	42.00	9.50
5258	4			RA	0.00	42.50	6.00
5810	2			RA	0.00	45.00	5.00 / 6.50
7606	2			RA	0.00	45.00	7.00
CQ 0080	6			RA	0.00	47.00	6.50
2176	6			RA	0.00	47.00	6.50
7808	4			RAB	0.00	47.00	6.50
5394	4	53-6763		RA	0.00	47.00	7.00
CK 0098	8			RAB	0.00	47.00	7.00
CK 0171	1			RAC	0.00	47.00	7.00
7348	4			ECY	0.00	47.00 / 53.00	8.00
4055	6			RA	0.00	47.00	8.00
4004	4			RA	0.00	47.00	10.00
CK 0104	12			RAB	0.00	47.00	10.00
7712	3			RA	0.00	50.00	7.00
5624	2	097-321-491A	29015C	RAY	0.00	50.00	10.00 / 12.50
5292	4	12289-W0400	EZ2959B	RA	0.00	50.00	13.00
5399	3		CF-31664C	RAWY	0.00	50.00	21.00
3113	3		CF-46088B	ORA	0.00	50.80	12.70
4008	6			RA	0.00	52.00	6.50
7809	3			RAB	0.00	52.00	6.50
7372	1			RA	0.00	52.00	7.00
CK 0136	8			RAB	0.00	52.00	7.00
7347	3			ECY	0.00	52.00 / 58.00	8.00
4056	6			RA	0.00	52.00	10.00
CK 0142	12			RAB	0.00	52.00	10.00
6249	1		BZ5010B	RA	0.00	55.00	8.00
CK 0137	4			RAB	0.00	55.00	8.00
4012	4			RA	0.00	55.00	10.00
CK 0105	8			RAB	0.00	55.00	10.00
4059	2	396506216		RA	0.00	55.00	18.00
CK 0065	2			RA	0.00	56.00	7.00
CQ 0065	2			RA	0.00	56.00	7.00
5583	2			RA	0.00	57.00	10.00
7398	2			RA	0.00	60.00	7.00
7636	1			RA	0.00	60.00	8.00
5152	6			RA	0.00	62.00	4.50
7551	6			RA	0.00	62.00	7.00
4009	6			RA	0.00	62.00	8.00
CK 0101	12			RAB	0.00	62.00	8.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7556	4			RA	0.00	62.00	9.50
7550	2			RA	0.00	62.00	10.00
6613	1			RA	0.00	65.00	9.00
4028	2			RA	0.00	65.00	10.00
4060	1	396508616		RA	0.00	65.00	22.00
7552	1			RA	0.00	68.00	8.00
7379	2			RA	0.00	72.00	7.00
4013	6			RA	0.00	72.00	9.00
CK 0099	9			RAB	0.00	72.00	9.00
7553	3			RA	0.00	72.00	10.00
7373	1			RA	0.00	72.00	12.00
5405	4	097-321-073A	CF-29014C	RAY	0.00	73.00	13.00 / 25.00
3277	2			OVY	0.00	75.00 / 76.00	6.50 / 12.50
CK 0138	4			RAB	0.00	75.00	7.00
4011	2			RA	0.00	75.00	10.00
CQ 0063	2			RA	0.00	80.00	7.00
CK 0102	4			RA	0.00	80.00	8.00
CK 0139	4			RAB	0.00	80.00	8.00
CQ 0074	3			RA	0.00	80.00	10.00
7397	2			RA	0.00	80.00	10.00
4005	4			RA	0.00	80.00	12.00
CK 0143	8			RAB	0.00	80.00	12.00
7554	2			RA	0.00	85.00	10.00
CK 0055	3			RA	0.00	85.00	12.00
CQ 0055	4			RA	0.00	85.00	12.00
4061	1	396511016		RA	0.00	85.00	20.00
7557	5			RA	0.00	90.00	7.00
4057	3			RA	0.00	90.00	8.00
7555	3			RA	0.00	90.00	10.00
CK 0140	3			RAB	0.00	90.00	10.00
CK 0170	1			RAC	0.00	90.00	12.00
6600	1			RA	0.00	92.00	8.00
5544	4		CF-33774	PY	0.00	92.70 / 93.70	6.55
7539	3			RA	0.00	100.00	10.00
CK 0064	3			RAB	0.00	100.00	10.00
CQ 0064	4			RAB	0.00	100.00	10.00
CQ 0079	2			RA	0.00	100.00	12.00
CK 0144	7			RAB	0.00	100.00	12.00
7540	2			RA	0.00	110.00	10.00
4010	2			RA	0.00	110.00	12.00
CK 0149	4			RAB	0.00	110.00	12.00
6573	1			RAB	0.00	115.00	12.00
7731	2			RAB	0.00	120.00	8.00
7685	1			RA	0.00	120.00	12.00
7467	4			RAB	0.00	120.00	12.00
7541	1			RA	0.00	130.00	12.00
CK 0054	3			RAB	0.00	130.00	12.00
CQ 0054	4			RAB	0.00	130.00	12.00
7542	1			RA	0.00	140.00	12.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6574	1			RAB	0.00	145.00	12.00
7643	1			RAB	0.00	150.00	12.00
CQ 0095	1			RA	0.00	150.00	15.00
CQ 0058	2			RA	0.00	160.00	15.00
7544	1			RA	0.00	160.00	15.00
CK 0106	3			RAB	0.00	160.00	15.00
CK 0141	1			RAB	0.00	170.00	15.00
CK 0057	1			RA	0.00	200.00	13.00
CQ 0057	1			RA	0.00	200.00	13.00 / 17.00
4084	1			RA	0.00	230.00	14.00
0079	25			VC	2.00	6.35	6.35
0080	25			VC	3.00	6.35	6.35
5104	24	F01040-0SOT		VCX	3.00	7.00	3.00
CQ 0090	36				3.00	13.50	2.20
CQ 0042	12				3.00	22.00	5.50 / 11.20
0790	25			VC	3.10	7.13	3.68
3089	1			VC	3.18	8.13	3.18
5165	4	899-5008702		VCX	3.40	6.00	5.00
2089	2			VC	4.00	8.00	2.00
1506	4	75220		OVBY	4.00	8.00	6.40 / 8.30
0073	6	93104-04001	93104-04114	VC	4.00	9.00	3.00
1649	36			VC	4.00	10.00	4.00
5461	6	MK71600-601		VBFB	4.00	10.00 / 12.00	12.00
CQ 0078	6			VC	4.00	11.00	5.00
2126	1			VC	4.00	11.00	6.00
6666	1			RTCW	4.00	12.00	6.00
5068	4			VC	4.00	15.00	4.00 / 4.50
1428	2			KC	4.20	16.00	8.00
0608	2	257-1538900		KC	4.50	15.00	5.00
1354	4	09285-05005		VC	4.50	26.00	8.00
2864	6	AAG-6827-F0		KCYRV	4.62	19.05	7.39
2521	6			VB2	4.78	12.70	3.18
5321	6	91256KFJA91		KC	4.80	14.50	4.00
1382	4	93109-05015		VC	4.80	22.00	7.00
4176	6			HKCY	4.80	25.00	5.50 / 6.20
1323	4	93109-05022		KC	4.80	25.00	5.50
1222	4	F-3060	380192	VCY	4.82	16.00	5.58
5129	###	14730GB0912	C700	VSCV	5.00	7.50 / 10.70	5.70
2231	2			VB	5.00	9.00	3.00
CQ 0008	6			VC	5.00	10.00	4.00
2297	4	35179-32010		KCX	5.00	10.00	8.50
6882	6			VC	5.00	11.00	3.00
1345	36	90913-02090		VCB	5.00	11.00	6.00 / 14.00
5422	16	A70-5-31		VCB3	5.00	12.00	3.50
0273	2			SC	5.00	15.00	7.00
2340	14			TC	5.00	18.00	7.00
2540	12			VC	5.50	8.00	11.00 / 8.50
5130	###	12209GB4681	C800A	VSCV	5.50	8.20 / 9.20	11.00
5166	4	899-5007302		VCX	5.50	8.60	5.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
5128				VCYV	5.50	9.00	1.80 / 2.80
0074	6	93104-06021	93104-06108	VC	5.50	9.00	3.00
4199	6			VC	5.50	11.00	4.00
CQ 0026	12			VVRF	5.50	11.40 / 15.60	3.40 / 6.10
7734	3			VC	5.50	12.00	3.80
5168	6			SCY	5.50	12.00	4.50 / 8.00
5357	2			SCY	5.50	12.00	5.00 / 8.00
CQ 0027	12			VVBF	5.50	15.60 / 21.00	6.20 / 7.70
0612	6	09285-05004		KC	5.50	16.00	8.00
CQ 0041	12			WBF	5.50	16.00	9.70
0414	36	AR125		VBC2	6.00	10.00	2.00
7665	2			VC	6.00	10.00	2.00
6437	3			VC	6.00	10.00	2.50
CQ 0039	6			KC	6.00	11.00	4.00
2144	32			VC	6.00	11.00	4.00
4200	6			VC	6.00	11.00	4.00
CK 0231	6			VVBY	6.00	11.00 / 12.00	6.00 / 9.00
5181	24			VBC2	6.00	12.00	2.00
CQ 0035	6			KC	6.00	12.00	4.00
5963	2			SC	6.00	12.00	4.00
5516	6			VC	6.00	12.00	4.00
2471	6			KCY	6.00	12.00	5.00 / 6.50
1329	4	F452		VSB	6.00	12.00 / 14.50	11.00
6995	2			RTCW	6.00	13.00	5.00
1597	4			TC	6.00	14.00	4.00
2309	6	4-E-3554		VC	6.00	15.00	3.00
6371	2			SC	6.00	15.00	4.00
CQ 0152	23			VC	6.00	15.00	4.00
6883	2			SC	6.00	15.00	7.00
0557	2			SC	6.00	16.00	7.00
6331	2			TC	6.00	16.00	7.00
6996	2			RTCW	6.00	18.00	6.00
1619	6	09285-06002		KC	6.00	18.00	7.00
1490	2			DC	6.00	18.00	8.00
5595	2			DC	6.00	18.00	8.00
1429	2	09285-06006		KC	6.00	19.00	7.00 / 8.00
0543	9			SC	6.00	19.00	7.00
4137	6			SC	6.00	19.00	7.00
6884	2			TC	6.00	19.00	7.00
5002	3			TC	6.00	20.00	5.00
6997	2			RTCW	6.00	21.00	7.00
5649	6			PRY	6.00	21.50 / 54.00	11.50
6315	2			TC	6.00	22.00	6.00
5146	4			SC	6.00	25.00	6.00
0594	1			TC	6.10	22.00	7.00
3445	4			WPB	6.35	11.10	3.18
0824	6			VC	6.35	12.70	3.18
3351	2			VB	6.35	12.70	4.57
1212	4	F-3196-1		VC	6.35	12.70	4.75

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
3017	12	F-3681		VC	6.35	12.70	4.75
3714	1			SCV	6.35	19.00	6.36
2555	4			KCY	6.35	25.40	9.53
2886	4			DC	6.35	25.40	12.70
2982	8		FD-68907-NU	VCXEP	6.35	35.64	12.70
CQ 0028	12			VSB	6.50	10.80 / 13.50	4.30 / 7.10
1005	3	13207-H7200		VSB	6.50	12.00 / 13.20	11.20
1006	4	13207-01M01		VSB	6.50	12.00 / 14.30	11.20
0268	10	91201324014		KC	6.50	14.50	7.00
0257	4	91201324013		TC	6.50	14.50	7.00
0723	2	132-15389-00		TC	6.80	22.00	7.00
1646	4	137-1538900		KC6Y	6.80	35.00	9.00 / 11.00
CK 0230	6			VSBY	7.00	11.00 / 13.50	10.00
0740	6	09289-07005		VSB	7.00	12.00	7.00 / 9.00
1339	4	41279-1300		VSB	7.00	12.00 / 15.00	9.00
1328	4	PINOY #52		VVB	7.00	12.00 / 15.60	12.00
1338	4	41277-5420		VSB	7.00	12.00 / 15.00	13.50
1437	2	93104-07036		VC	7.00	13.00	4.00
4143	6			TC4	7.00	14.00	4.00
1360	4	93104-07003		VC	7.00	14.00	4.00
6998	2			RTCW	7.00	15.00	5.00
5001	3			TC	7.00	16.00	6.00
0303	1			SC	7.00	16.00	7.00
6999	2			RTCW	7.00	17.00	7.00
2428	4			TC	7.00	18.00	5.00
7000	1			RTCW	7.00	18.00	7.00
2253	2	92052-013		VC	7.00	20.00	5.00
6885	2			TC	7.00	22.00	7.00
2363	3			SCY	7.00	24.00	3.00 / 7.00
1957	4	92052-010		TB2	7.00	24.00	6.00
2349	13	1078		SCY	7.00	24.60	3.50 / 8.30
4018	4			SC	7.00	26.00	7.00
1431	2	GTO		KCY	7.00	26.20	5.50 / 6.50
4263	4	HE183	MF3477388M1	HFY	7.00	31.00 / 39.00	24.00 / 37.00
7431	12			VBY	7.50	10.00 / 11.00	1.10 / 2.10
1333	4	13207-21002		VSC	7.50	12.00 / 14.50	9.00
1331	4	C240 #44		VSB	7.50	12.00 / 15.40	13.00
1330	4	0324-10-155		VSB	7.50	13.00 / 15.50	9.00
1344	6	MD-000508		VSB	7.50	13.00	9.00 / 15.50
1343	6	90913-02016		VSB5	7.50	13.00	15.00 / 23.60
1007	2	90913-02042		VSB5	7.50	14.00	8.00 / 11.50
0092	4	13207-66700		VSB5Y	7.50	17.00 / 38.00	13.50 / 19.00
2997	12			SC	7.90	14.30	3.12
3027	6	F-3425	AG-0103	VC	7.92	12.70	3.17
0817	6			VC	7.92	14.32	3.17
6781	4			WPB	7.92	14.35	3.175
0598	25	33018		VBRG2	7.92	14.65	4.85
0904	6			KCRV	7.92	19.05	6.35
1067	6	N-350364	AC-0105E	SC	7.92	19.05	6.35

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
0799	3	CR-3101		TB2	7.92	19.05	6.35
0939	2			SC	7.92	19.05	7.92
2622	4	772F17298A		SC	7.94	15.87	6.35
CK 0185	4			VCY	7.94	17.46	5.16
3334	2	CR-3094		TB2	7.95	17.42	7.95
2968	6			VC	7.95	17.48	2.77
1753	4			VBG2	8.00	12.00	3.00
1492	6			VCW	8.00	12.00	3.00
6829	4	32A04-02801		VSB2	8.00	12.00	10.20 / 13.70
1199	1			VC	8.00	12.00	12.50
CK 0186	4			VC	8.00	13.00	3.00 / 7.14
1008	5	90913-02058		VSB	8.00	13.00	6.00 / 9.80
3066	64			VSCRV	8.00	13.00	8.00 / 12.00
7714	2			SBF1	8.00	13.40 / 15.10	5.00
1337	6	33012		SCYCI	8.00	13.50	3.30 / 7.00
1326	4	D-500 #49		VSB	8.00	13.50 / 17.50	16.70
6113	2			VC	8.00	14.00	3.00
CQ 0038	6			KC	8.00	14.00	4.00
6114	3			RTCW	8.00	14.00	4.00
5691	3			TC	8.00	14.00	4.00
1445	8	90043-12001		VC	8.00	14.00	4.00
6667	2			RTCW	8.00	14.00	5.00
CQ 0007	6			TC	8.00	14.00	5.00
1334	6	4DR5		VCY	8.00	14.00	12.40
1340	4	13207-B5100		VSB5	8.00	14.00	17.00 / 24.50
5599	2			Bonded	8.00	15.00	1.00 / 2.00
7287	3			VCW	8.00	15.00	3.00
1200	2			SC	8.00	15.00	5.00
6122	2			TC	8.00	15.00	5.00
2196	4			SC	8.00	15.00	7.00
1342	16	15641N		VSW	8.00	15.00	7.50 / 11.50
3539	25	4404		VB2	8.00	16.00	2.00
1454	4	09282-08001		SBG2	8.00	16.00	5.00
5255	4	28014	9958608166	SC	8.00	16.00	6.00
3547	12	9958-60-8166	CF-27312	TC	8.00	16.00	6.00
6668	2			RTCW	8.00	16.00	6.60
1992	14	59816		HSC	8.00	16.00	7.00
6475	2			TC	8.00	16.00	7.00
5208	12			TB4Y	8.00	16.00	9.00 / 11.00
CQ 0023	12			TC4	8.00	16.00	9.00
0574	12			TC4	8.00	16.00	9.00
5090	4			DCR2	8.00	16.00	10.00
7784	2			TC	8.00	17.00	5.00
5760	6			VC	8.00	17.00	5.00
5977	2			VC	8.00	17.00	5.00
1282	2			TC4	8.00	17.00	10.00
1685	4	AR0139E		KC3Y	8.00	17.40	5.00 / 7.00
1643	10	93109-08017		KC	8.00	18.00	5.00
6123	3			LTCW	8.00	18.00	5.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6372	2			SC	8.00	18.00	5.00
7608	3			TC	8.00	18.00	5.00
6886	2			TC	8.00	18.00	6.00
7001	1			RTCW	8.00	18.00	7.00
0137	6			TC	8.00	18.50	7.50
7002	1			TC	8.00	19.00	7.00
7003	1			TC	8.00	20.00	5.00
0199	4			TCY	8.00	20.00	6.00 / 8.00
5281	12	SP-150		KCYRS	8.00	20.00	7.00 / 8.30
7004	1			RTCW	8.00	21.00	6.00
1154	1			GA	8.00	22.00	3.00 / 4.50
7764	2			VBRFII	8.00	22.00	3.00 / 5.50
7005	1			RTCW	8.00	22.00	4.00
7224	1			VF	8.00	22.00	5.70
6002	2			TCY	8.00	22.00	6.00
1743	4			SC	8.00	22.00	7.00
0638	6	AE 0158A		TC	8.00	22.00	7.00
0483	2			TC	8.00	22.00	8.00
1284	14			TC4	8.00	22.00	11.00
7006	1			TC	8.00	23.00	5.00
5207	6	TSA341N	59970107	SBY	8.00	23.30	2.70 / 6.90
2197	4			SC	8.00	24.00	7.00
2395	2	TSA341		SCY	8.00	25.00	4.60 / 6.90
6887	2			TC	8.00	25.00	7.00
5003	2			TC	8.00	25.00	8.00
7765	2			TCII4Y-1	8.00	27.00	4.00 / 8.50
1287	2			TC4	8.00	28.00	11.00
0101	4			TCO	8.00	28.50	4.50 / 5.00
1279	6	51305GM9015		KCXC2	8.10	24.00	8.00
4255	3	PS 358031	46495	PISTON	8.20	50.35	5.50 / 99.65
1327	4	4BA1 #48		VSB	8.50	13.80 / 18.00	11.00
1341	2	ME024108		VSB	8.50	15.00 / 16.00	10.00
7288	3			VCW	9.00	13.00	3.00
7289	3			VCW	9.00	16.00	3.00
1997	4	32709		TB3	9.00	16.00	6.00
6560	8			VSC	9.00	16.00	12.00 / 15.00
4189	6			TC	9.00	17.00	5.00
5761	6			TC	9.00	18.00	4.50
5976	2			TC	9.00	18.00	4.50
5534	6			TC	9.00	18.00	5.00
2381	6			SC	9.00	18.00	7.00
1404	4		CF-28110	TC	9.00	18.00	7.00
4156	4			TC	9.00	18.00	7.00
1261	4	E-120		VSB	9.00	18.00 / 21.70	14.50
2229	3			SCB	9.00	19.00	5.00
0103	2			TCY	9.00	21.00	6.00 / 8.00
2198	4			SC	9.00	22.00	7.00
1843	2			TC	9.00	22.00	7.00
6888	2			TC	9.00	24.00	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
2199	4			SC	9.00	26.00	7.00
2200	4			SC	9.00	30.00	7.00
1289	2			TC4	9.00	32.00	12.00
0102	4			TCO	9.00	32.50	5.00 / 5.50
3179	4	008-997-9047	CF-31914	SBRY	9.13	15.87	7.10 / 13.10
0804	4			SB2	9.47	16.76	4.40
2608	4			TC	9.47	19.05	6.35
1545	6	89201		KC	9.50	15.00	2.40 / 3.20
0750	2			SC	9.50	16.00	5.00
2665	1	AG7386-E1		VB2	9.52	14.27	2.40
2672	2			VC	9.52	19.05	4.32
2847	3			KC	9.52	19.05	6.35
1216	6	F2933		SC	9.52	19.05	6.35
3024	4	F3473		SC	9.52	19.05	6.35
2613	6			TBR	9.52	19.05	6.35
3036	2	F4829		TC6	9.52	19.05	6.35
6576	1			VB	9.52	22.22	6.35
1066	6			SC	9.52	22.23	7.92
0674	2			SC	9.52	22.30	6.35
3861	2	03092SM		SB	9.52	25.37	6.35
3262	6			WPB	9.53	14.27	2.39
2943	6			VBC2	9.53	12.70	3.18
3292	2			VC	9.53	15.75	3.18
3131	6		CF-46012	KC	9.53	15.87	4.87
2964	1	33110		VBC2	9.53	17.45	3.96
0963	6	CR-3680		TB2PB	9.53	19.05	6.35
0800	3			SBY	9.53	21.23	6.35
2522	4	58573039128		WSPR2	9.53	24.38	3.05
7291	3			VCW	10.00	14.00	3.00
1071	5			VBC2	10.00	14.00	4.00
2296	4	35148-16010	61510	KCY	10.00	15.00	2.50 / 3.50
5102	6			VBCV	10.00	15.00	3.00
1361	4			VC	10.00	15.00	3.00
5105	24			VCY	10.00	15.00	3.00 / 4.00
7007	1			TC	10.00	15.00	7.00
1954	4	89203		SCYR2	10.00	15.50	5.00 / 8.00
7228	3			GC	10.00	16.00	3.50 / 5.00
0713	4	32709-14600	28316	SC	10.00	16.00	4.00
5692	2			TC	10.00	16.00	4.00
7616	8			VB2	10.00	16.00	4.00
2295	4	42339		VC	10.00	16.00	4.00
5811	2			KBR	10.00	16.00	5.00
5077	4	28316	CF-29614	SCYR	10.00	16.00	5.00 / 8.00
7359	2			TC	10.00	16.00	5.00
7008	1			TC	10.00	16.00	7.00
5202	2	70-056		VCYR4	10.00	16.17	3.60 / 4.95
4228	8	HE070A		VSC	10.00	16.50	12.50 / 15.00
7789	2			VB2	10.00	17.00	3.00
7290	3			VCW	10.00	17.00	3.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
0564	6			KC	10.00	17.00	5.00
1453	4	09282-10001	09282-10011	SBG2	10.00	17.00	5.00
0042	4	09285-10002		SC	10.00	17.00	5.00
4157	4			VC	10.00	17.00	5.00
5933	4	與#5934組合		VB2	10.00	17.40	5.70
5190	6			KBC2	10.00	18.00	4.00
1742	4			SC	10.00	18.00	4.00
2429	10			TC	10.00	18.00	4.00
CK 0175	6			DCY	10.00	18.00	5.00
7009	3			RTCW	10.00	18.00	5.00
3534	6	4PHS-3	31213	SC	10.00	18.00	5.00
2495	6			KCY	10.00	18.00	5.50 / 7.00
4172	6	93101-10142		SCRS	10.00	18.00	6.00
1808	2			TC	10.00	18.00	6.00
6823	3			SB2	10.00	18.80	5.20
2090	2			VC	10.00	19.00	3.00
7010	1			RTCW	10.00	19.00	6.00
4051	12			SC	10.00	19.00	7.00
0447	6	4051-12		TC	10.00	19.00	7.00
7380	3			GC	10.00	20.00	5.00 / 8.00
* 5933			26412383A	LTCA	10.00	20.00	5.00 / 7.00
5934	4	與#5933組合		LTCA	10.00	20.00	5.00
1642	2	91201-KML-003		SC	10.00	20.00	5.00
5487	6			TC	10.00	20.00	5.00
5416	2			TC4	10.00	20.00	5.00
5402	8	09282-10007		SC	10.00	20.00	6.00
6499	2			TC	10.00	20.00	6.00
5355	2	157FM031016		SC	10.00	20.00	7.00
1848	6	93011-10082	25312	TC	10.00	20.00	7.00
1283	2			TC4	10.00	20.00	9.50
0396	6	93101-10001	93101-10090	SC	10.00	21.00	5.00
0396	6			SC	10.00	21.00	5.00
0497	4			TC	10.00	21.00	5.00
CK 0119	6	LSK-S-R KIT		TCW	10.00	21.00	7.00
0201	4	93103-10052		DC	10.00	21.00	10.00
1935	4			SCB	10.00	21.00	10.00
6601	10			TC4	10.00	21.00	10.00
7755	2			SC	10.00	22.00	4.00
7472	2			TC	10.00	22.00	4.00
0694	1			TC	10.00	22.00	5.00
7225	1			VF	10.00	22.00	5.70
2278	4		27512	TC	10.00	22.00	6.00
0265	16	93101-10002		SC	10.00	22.00	7.00
1922	14		27613	TC	10.00	22.00	7.00
4158	4			TC	10.00	22.00	7.00
CK 0120	6			TCW	10.00	22.00	7.30
5061	2			SC	10.00	22.00	8.00
1285	2			TC4	10.00	22.00	11.00
5125	4		CF-34111	VBFC	10.00	22.00 / 30.00	12.70

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6223	6			TC	10.00	23.50	8.00
5004	3			TC	10.00	24.00	6.00
7571	4			SC	10.00	24.00	7.00
6889	2			TC	10.00	24.00	7.00
1923	4			TC	10.00	25.00	7.00
2274	4			SC	10.00	26.00	7.00
6225	4			TC	10.00	26.00	7.00
1938	2			DC	10.00	26.00	9.00
1315	4			TC4	10.00	26.40	10.00
7011	1			TC	10.00	27.00	7.00
4033	4			TC	10.00	28.00	7.00
0576	14			TC4	10.00	28.00	13.40
5927	2		372435	TC4F	10.00	29.00	2.50 / 9.00
7329	3			SC	10.00	30.00	7.00
6890	2			TC	10.00	30.00	7.00
cq 0025	8			TC4	10.00	30.00	12.00
1288	2			TC4	10.00	30.00	12.00
1841	2			TC	10.00	32.00	8.00
1291	2			TC4	10.00	34.00	12.00
5439	4	1004-088002		TC	10.00	37.00	6.50
3871	6	RS-G18-4B / V	BS#020	B/S	10.37	15.88	2.00 / 2.50
5183	8			GA	10.50	15.00	3.00 / 5.00
0609	6	93104-11028		VC	10.50	15.00	3.00
0385	6			VC	10.50	16.00	4.00
1325	4	DH-100 #50		VSB	10.50	16.00	10.00
3224	1		CF-46394BN	PV12	10.70	72.80	68.00
4117	6		F6312	VC	10.72	15.88	3.12
7393	1			SC	10.80	21.00	7.00
1438	6	93101-11053	93104-11053	VC	10.90	20.00	9.00
7569	2	SM0441		VC	11.00	15.00	2.00
7568	2	SM0442		VCW	11.00	15.00	4.00
6723	5			VB	11.00	15.00	13.00
4019	4			VC	11.00	15.50	5.00
6514	2			RTCW	11.00	17.00	4.00
6395	4			SC	11.00	17.00	4.00
5693	4			TC	11.00	17.00	4.00
5872	2			TC	11.00	17.00	5.00
6396	4			SC	11.00	18.00	4.00
2163	6			SC	11.00	19.00	6.00
4046	8			SC	11.00	19.00	7.00
0202	4	93103-11051		DC	11.00	21.00	8.00
5395	12		CF-25412V	TCRV	11.00	22.00	6.00
3536	12	90311-11128/11003 29793-57B00	CF-25412 / 19675	SC	11.00	22.00	7.00
4034	4			TC	11.00	22.00	7.00
1809	2			TC	11.00	22.00	8.00
6891	1			SC	11.00	26.00	7.00
7763	2			TCII4Y-1	11.00	30.00	3.50 / 8.50
1290	2			TC4	11.00	32.00	13.40

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
0725	6			VC	11.05	25.40	6.35
0960	1			WPB	11.10	15.87	4.06
1223	2			VB2	11.10	17.45	3.19
2624	4			SC	11.10	22.23	7.94
2879	6			VC	11.10	23.03	6.35
1221	6	F1830		SB2	11.10	25.40	5.97
2967	3			SC	11.10	25.40	6.35
4118	3		F6313	TB2	11.13	22.22	6.35
2623	4			SC	11.13	22.23	6.35
2562	4			TBR	11.13	22.23	6.35
0917	6			TC	11.13	22.23	6.35
0801	3			SBY	11.13	22.23	6.40
0650	4			SA2	11.13	25.37	9.53
2625	4			SC	11.13	28.57	9.53
3583	6	8637588		KCY	11.35	19.05	7.40 / 8.40
5184	8			GA	11.50	16.00	3.00 / 5.00
cQ 0004	6			TC	11.60	24.00	10.00
0716	16	91203-001-000	91204-121-005/000	TC	11.60	24.00	10.00
4221	12			TC	11.60	24.00	10.00
3361	2			SC	11.90	22.23	6.35
3326	2			SC	11.93	29.46	6.22
3627	4	46312		KCFR2	11.96	18.55 / 22.00	5.60
7721	3			LA	12.00	15.00 / 28.00	14.70
6751	4			VB	12.00	16.00	3.00
6241	4			VCW	12.00	16.00	3.00
5966	2			VB	12.00	17.00	3.00
5488	6	16000861		VC	12.00	17.00	4.00
6290	3	K6049807		SCY	12.00	17.50	5.00 / 8.00
0318	1			VC	12.00	18.00	3.00
7292	3			VCW	12.00	18.00	3.00
7229	3			GC	12.00	18.00	3.50 / 5.00
5453	10	CB125T		KC	12.00	18.00	5.00
1598	10			TC	12.00	18.00	5.00
1118	4	656G121805		VBG2	12.00	18.00	5.00
6101	2	006-997-0147		SBR	12.00	18.00	6.00
1555	2			KC	12.00	18.00	10.00
2372	6			VC5	12.00	18.00	11.00
5799	2	F002-RP-0309		KCF	12.00	18.50 / 22.00	6.00
0317	10			VC	12.00	19.00	3.00
7293	3			VCW	12.00	19.00	3.00
2210	6			TCY	12.00	19.00	4.40 / 7.00
1231	6	93109-12012		SC	12.00	19.00	5.00
2086	6	93109-12012		TC	12.00	19.00	5.00
7656	2			TC	12.00	19.00	7.00
7597	4		K1059801	KBCY	12.00	19.80 / 20.95	11.70 / 13.20
2285	4			GA	12.00	20.00	4.00 / 6.00
5593	2			KCY	12.00	20.00	4.00 / 6.00
0251	2			VBG2	12.00	20.00	4.00
1117	4	92049-004		SBG2	12.00	20.00	5.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1171	6	91205KFO003		SC	12.00	20.00	5.00
5444	6			TC	12.00	20.00	5.00
2281	4	92051-004		TB	12.00	20.00	5.50
1909	4	9120142F003		TC	12.00	20.00	6.00
6316	3			RTCW	12.00	20.00	7.00
5175	6	93101-12800		KC	12.00	21.00	4.00
1230	6	93101-12060		SC	12.00	21.00	4.00
cQ 0006	6			TC	12.00	21.00	4.00
5965	2			TC	12.00	21.00	5.00
5356	2	157FM034004	09282-12001	SC	12.00	21.00	7.00
4159	6			TC	12.00	21.00	7.00
5174	36	EP1197		VSCR2	12.00	21.00	13.00
7753	8			SC	12.00	22.00	4.00
2136	8			VC	12.00	22.00	4.00
7455	2			TC	12.00	22.00	4.50
0397	6	93101-12004		SC	12.00	22.00	5.00
0397	4			SC	12.00	22.00	5.00
cQ 0020	6			TC	12.00	22.00	5.00
1955	6	91201148003	93102-12106	TC	12.00	22.00	5.00
cQ 0043	6			TC	12.00	22.00	6.00
1458	6	09285-12001		KC	12.00	22.00	7.00
5975	4	9639-003-1230A		RTCW	12.00	22.00	7.00
1072	6	91201-61200	09285-12002	SC	12.00	22.00	7.00
2009	8	91209-61200	CF-28013	TC	12.00	22.00	7.00
4160	4			TC	12.00	22.00	7.00
0711	6	09285-12002		TC	12.00	22.00	9.00
5962	2	530-019264		SCY	12.00	23.00	4.50 / 8.50
7013	1			TC	12.00	23.00	7.00
5382	6	XPB45-62-6-7-101		TC3Y	12.00	23.00	9.00
cQ 0076	4			SC	12.00	24.00	4.50
0577	1			SC	12.00	24.00	4.50
2397	2			TC	12.00	24.00	4.50
2265	2			KC	12.00	24.00	5.00
6003	1			SC	12.00	24.00	5.00
1744	4			KC	12.00	24.00	6.50
6317	3			RTCW	12.00	24.00	7.00
2182	4			SB2	12.00	24.00	7.00
1073	1			SC	12.00	24.00	7.00
1844	2			TC	12.00	24.00	7.00
1172	1	91204-200-0	MD607621	SC	12.00	25.00	5.00
7585	2	與#7584組合		VCY	12.00	25.00	5.50 / 6.50
5514	6			TCO	12.00	25.00 / 26.00	6.00
1924	4			TC	12.00	25.00	7.00
0578	1			KCY	12.00	25.00	10.00 / 13.30
cQ 0036	12			TC	12.00	25.50	7.00
0405	4			TC	12.00	25.50	7.00
5787	6			TC	12.00	26.00	5.50
2186	12			SC	12.00	26.00	7.00
1845	2			TC	12.00	26.00	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
5164	6			TC	12.00	28.00	5.00
2010	5			SC	12.00	28.00	7.00
2275	4			TC	12.00	28.00	7.00
7584	2	與#7585組合		TC	12.00	28.00	7.50
6839	2			DC	12.00	28.00	8.00
6796	1			TC	12.00	28.50	7.00
0227	2			SC	12.00	30.00	6.00
2341	2			TC	12.00	30.00	6.00
0690	2	4052-8		SC	12.00	30.00	7.00
4052	8			SC	12.00	30.00	7.00
6892	2			TC	12.00	30.00	7.00
2201	4			SC	12.00	30.00	10.00
7014	1			TC	12.00	32.00	5.00
2305	2			SC	12.00	32.00	7.00
1842	2			TC	12.00	32.00	7.00
1764	4			TC	12.00	32.00	10.00
B 7720				TCPFLA	12.00	32.00	10.40 / 16.60
5651	6			TC	12.00	35.00	5.00
1765	2			TC	12.00	35.00	8.00
5929	2		374562	TC4F	12.00	39.00	3.70 / 12.00
7722	3			KBC	12.00	40.00	5.00
3127	2		CF-45098	OY	12.00	41.00 / 65.00	25.50 / 59.00
3128	2		CF-45096	OY	12.00	43.00 / 65.00	25.50 / 59.00
3129	2		CF-45097	OY	12.00	45.00 / 65.00	59.00
3139	2		CF-31552	OKY	12.00	46.70 / 65.00	21.50 / 59.00
3140	4		CF-31551	OKY	12.00	49.50 / 65.00	59.00
1253	6			TCY	12.00	50.00	2.30 / 6.00
3141	4		CF-31550	OKY	12.00	53.50 / 65.00	59.00
2408	1			SCWY	12.00	75.00	35.00
2984	12	B-10530		KBFYEP	12.20	25.60 / 33.50	12.00
4175	6			TC	12.50	19.00	5.00
5873	2			TB2	12.50	20.00	5.00
7012	1			TC	12.50	21.00	7.00
6500	2			TC	12.50	22.50	5.00
2440	3			TC	12.50	23.50	7.00
1036	1	91204-350-0		TC	12.50	25.00	8.00
4188	6			SC	12.50	28.50	5.00
0367	2			DCY	12.50	32.00	11.00 / 19.00
cQ 0033	6			TC4	12.50	36.00	12.00
3584	6	N-470687	33014	KCY	12.67	19.05	7.40 / 8.40
4245	4	PS 345038	46086E	PISTON	12.67	64.00	6.70 / 94.00
3511	12			VC	12.68	19.05	4.50
2666	1	N-342805		VC	12.70	17.45	2.40
3392	6	1364-051		VCY	12.70	17.45	2.47 / 3.18
3300	2			SB	12.70	19.02	3.17
4020	4	AR0437EO		WPB	12.70	19.05	3.17
3471	6			SCY	12.70	19.05	3.18 / 4.80
3566	12	N-8792S	CF-33000	VBRG2	12.70	19.05	4.76
3884	3			SB2	12.70	19.05	6.35

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1226	2			SB2	12.70	20.37	4.76
0749	4			SC	12.70	20.40	5.00
0969	4			SBY	12.70	20.47	4.75
3198	4	K429717		VBY	12.70	20.74	2.50 / 3.30
2828	3	06-5183		SC	12.70	22.23	6.35
2913	10	FLEXWA5		TB2	12.70	22.23	6.35 / 7.92
1214	2	F-3473-1		TC	12.70	22.23	6.35
2111	4			SC	12.70	22.45	6.35
3842	2			DB2	12.70	22.86	6.35
0872	4			KCY	12.70	24.12	7.00 / 12.00
0160	4			VBY	12.70	25.37	4.78
0903	6			KCRV	12.70	25.40	6.35
3088	4	19309		SAPVTF	12.70	25.40	6.35
2974	4	N-471442	B06185	TB2	12.70	25.40	6.35
0163	4			TC	12.70	25.40	6.35
0886	6	N-481442	CR-4984	SB	12.70	25.40	6.40
1210	4	N-450119		SA2	12.70	25.40	9.54
2626	4			SC	12.70	25.40	9.54
0891	1	CR-5068		SB2	12.70	28.55	6.35
3863	2	05112TB		TB2	12.70	28.55	6.35
0835	2			VC	12.70	28.55	6.40
2819	4			SC	12.70	28.55	7.00
1065	4			SC	12.70	28.57	7.92
2714	4			TC	12.70	28.65	7.92
3086	6	63387		SCB	12.70	29.37	6.35
6577	1			TB2	12.70	34.93	6.35
2535	4			TC	12.70	34.93	6.35
0816	16	A1705-M221		VXPS	12.70	43.40	10.60 / 17.00
3138	4		CF-33768	OKY	12.70	50.10 / 74.50	30.00 / 85.00
3142	2		CF-33770	OKY	12.70	51.70 / 74.00	30.00 / 85.00
3836	3	PS 358036	33767	OKY	12.70	53.85 / 73.40	30.00 / 85.00
3239	2			PK30	12.70	54.10 / 73.50	85.00
3238	1		CR-46395N	POL2	12.70	57.17	10.00 / 17.00
3126	2		CF-33772	OY	12.70	91.00	10.00 / 86.00
3498	2			OY	12.70	91.00	10.00 / 86.00
3137	4		CF-33766	OVY	12.70	91.50	65.00 / 80.00
3244	2		CF-33773	PV12	12.70	92.30	87.50
3339	4			PFY	12.80	50.80 / 63.50	45.50
4227	4	HE04ZS		PFY	12.80	50.80 / 63.50	45.50
3742	1	NB-112		PFY	12.80	50.80 / 64.00	50.00
4180	6			VBG	13.00	19.00	3.00
0469	5			VC	13.00	19.00	3.00
7294	3			VCW	13.00	19.00	3.00
2277	4			TC	13.00	20.00	4.00
2456	4			TB	13.00	20.00	5.00
1586	2	90313-13001		VBG2	13.00	20.00	5.00
1979	6			SC	13.00	22.00	4.00
0470	6			VC	13.00	22.00	4.00
0271	3	AR125		SB2	13.00	22.00	5.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
0104	3	30362-028-0	CS90	SC	13.00	22.00	5.00
1847	2			TC	13.00	22.00	5.00
5978	2			VC	13.00	22.00	5.00
4183	6			TB	13.00	22.00	5.50
1947	6	AR125		TBG2	13.00	22.00	5.50
7785	2			SC	13.00	22.00	6.00
7429	1			SC	13.00	22.00	7.00
1846	2			TC	13.00	22.00	7.00
6757	4			VBFC	13.00	22.00 / 28.70	9.40
6224	1			TC	13.00	22.30	5.40
5147	2			VAJRC	13.00	23.00	7.00 / 10.00
CQ 0015	8			TC	13.00	24.00	5.00
5979	4			TC	13.00	24.00	5.00
2279	4			SBG2	13.00	24.00	6.00
7015	1			TC	13.00	24.00	7.00
6109	3			SCB	13.00	25.00	6.00
1585	2	90311-13050		TBG2	13.00	25.00	7.00
CQ 0092	6			TC	13.00	25.00	7.00
0501	2			SC	13.00	26.00	5.00
2269	3			SCBR	13.00	26.00	5.00
6480	2			LSCW	13.00	26.00	7.00
1815	2			TC	13.00	26.00	7.00
0038	6	7700-532-196		TC	13.00	26.00	9.00
7394	2			DC	13.00	26.00	10.00
7016	1			TC	13.00	28.00	7.00
0040	2			SC	13.00	30.00	8.00
0026	2			VBG2	13.00	32.00	9.50 / 10.60
5928	2		361006	TC4F	13.00	48.00	2.40 / 13.00
6664	1			TC	13.00	160.00	13.00
CQ 0016	46			TC	13.50	24.00	6.00
2731	2	899500552-2		RAY	13.50	31.00	12.70 / 15.70
0105	9	91202-216-000/003	S900 C70	SC	13.70	24.00	5.00
CQ 0001	6			TC	13.70	24.00	5.00
0105	8			TC	13.70	24.00	5.00
4222	18			TC	13.70	24.00	5.00
3872	6	RS-G14-4B / V	BS#021	B/S	13.74	20.57	2.00 / 2.50
2228	3	93104-14M03		SCBR	13.90	25.50	5.00
3047	6	558616		VSBCS	14.00	18.00 / 21.80	15.00
7404	1			RKCW	14.00	19.00	4.50
2312	8			GA	14.00	20.00	3.00 / 4.00
5186	8			GA	14.00	20.00	3.00 / 6.00
7704	6			VB	14.00	20.00	3.00
7295	3			VCW	14.00	20.00	3.00
5486	6			KC	14.00	20.00	3.20
7707	2			GC	14.00	20.00	3.50 / 5.00
2491	4	93104-14M03		SC	14.00	20.00	4.00
7018	1			TC	14.00	20.00	7.00
7296	3			VCW	14.00	21.00	3.00
7715	2			GA	14.00	22.00	3.00 / 4.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7297	3			VCW	14.00	22.00	3.00
0299	4			SC	14.00	22.00	4.00
6835	6			VB	14.00	22.00	4.00
CQ 0014	6			TC	14.00	22.00	4.50
2152	12	91201KFO003		TC	14.00	22.00	4.50 / 5.00
7446	1			KCLW	14.00	22.00	5.00 / 7.00
4138	4			SC	14.00	22.00	6.00
6893	1			TC	14.00	22.00	7.00
0507	2			VC	14.00	22.00	7.00
5189	4	S183A001		VCY	14.00	23.00	11.60
1459	6	91202-216-000		SBG2	14.00	24.00	5.00
1228	6	91202-302-000		SC	14.00	24.00	5.00
6894	1			TC	14.00	24.00	5.00
1124	8	93109-14005	09825-14001	KC	14.00	24.00	6.00
2335	4			SBG2	14.00	24.00	6.00
0611	6	93109-14005		SC	14.00	24.00	6.00
4139	6			TC	14.00	24.00	6.00
1638	5			SC	14.00	24.00	7.00
1964	4			TC	14.00	24.00	7.00
1286	2			TC4	14.00	24.00	7.00
0335	1	91203-200-0		TC	14.00	24.00	8.00
6769	2			VC	14.00	24.00	8.00
0034	1			SY	14.00	25.00	4.00
2235	2			GA	14.00	25.00	5.00 / 8.00
1190	12	93104-14004		SC	14.00	25.00	5.00
1948	4	93104-14004		TC	14.00	25.00	5.00
1449	6	93101-14M01		SCB	14.00	25.00	6.00
1278	2			TC	14.00	25.00	6.00
1115	4	653B1-42507		TBG2	14.00	25.00	7.00
5770	3	96054141	89153 / AE0519J	TC	14.00	25.00	7.00
1766	2			TC	14.00	25.00	9.00
1426	2	09283-14001		TC5	14.00	25.00	19.00 / 35.00
5509	6	GN-250	09282-14001	SCB	14.00	26.00	6.00
0106	6	91203-023-0	CS90	SC	14.00	26.00	7.00
1256	3			TC	14.00	26.00	7.00
7586	2	與#6045組合		VCY	14.00	26.50	5.00 / 6.00
2430	4			SCAX	14.00	27.00	6.00 / 8.00
1607	2			DC	14.00	27.00	9.00
4014	4			SC	14.00	28.00	7.00
CQ 0013	6			TC	14.00	28.00	7.00
0107	6	91206-286-013/000	CB125 CG125	TC	14.00	28.00	7.00
4161	4			TC	14.00	28.00	7.00
0035	1			TCN	14.00	28.00	7.00
6840	2			DC	14.00	30.00	7.00
2398	2			SC	14.00	30.00	7.00
6045	2	可與#7586組合為TCA		TC	14.00	30.00	7.00
7761	1			DC	14.00	30.00	8.00
2367	4			TC	14.00	30.00	8.00
6841	2			DC	14.00	32.00	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6066	2			TC	14.00	32.00	7.00
1816	10			TC	14.00	35.00	7.00
3342	4			VB2	14.02	28.58	5.16
3343	4			SBR	14.15	28.58	6.35
3028	2	F4686		VB2	14.27	20.62	3.17
3189	4	EX273-041-B		SC4	14.27	22.15	4.78
2713	4	14012		VC	14.27	25.40	3.17
0162	4			TC	14.27	25.40	6.35
3011				TB4	14.27	26.90	11.99
3147	2		CF-19206M	SC	14.27	26.98	4.76
3072	3			KAC3	14.27	28.57	13.50
3712	1			SA2	14.27	34.92	10.31
2999	6			TCR2	14.29	22.22	4.80
0777	3			VB2	14.30	22.22	4.77
2956	12	311-11778		VBFC	14.30	28.30	28.30
0039	4			SC	14.30	34.93	6.35
2785	6			VCB1	14.35	39.75	11.90
5430	4	26914 / AE0582E	31375-4100	TC	14.50	24.00	5.00
6046	4			TC	14.50	32.00	7.00
0027	2			VBG3	14.50	32.00	9.50 / 10.60
6571	2	TM8001		VB	14.80	21.00	4.00
6318	3			RTCW	14.80	30.00	5.00
6269	3	AC8467E		SC	14.80	30.00	5.00
7762	1			DC	14.80	30.00	8.00
7017	1			RTCW	14.80	32.00	8.00
5636	2			VB2	15.00	19.00	3.00
7728	6			VB2	15.00	21.00	3.00
1351	4	93104-15005		VC	15.00	21.00	3.00
7298	3			VCW	15.00	21.00	3.00
7618	2			GC	15.00	21.00	3.50 / 5.00
0742	2			SC	15.00	21.00	4.00
5973	2	9640-003-1560A		RTB2	15.00	22.00	4.00
1584	2	90312-15003		VBG2	15.00	22.00	4.00
5322	4			TC	15.00	22.00	7.00
2011	1			SC	15.00	23.00	5.00
7019	1			TC	15.00	23.00	7.00
6895	2			SC	15.00	24.00	4.00
0536	12			SC	15.00	24.00	5.00
CK 0201	4			TC	15.00	24.00	5.00
7381	1			TC	15.00	24.00	5.00
5964	2			VC	15.00	24.00	5.00
0467	3			DB	15.00	24.00	7.00
0255	2			SBY	15.00	24.00	7.00
CK 0085	4			SC	15.00	24.00	7.00
0500	3			SC	15.00	24.00	7.00
0509	6			TC	15.00	24.00	7.00
7511	2	TWO COLOR		RTCBW	15.00	24.00	10.00
5107	20	001-301-227		VCBY	15.00	24.00 / 35.00	14.00
6251	1			VC	15.00	25.00	3.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
5637	2			VC	15.00	25.00	4.00
2242	6			GA	15.00	25.00	5.00 / 8.00
7230	3			GC	15.00	25.00	5.00 / 8.00
5974	2	9639-003-1585A		HTCW	15.00	25.00	5.00
1173	4	09283-15002		SC	15.00	25.00	5.00
5762	6			TC	15.00	25.00	5.00
5980	4			TC	15.00	25.00	5.00
1193	6			SC	15.00	25.00	6.00
0248	1	91211-671-003	93109-15001	TC	15.00	25.00	6.00
5515	6			TCO	15.00	25.00 / 26.00	6.00
0264	16	93104-15009		VC	15.00	25.00	6.00
0225	6			HSC	15.00	25.00	7.00
1349	2	91202-107-003/000	CB125S2	TC	15.00	25.00	7.00
0793	1			SC	15.00	25.50	4.60
5320	3	NB083B		TCY	15.00	25.50	5.00 / 7.00
5169	4	91201GW3980	91201-GW2-000	TC	15.00	25.50	7.00
2496	4			SC	15.00	26.00	4.00
CQ 0034	6			TC	15.00	26.00	5.00
2409	2	AE 8774-EO		TC	15.00	26.00	5.00
4174	6			TC	15.00	26.00	5.00
0022	12	93109-15001	93103-15001	KC	15.00	26.00	6.00
1383	6			SC	15.00	26.00	6.00
1038	6			TC	15.00	26.00	6.00
1773	2			DBG2	15.00	26.00	7.00
7512	2	TWO COLOR		RTCBW	15.00	26.00	7.00
6124	3			RTCW	15.00	26.00	7.00
0634	6			SC	15.00	26.00	7.00
5874	2			TB2	15.00	26.00	7.00
6106	1			TC	15.00	26.00	7.00
6125	3			TC	15.00	26.00	8.00
6126	1			TC	15.00	26.00	9.00
0502	2			SC	15.00	27.00	7.00
6896	2			TC	15.00	27.00	7.00
CK 0087	12			SC	15.00	28.00	4.00
2276	4			SC	15.00	28.00	5.00
0200	4	93101-15074		SCB	15.00	28.00	6.00
0514	2			VCY	15.00	28.00	6.00 / 7.00
0406	4			SC	15.00	28.00	7.00
2377	4			TC	15.00	28.00	7.00
6319	2			TC	15.00	28.00	8.00
5124	6	BZ2501E		VCY	15.00	28.50	6.00 / 7.00
4035	4			TC	15.00	28.60	7.00
5972	2	9640-003-1600A		TB2	15.00	29.60	4.00
5615	8			SC	15.00	30.00	4.50
6897	2			SC	15.00	30.00	5.00
6243	2			TC	15.00	30.00	5.00
0023	6			DBG2	15.00	30.00	7.00
7513	2	TWO COLOR		RTCBW	15.00	30.00	7.00
0446	3	93102-15130		SC	15.00	30.00	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
2012	2	93102-15130		SC	15.00	30.00	7.00
0705	4			TB	15.00	30.00	7.00
0540	6	9506-P20570	93102-15130	TC	15.00	30.00	7.00
6842	2			DC	15.00	30.00	7.50
6784	2			TC4	15.00	30.00	9.00
0263	4			SC	15.00	30.00	10.00
6605	2			TCY	15.00	30.00	10.00 / 17.00
2733	4	1480-282022		RAY	15.00	30.00	12.70
5108	20			VCBY	15.00	30.00 / 35.00	14.00
6989	2			TC	15.00	31.00	5.00
4147	4			VC4Y	15.00	31.00	5.00 / 9.50
1442	2	2050400	09284-15001	VC6Y	15.00	31.00	5.00 / 9.50
7581	2	與#7580組合		VCY	15.00	31.00	5.50 / 6.50
6898	2			TC	15.00	32.00	5.00
0407	4			SC	15.00	32.00	6.00
0379	2	8-94156-589-0		SC	15.00	32.00	7.00
1366	6	9-94224-981	14658-36W00	TC	15.00	32.00	7.00
5123	6	BZ2502E		TC	15.00	32.00	7.50
* 5123		BZ2501E		TCAY	15.00	32.00	7.50 / 8.00
6177	2			DC	15.00	32.00	8.00
6669	2			LTCW	15.00	32.00	9.00
7720	3			TCPF	15.00	32.00 / 37.50	9.00 / 13.50
5005	3			TC	15.00	34.00	7.00
7772	1			SC	15.00	35.00	5.00
7754	1			SC	15.00	35.00	6.00
7510	2			DC	15.00	35.00	7.00
0545	6			SC	15.00	35.00	7.00
7538	12			SCP	15.00	35.00	7.00
CQ 0044	6			TC	15.00	35.00	7.00
0437	8			TC	15.00	35.00	7.00
7580	2	與#7581組合		TC	15.00	35.00	7.50
0179	2			SC	15.00	35.00	8.00
0275	2			SC	15.00	35.00	10.00
6899	2			TC	15.00	35.00	10.00
6276	2	CF-5801		TCY	15.00	35.10	5.50 / 6.50
2338	4		CF-83530A	TC	15.00	35.50	5.50
2339	4		CF-83530	TCY	15.00	36.00	5.50 / 9.00
2387	6	10029		VPW	15.00	36.00	9.00
6320	1			TC	15.00	37.00	7.00
5006	3			TC	15.00	40.00	8.00
6900	2			SC	15.00	40.00	10.00
6901	2			TC	15.00	42.00	7.00
1608	2			TC	15.00	42.00	8.00
0505	2			SC	15.00	42.00	10.00
6075	2			TC	15.00	42.00	10.00
2259	2	13192-15267		TCY	15.00	46.00	7.00 / 9.50
1022	6			HTCY	15.00	50.00	2.30 / 6.00
2525	4			TC	15.08	34.93	6.35
0438	1	13OS-31		SALF	15.09	28.57	11.10

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1281	4	NPA238883P4	A833C	RBS	15.30	35.03	27.70
1513	6	CR-6386		SBG2	15.47	38.10	6.35
2115	2	450-025		VC	15.48	39.69	11.11
5069	4	8995008102		VP	15.50	19.95	6.00
CK 0202	4			TC	15.50	25.50	7.00
2270	3	91201-GK8-003/000	91201-GS7-000	TC	15.60	25.50	7.00
1213	4	F3196-2	CR-6106	VC	15.87	20.64	2.36
2124	1			GA	15.87	20.64	3.18 / 3.96
3384	4			SCY	15.87	22.22	3.20 / 5.20
0820	4			SCY	15.87	22.22	4.00 / 6.40
4021	4	AR0633EO		WPB	15.87	22.23	3.17
2814	4			KB2	15.87	22.62	5.95
2628	4			TC	15.87	23.81	3.77
2583	4			TC	15.87	23.81	4.78
2904	4	AF0636EO	CR-6130	VB2	15.87	23.81	4.78
0761	18	CR-6141	N-71885	TBY	15.87	25.37	6.35
3741	3	224322		VBR	15.87	25.40	3.18
2063	1			SC	15.87	25.40	4.78
4026	2			TC	15.87	25.40	4.78
3402	2	3341		DB	15.87	25.40	6.54
0842	1			DBC2	15.87	25.40	9.53
1094	9			VBKC2	15.87	27.05	4.76
1452	2			TCY	15.87	27.76	9.53
2996	6	10514	CR-6203	SB2	15.87	28.57	6.35
2704	2	CR-6204	N-471466	TB2	15.87	28.57	6.35
4045	2			DC	15.87	28.57	7.62
0712	1			DC	15.87	28.57	7.94
0640	1			TC	15.87	28.57	7.94
0222	2	F3466		SB	15.87	28.57	7.95
0866	3			SBRP2	15.87	28.57	7.95
2627	4			SC	15.87	28.57	9.53
1496	2	AP0647-EO		TC	15.87	28.57	9.53
0583	8			SC	15.87	28.58	6.35
1198	1			TCY	15.87	28.58	10.30
2552	4	1074		SB5C2	15.87	29.06 / 53.98	7.00
3048	3	18806	CR-6247	TB2	15.87	30.00	6.35
2656	4			SC	15.87	30.71	6.35
3713	1	CR-6315		SB2	15.87	31.75	6.35
0875	2			SC	15.87	31.75	6.35
0814	2			TC	15.87	31.75	6.35
0639	1			SC	15.87	31.75	7.94
2795	6			TB2	15.87	31.75	7.94
2878	2	06133TCM		SCJ	15.87	34.82	7.92
2883	4	TCM06133		SCJ2	15.87	34.82	7.92
4107	12	6372	06132	TC	15.87	34.92	6.35
1017	6	6372	CR-6373	TBR	15.87	34.93	6.35
2629	2			SC	15.87	34.93	9.53
3152	10	CR-6386		SB2	15.87	38.07	6.35
3162	10	CR-6386		SC	15.87	38.07	6.35

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
3202	2	CR-6152	AD7860EO	VB2	15.88	25.40	3.18
3341	2	3402		DB	15.88	25.40	6.54
3766	2	N-470009		TB2	15.88	28.55	9.52
3245	2	4162		TCRV	15.88	25.40	6.35
0998	2	N-471264		TBR	15.88	31.75	6.40
1754	4			VBG2	16.00	20.00	2.50
7285	3			GA	16.00	22.00	3.00 / 4.00
7445	6			VB	16.00	22.00	3.00
0461	4			VC	16.00	22.00	3.00
7299	3			VCW	16.00	22.00	3.00
7231	3			GC	16.00	22.00	3.50 / 5.00
6902	2			SC	16.00	22.00	4.00
7020	1			TC	16.00	22.00	5.00
6843	2			RTCW	16.00	22.80	6.50
7300	3			VCW	16.00	24.00	3.00
7625	2			GC	16.00	24.00	3.50 / 5.00
4182	6			SB	16.00	24.00	4.00
1116	6	656G162404		SBG2	16.00	24.00	4.00
7791	2			SC	16.00	24.00	4.00
0393	1			VC	16.00	24.00	4.00
0448	3			SC	16.00	24.00	5.00
6439	5			TC	16.00	24.00	5.00
2457	6			TBG2	16.00	24.00	6.00
0549	1			DBG2	16.00	24.00	7.00
0462	4	90310-16001		SC	16.00	24.00	7.00
6444	2			TC	16.00	24.00	7.00
7301	3			VCW	16.00	25.00	3.00
6903	1			TC	16.00	25.00	5.00
6445	2			TC	16.00	25.00	7.00
2300	4	83-44-335	F5953	TBXC2	16.00	25.00	13.00
3473	10			B/C	16.00	25.90	0.80
5282	4	DLR16		KB	16.00	26.00	3.00
7667	2			GC	16.00	26.00	5.00 / 8.00
6904	1			TC	16.00	26.00	5.00
2448	4			TC	16.00	26.00	6.00
5191	6			SC	16.00	26.00	7.00
1441	2	92051-003		TB2	16.00	26.00	7.00
4179	6			TB2	16.00	26.00	7.00
5547	2			TBR	16.00	26.00	7.00
6446	2			TC	16.00	26.00	7.00
5664	4			TBXY	16.00	26.00	8.00 / 9.00
6730	2			TC	16.00	26.00	12.00
5145	6	90043-11219	BR1940F	TBRFC2	16.00	26.00 / 30.00	17.00
7567	2			VB	16.00	28.00	4.00
7391	1			TC	16.00	28.00	5.00
1384	12			SC	16.00	28.00	7.00
CQ 0213	6			SC4	16.00	28.00	7.00
2478	2			TBY	16.00	28.00	7.00
CQ 0024	4			TC	16.00	28.00	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
0024	10	91204-259-005/000		TC	16.00	28.00	7.00
4162	4			TC	16.00	28.00	7.00
5462	4	F6324		TCW	16.00	28.00	7.00
1143	5			SC	16.00	30.00	4.50
5804	8			TC	16.00	30.00	4.50
CK 0173	6			TCV	16.00	30.00	4.50
0258	1			SC	16.00	30.00	5.00
2221	3	93102-16M01		SCBR	16.00	30.00	5.00
1556	2			TC	16.00	30.00	5.00
6377	2			SB2	16.00	30.00	7.00
2064	4	09285-16002		SC	16.00	30.00	7.00
6047	3			TB2C	16.00	30.00	7.00
6028	3			TC	16.00	30.00	7.00
7588	3			TCFY	16.00	30.00 / 42.00	7.00 / 11.30
1959	4	09285-16002		KBG2	16.00	30.00	8.00
1122	8	A100 TS FR		KC	16.00	30.00	8.00
1371	6			TC	16.00	30.00	8.00
1849	2			TC	16.00	30.00	10.00
CQ 0214	6			VC	16.00	31.00	7.00
7692	2			SCV	16.00	32.00	5.00
2110	2			SB2	16.00	32.00	7.00
1817	2			TC	16.00	32.00	7.00
2342	4			TC	16.00	32.00	8.00
5007	3			TC	16.00	34.00	7.00
1818	6			TC	16.00	35.00	7.00
5254	4	B300-32-126		TC	16.00	35.00	9.00
1470	2			SC	16.00	35.00	10.00
5507	6			TC	16.40	30.00	5.00
3383	6			TB2	16.66	28.55	7.92
3390	2			DB2	16.66	28.55	10.66
3344	4			SB2	16.66	31.75	6.35
3355	2			SC	16.67	31.75	6.35
0785	3			SB2	16.70	40.00	6.40
2677	4			VB2	16.70	40.11	6.35
0108	12	912002-003-	C102 C50	SC	16.90	28.00	5.00
3844	4			SB2	16.99	24.91	3.98
3845	4			TA2	16.99	30.15	5.15
2138	2	HUF143		BUSH	17.00	20.00	10.00
7433	3			VBV	17.00	21.00	2.50
6905	2			SC	17.00	22.00	5.00
7302	3			VCW	17.00	23.00	3.00
5116	2	90312-17001		VBRG2	17.00	24.00	5.30
7303	3			VCW	17.00	25.00	3.00
0463	6	93101-17062		SC	17.00	25.00	4.00
5176	6			TC	17.00	25.00	6.00
7021	1			RTCW	17.00	25.00	7.00
2129	4			SC	17.00	26.00	6.00
5774	2	AZ0744E		VBR	17.00	26.00	6.00
1819	2	91201-428-0		TC	17.00	27.00	5.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
4163	4			TC	17.00	27.00	5.00
4178	6			TCW	17.00	27.00	6.00
6906	2			TC	17.00	27.00	7.00
2434	3			TC	17.00	27.00	8.00
5150	4			VCXY	17.00	27.00	8.00 / 21.00
5085	4	93102-17264	93102-17342	LTC	17.00	28.00	5.50
1559	4			SB2	17.00	28.00	6.00
0292	3			SC	17.00	28.00	6.00
1550	2	91225-041	949150-0570	TB2	17.00	28.00	6.00
0294	4	09283-1704		TC	17.00	28.00	6.00
CK 0123	4	ZSK.25.Z		DBR	17.00	28.00	6.50 / 10.00
0468	4			DBG2	17.00	28.00	7.00
5694	2			DC	17.00	28.00	7.00
CK 0122	6	TSA.31.NPT		GA	17.00	28.00	7.00
0037	5	770-308-7058		RSBY	17.00	28.00	7.00 / 13.00
7736	2			RSCW	17.00	28.00	7.00
6127	3	AH0736F		RTCW	17.00	28.00	7.00
2059	6			SB	17.00	28.00	7.00
2099	6	AB0736G		SB2	17.00	28.00	7.00
0449	4	N22170/MD009038	21321-42021	SC	17.00	28.00	7.00
4038	4			SC	17.00	28.00	7.00
5278	3			TB2	17.00	28.00	7.00
4096	2			TBJC2	17.00	28.00	7.00
0682	4	91201-415-0	MP009038	TC	17.00	28.00	7.00
4204	4			TC	17.00	28.00	7.00
6822	6			TBCW	17.00	28.00	7.30
0481	4			DBG2	17.00	28.00	8.00
5098	4			TCVJ2	17.00	28.30	7.00
5967	8			TC	17.00	28.50	6.00
6321	2			TC	17.00	28.50	7.00
0109	6	91203-035-005	91203-035-000/025	SC	17.00	29.00	5.00
CQ 0002	6			TC	17.00	29.00	5.00
0109	8			TC	17.00	29.00	5.00
4220	18			TC	17.00	29.00	5.00
5695	2			DC	17.00	29.00	7.00
6515	3			RSBY	17.00	29.00	7.00 / 13.00
5248	4			TC	17.00	29.00	7.00
6516	2			RTC	17.00	29.00	8.00
6651	2			TC	17.00	29.00	13.00
7537	4			VCYW	17.00	30.00	3.50
0537	2	91204-GN2-005		SC	17.00	30.00	5.00
2272	6	91204GW3980	91204-GBB-003	TC/LTC	17.00	30.00	5.00
5506	6			LTC	17.00	30.00	6.00
CQ 0096	2			SB2	17.00	30.00	6.00
0329	6	91202-892-004	93101-17054	SCB	17.00	30.00	6.00
* 5773		AZ0744E		TACY	17.00	30.00 / 37.00	6.00 / 7.50
CQ 0010	4			TC	17.00	30.00	6.00
5841	6	MB607116		TC	17.00	30.00	6.00
0259	6			TCY	17.00	30.00	6.00 / 6.50

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1980	2			DBG2	17.00	30.00	7.00
5696	2			DC	17.00	30.00	7.00
0018	2			SB2	17.00	30.00	7.00
2316	6	09283-17001		SC	17.00	30.00	7.00
1296	2	A-55063	N-221720 / NJ621	TBG2	17.00	30.00	7.00
0683	10	90311-17062		TC	17.00	30.00	7.00
4198	6			TC	17.00	30.00	7.00
5773	2	AZ0744E		TCF	17.00	30.00 / 37.00	7.50
0882	1	71119-A		KBFYC2	17.00	30.00 / 42.00	9.50
1551	2			TC4	17.00	30.00	13.00
2479	2			TC	17.00	30.50	8.00
4140	6			TC	17.00	31.00	7.00
0349	1			SY	17.00	31.60	4.00
3216	6			RTBR	17.00	31.70	6.35
5616	13			SC	17.00	32.00	5.00
6907	2			TC	17.00	32.00	5.00
5697	2			DC	17.00	32.00	7.00
1981	4			SC	17.00	32.00	7.00
1820	5			TC	17.00	32.00	7.00
1197	1			TC	17.00	32.00	8.00
5383	6	XPB45-65-6-3-001		TC3	17.00	32.00	8.00
0029	2			SC	17.00	32.00	10.00
2400	1			9RB	17.00	34.00	4.00 / 6.00
6837	1			TC	17.00	34.00	4.00
1967	3	91204-001-0		TC	17.00	34.00	7.00
2469	2			SC	17.00	35.00	5.00
1747	4			DBG2	17.00	35.00	7.00
6548	1			OKA	17.00	35.00	7.00
0586	5			SC	17.00	35.00	7.00
0657	11	93102-17067		TC	17.00	35.00	7.00
0350	1			TCN	17.00	35.00	7.00
2153	4			DC	17.00	35.00	8.00
1746	4			SBG2	17.00	35.00	8.00
1120	6			SC	17.00	35.00	8.00
0715	4			TC	17.00	35.00	8.00
2449	2			SC	17.00	35.00	10.00
1126	1			DCY	17.00	35.00	12.50
6322	2			TC	17.00	36.00	7.00
0510	2			TC	17.00	37.00	5.00
1244	2			TC	17.00	37.00	7.00
6435	2			TB2	17.00	40.00	5.00
0295	3			SC	17.00	40.00	6.00
5549	2			TBG2	17.00	40.00	6.00
0471	3			SC	17.00	40.00	7.00
0020	4	09283-17006	FR80	TC	17.00	40.00	7.00
0177	8			TC	17.00	40.00	7.00
4141	4			TC	17.00	40.00	7.00
0531	4			TCY	17.00	40.00	7.00 / 7.70
0387	4			SC	17.00	40.00	8.50

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1987	2	AE0772F		TC4	17.00	40.00	9.00
7412	2			SC	17.00	40.00	10.00
1821	2			TC	17.00	40.00	10.00
6607	3			TC	17.00	42.00	7.00
1851	2	0249-17-455		SC	17.00	47.00	7.00
6908	2			TC	17.00	47.00	7.00
3199	4	K429716	28314	VB	17.07	20.84	3.18
3873	6	RS-G38-4B / V	BS#023	B/S	17.28	23.80	2.00 / 2.50
3170	4			TC	17.36	34.92	6.35
7410	1			TC	17.40	30.00	7.00
4047	4	W10001E		WPB	17.45	25.40	4.75
3037	1	ME6A14		SC	17.46	25.37	5.89
3854	2			SB	17.46	27.07	4.77
3338	4			SC	17.46	28.58	6.30
4274	8			SC	17.46	28.58	6.30
3005	1			TC	17.46	31.75	7.94
3291	4			TB2	17.46	34.92	10.32
0223	16	F3775		SA2	17.46	38.10	9.52
2941	4	71-6765	8773S	TB2	17.47	31.75	6.35
3105	4			VB2	17.48	28.55	3.96
0808	3			VBV	17.48	28.58	6.40
2685	2			TB2	17.48	30.15	4.75
0791	2	CR-6765	N-8773S	TBR	17.48	31.75	6.22
2825	4	AE1684	68-0026	SC	17.48	31.75	6.35
3382	4			SB2	17.48	34.93	7.92
5600	2			DC	17.50	28.50	8.00
3474	10			B/C	17.65	28.00	0.95
3454	20			B/C	17.80	29.25	0.90
3233	2			B/C	17.80	32.20	1.10
7624	6			VB	18.00	24.00	3.00
7304	3			VCW	18.00	24.00	3.00
7790	2			GC	18.00	24.00	4.00 / 7.00
0394	5			VC	18.00	24.00	4.00
6323	2			TC	18.00	24.00	6.00
1202	6			VB2	18.00	25.00	5.00
6324	2			TC	18.00	25.00	6.00
1324	3			KBG2	18.00	25.00	7.00
0760	8	91939		VCY	18.00	25.60	5.30 / 12.70
1538	2	MD701721		KC	18.00	26.00	4.00
5686	2			TC	18.00	26.00	4.00
2159	4			VC	18.00	26.00	4.00
1916	2	91201-201-0		SC	18.00	27.00	5.00
5056	2			GA	18.00	28.00	5.00 / 8.00
7716	2			GA	18.00	28.00	5.00 / 7.00
7232	3			GC	18.00	28.00	5.00 / 7.00
1934	4	93101-18050	43146-44000	SCBR	18.00	28.00	6.00
1560	2	93102-18091	MD-701721	TC	18.00	28.00	6.00
2384	2			GA	18.00	28.00	7.00 / 10.00
2157	4			SC	18.00	28.00	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1926	6			TB2	18.00	28.00	7.00
CK 0203	4			TC	18.00	28.00	7.00
5082	4			TC	18.00	28.00	7.00
1661	3	90311-18058		TBG2	18.00	28.00	8.00
0267	1	91203-035-0		TC	18.00	29.00	7.00
1590	2			SC	18.00	30.00	4.50
2227	3	93102-18049		SCBR	18.00	30.00	5.00
1985	4	49297-V0226		SC4Y	18.00	30.00	6.70 / 7.00
0593	4			RTCW	18.00	30.00	7.00
3020	3			SA2	18.00	30.00	7.00
1421	4			SB2	18.00	30.00	7.00
0298	1			SC	18.00	30.00	7.00
5818	4			TB	18.00	30.00	7.00
1447	6			TB2	18.00	30.00	7.00
5805	4	15165-70010	XNJ963B	TC	18.00	30.00	7.00
0569	1			TCY	18.00	30.00	7.00 / 9.00
1982	3	90311-18001		TBY	18.00	30.00	8.00 / 8.50
0563	4	N-221820	15165-70010/74020	TC	18.00	30.00	8.00
6844	1			TC	18.00	31.00	8.00
5260	6	BS25-191B30	2815111J1	DC4Y	18.00	31.50	10.00 / 15.00
6827	1			SC9Y	18.00	32.00	5.00 / 8.00
5698	3			DC	18.00	32.00	7.00
5503	6			KC6	18.00	32.00	7.00
6354	4			RTCW	18.00	32.00	7.00
1247	4			TC	18.00	32.00	7.00
5699	2			DC	18.00	32.00	8.00
5610	4			HSC	18.00	32.00	8.00
0472	1			SC	18.00	32.00	8.00
7375	1			TC	18.00	32.00	8.00
0347	2			DCY	18.00	32.00	10.00 / 15.00
2420	2			TC	18.00	32.00	10.00
5099	4			TCVJ2	18.00	32.30	8.00
5455	4			TCFY	18.00	34.00 / 36.00	12.50
7657	2			SC	18.00	35.00	7.00
1728	8			TC	18.00	35.00	7.00
0451	1			SC	18.00	35.00	8.00
2343	2			TC	18.00	35.00	8.00
1501	4			SC	18.00	35.00	10.00
6845	1			TC	18.00	36.00	7.00
1093	3			VC	18.00	37.00	5.00
1433	2	93102-18008		TC	18.00	37.00	8.00
1917	2	91305-202-0		SC	18.00	38.00	5.00
1852	2	93102-18008		TC	18.00	38.00	7.00
6378	2			SC	18.00	40.00	7.00
6376	2			TC	18.00	40.00	7.00
5314	2			TC4Y	18.00	41.00	7.00 / 12.00
5209	1			OYR2	18.00	55.00	24.00
2762	4	1800146		WREP	18.03	41.20	5.00
4087	3			HSCPA	18.26	31.75	7.94

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
2976	4		HE-54-1	SBKP2	18.26	31.85	6.35
0028	2			VBYG2	18.50	32.00	9.50 / 10.60
2857	2	30398		SBG2	18.65	28.58	5.15
2986	12	B4247		VBYP	18.77	41.40	5.30 / 9.00
3512	23		CF-33040	KC	18.85	27.00	5.30
4142	6			SC	18.90	28.00	5.00
4223	10			TC	18.90	28.00	5.00
5187	6	91204-GBG-8500	91202-GK4-731	TC	18.90	28.00	5.00
1177	9			HTC	18.90	30.00	5.00
1177	3	91202-035-000/003	91202-GE0-003	LTC	18.90	30.00	5.00
4219	20			LTC	18.90	30.00	5.00
CQ 0005	23			TC	18.90	30.00	5.00
CQ 0075	6			TC	18.90	30.00	5.00
2965	24	48001N700		VBXC2	18.90	30.15	6.35
7022	1			RTCW	19.00	25.00	4.00
0702	1			TC	19.00	27.00	5.00
0544	1			SC	19.00	27.00	6.00
2271	6			SC/SCV	19.00	27.00	6.00
6355	3			TC	19.00	27.00	6.00
1853	2			TC	19.00	27.00	7.00
6244	2			TC	19.00	28.00	5.00
2190	4	91202-GB4-6		VBR3C	19.00	28.00	5.00
4036	4			TC	19.00	28.60	7.00
6794	1			TC	19.00	30.00	5.00
CK 0204	4			TC	19.00	30.00	7.00
1810	5			TC	19.00	30.00	7.00
5490	6			LTC	19.00	32.00	6.00
0134	11			SC	19.00	32.00	7.00
6048	3	90043-11117		TC	19.00	32.00	7.00
0666	10	90311-19001	90043-11117-00	TC	19.00	32.00	8.00
6731	2			TC	19.00	33.00	7.00
7514	2	TWO COLOR		RTCBW	19.00	33.35	10.00
6031	5			TC	19.00	33.50	7.00
7023	2			LTCW	19.00	34.00	7.00
6670	2			LTCW	19.00	34.00	8.00
2454	6	BP1503E		TC4Y	19.00	34.50	6.00 / 7.00
7024	1			RTCW	19.00	35.00	4.50
4082	4			TC	19.00	35.00	7.00
1811	2			TC	19.00	35.00	8.00
2202	2			SC	19.00	35.00	10.00
1271	1			TC	19.00	35.00	11.00
6671	2			LTCW	19.00	36.00	7.00
2452	2		CF-83752	TCBY	19.00	37.00	6.50 / 8.50
5771	2			RTB2	19.00	37.00	10.00
6484	1			TC	19.00	37.00	10.00
7025	1			LTCW	19.00	38.00	7.00
1812	2			TC	19.00	38.00	8.00
1857	2			TC	19.00	42.00	7.00
6027	4			SCBY	19.00	46.40	7.00 / 11.50

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
3093	49		CF-33218	VBRF	19.05	23.42	13.50
3094	49		CF-42254	VBRF	19.05	24.65	13.00
0855	2	CR-7410		VB2	19.05	25.38	3.18
2872	4	FFE6SP-7	N089AA	VBTPA	19.05	25.40	2.00 / 2.60
4023	4	AR0888OO		WPB	19.05	25.40	3.17
3405	2			SB2	19.05	25.40	3.18
0968	10	CR-7410/7411	N-240735	VB2	19.05	25.40	3.18
3406	2			TB2	19.05	25.40	3.96
3869	2			TC	19.05	25.40	3.96
0050	6	N-240735		VC	19.05	25.40	4.00
3813	3			VB	19.05	25.40	4.45
3426	2			TB2C	19.05	25.40	4.75
2664	1			SB2	19.05	25.40	4.80
3098	4	356427	99213	VC	19.05	25.40	6.00
3042	8			DC	19.05	28.47	7.00
3290	3	CR-7415		VB2	19.05	28.55	3.96
3418	2			TB2	19.05	28.55	4.78
0989	4			WPB	19.05	28.55	4.78
2786	2	CR-343185		VC	19.05	28.57	3.96
0752	4			SC	19.05	28.57	4.76
2830	6	F6062		TC	19.05	28.57	6.00
4119	3		F6314	TC	19.05	28.57	6.35
4025	4			WPB	19.05	28.58	4.75
3043	3	2102-0037		TC4	19.05	28.58	6.35 / 7.00
2953	2			TC	19.05	28.68	6.35
2553	4	7032124		SB5C2	19.05	29.06 / 50.80	7.70
3666	1			TC	19.05	29.65	6.75
2877	12	55X-1830-R2	24274	SBKC2	19.05	30.15	6.35
0997	2	CR-527938		VB2	19.05	31.75	3.17
0955	2			WPB	19.05	31.75	3.17
0916	6		N-6835S	SC	19.05	31.75	4.78
2609	4		N-470954	TB2	19.05	31.75	4.78
2817	4		CR-7439	SBG2	19.05	31.75	4.80
2707	2	CR-7440		SB2	19.05	31.75	6.35
1018	1	116651		TC	19.05	31.75	6.35
2769	2	N-41389S	CR-7464	VBRC	19.05	31.75	6.35
3387	2			WPB	19.05	31.75	6.35
0865	4			SC	19.05	31.75	6.40
0811	6	N-470954	CR-7443	TBY	19.05	31.75	6.40
2753	2			DC	19.05	31.75	7.75
3864	2	AE0915-FO		TC	19.05	31.75	7.88
3030	6	3163		SC	19.05	31.75	7.92
2524	6	CR-7465	CF-81330	TBR	19.05	31.75	7.92
0900	1			TC	19.05	31.75	9.53
0784	6	CR-7469		SB2	19.05	31.85	4.78
2917	4	J4486141		KCY	19.05	32.94	6.35 / 8.30
3212	2	CR-7474	N-480821 / 7802160	SB2	19.05	33.32	6.35
0948	6	N-7013S	CR-7475	HTBRG2	19.05	33.35	7.92
3370	2			TC	19.05	33.35	7.95

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1070	1			SC	19.05	34.93	6.35
2816	2	N-471554		TB2	19.05	34.93	6.35
1016	4	CR-7512		SBG2	19.05	34.93	7.92
0698	2			SC	19.05	34.93	7.92
0672	1			DC	19.05	34.93	10.00
0641	1			TC	19.05	34.93	10.00
0947	3	N-450027	N-470027	SA2	19.05	34.93	10.31
3340	2			PFA	19.05	34.93	12.56
2874	3			SA2	19.05	34.98	9.52
0316	3	F2340		SA2	19.05	35.03	7.92
2571	2			TC	19.05	38.10	7.92
0949	4			TC	19.05	40.00	7.92
3081	3	AD7762EO	N-471643/CR7628	TBKP2	19.05	41.25	6.35
0647	2			SC	19.05	41.28	7.95
2072	1	PSE56050		SBR	19.05	45.21	6.35
2075	1	172-3758		TBKC2	19.05	47.60	6.35
3675	2			B/C	19.15	32.20	0.80
3483	6			RSB2	19.30	47.00	7.00
0527	3			OM	19.40	48.70	6.00
1670	4			SC	19.50	50.00	5.00
4256	2	7S-20		CY	19.70	26.80 / 38.00	6.50 / 10.00
6438	2			SC	19.80	30.00	5.00
cQ 0067	6			TC	19.80	30.00	5.00
6636	2			DCY	19.80	36.00	11.60 / 18.80
0878	3			LTC	19.81	35.99	7.82
1027	2			SB2	19.84	31.75	4.76
3272	4			SC	19.84	31.75	6.35
0670	2	AP7740EO		TBR	19.84	44.50	7.90
5832	2			SC	20.00	26.00	4.00
1195	4			TC	20.00	26.00	4.00
0256	24	200409-66400		VBG2	20.00	26.00	4.00
7305	4			VCW	20.00	26.00	4.00
7673	2			TC	20.00	26.00	5.00
0319	4			VC	20.00	26.00	5.00
5525	4	SP630556		TC	20.00	26.00	5.50
5875	2			TB2	20.00	26.00	7.00
0419	1	09283-20031		TC	20.00	27.00	5.00
5149	6			VCXY	20.00	27.00	10.00 / 18.00
2243	4			GA	20.00	28.00	3.50 / 5.00
4258	2			KCY	20.00	28.00	4.00 / 4.80
7374	1			TC	20.00	28.00	4.00
0284	2			VBG2	20.00	28.00	4.00
7306	4			VCW	20.00	28.00	4.00
4122	4			SC	20.00	28.00	5.00
6513	2			SC	20.00	28.00	5.00
0260	4			SC	20.00	28.00	6.00
2373	3			TB2	20.00	28.00	6.00
7389	1			TC	20.00	28.00	6.00
6832	2			RTCW	20.00	28.00	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1498	4			SC	20.00	28.00	7.00
1119	2			BUSH	20.00	28.00	11.00
3197	2			SBR	20.00	28.57	6.00
2234	6			GA	20.00	30.00	4.00 / 6.00
0250	1			VC	20.00	30.00	4.00
1141	5	93104-20007		SC	20.00	30.00	4.50
2396	8			TC	20.00	30.00	4.50
CK 0174	6			TCV	20.00	30.00	4.50
0272	4			VBC2	20.00	30.00	4.50
6780	4			DKB	20.00	30.00	5.00 / 7.00
7233	3			GC	20.00	30.00	5.00 / 7.00
0450	12			SC	20.00	30.00	5.00
0721	4	90043-11128	93102-20484	TC	20.00	30.00	5.00
0706	3	93101-20048	91203-081-005	SCB	20.00	30.00	6.00
5087	4	93101-20138		SCF	20.00	30.00 / 33.30	6.00
5679	6			TBR	20.00	30.00	6.00
1248	6	93101-20048	93101-20138	TC	20.00	30.00	6.00
2368	6			GA	20.00	30.00	7.00 / 10.00
7252	3			GC	20.00	30.00	7.00 / 10.00
7737	2			RSCW	20.00	30.00	7.00
5389	3	AH0984E		RTC	20.00	30.00	7.00
6217	3			RTCW	20.00	30.00	7.00
0252	3			SB2	20.00	30.00	7.00
0503	12	91201-GC8-004	N-222025	SC	20.00	30.00	7.00
2013	8	93104-20017		SC	20.00	30.00	7.00
5680	6			TBR	20.00	30.00	7.00
CK 0205	4			TC	20.00	30.00	7.00
CQ 0021	6			TC	20.00	30.00	7.00
1174	4	90043-11078	91201-GC8-003	TC	20.00	30.00	7.00
4205	4			TC	20.00	30.00	7.00
0266	1	93101-20138		DBG2	20.00	30.00	8.00
5876	2			TC	20.00	30.00	10.00
5170	4			TB2	20.00	31.00	7.00
5681	4			TBR	20.00	31.00	7.00
1756	2	91202-GC8-004		TC	20.00	31.00	7.00
6821	6			TBCW	20.00	31.00	7.30
5283	4	DLR20		KB	20.00	32.00	4.00
CK 0187	8			SC	20.00	32.00	5.00
0277	6			SC	20.00	32.00	5.00
5877	2			TB2	20.00	32.00	5.00
6016	4	4VP-25061-00		TC	20.00	32.00	5.00
5942	1			DKB	20.00	32.00	6.00 / 9.00
5370	4	B-3912		TBR	20.00	32.00	6.00
2344	6	91202-KJ9-0	93101-20169	TC	20.00	32.00	6.00
6335	3	AE0995V		TC4	20.00	32.00	6.00
2453	2			TCBY	20.00	32.00	6.00 / 7.00
6344	4			RTCW	20.00	32.00	7.00
4184	6			SB	20.00	32.00	7.00
5548	5			SB2	20.00	32.00	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1626	4	90029-21020/21007	N-222020	SC	20.00	32.00	7.00
7750	4			SCW	20.00	32.00	7.00
0552	4			TC	20.00	32.00	7.00
1196	1			TC	20.00	32.00	8.00
1682	3	09283-20321		DC4Y	20.00	32.00	10.00 / 15.00
6846	2			TC	20.00	33.00	7.00
6050	3			DCY	20.00	33.00	10.00 / 15.00
0081	6			TC7FX2	20.00	33.20 / 45.00	9.50
0110	6	91201-030-023	S110 CB125S	SC	20.00	34.00	7.00
2264	3	93101-20M07		SCBR	20.00	34.00	7.00
CQ 0040	6			TC	20.00	34.00	7.00
1257	3	09283-20006		TC	20.00	34.00	7.00
4164	4			TC	20.00	34.00	7.00
0346	3	90316-20006		DC4	20.00	34.00	10.00 / 15.00
0580	1			KCY	20.00	34.00 / 45.00	10.00
CK 0225	2			SL	20.00	34.00	10.00
3074	3	19674		TBP2	20.00	34.92	6.35
2802	6	6299		TCJ	20.00	34.92	6.35
7646	1			SC	20.00	35.00	5.00
CQ 0069	2			TC	20.00	35.00	5.00
4173	6			TC	20.00	35.00	5.00
5536	4			TC	20.00	35.00	5.00
1163	4	91204-216-0	09283-20040	SC	20.00	35.00	5.50
7390	1			TC	20.00	35.00	5.50
2252	2	93102-20242		LTC	20.00	35.00	6.00
6909	2			SC	20.00	35.00	6.00
1169	2			DC	20.00	35.00	7.00
6549	1			OKA	20.00	35.00	7.00
1965	4	014-311-113		RSCY2	20.00	35.00	7.00 / 10.50
4095	4			RTCW	20.00	35.00	7.00
6343	2			RTCW	20.00	35.00	7.00
3049	4	19674	CR-7915	SB2	20.00	35.00	7.00
0111	8			SC	20.00	35.00	7.00
0291	8	93102-20009	AE1012L/93106-20001	TC	20.00	35.00	7.00
4186	6			TC	20.00	35.00	7.00
4206	4			TC	20.00	35.00	7.00
0301	1			TCY	20.00	35.00	7.00 / 7.50
1074	2			DC	20.00	35.00	8.00
1557	4			TB2	20.00	35.00	8.00
0302	3	93103-20096	AE1013A	TC	20.00	35.00	8.00
7326	6			DC	20.00	35.00	10.00
CK 0159	4			TC	20.00	35.00	10.00
1767	2			TC	20.00	35.00	10.00
6568	1			TC	20.00	36.00	5.00
0704	1			SC	20.00	36.00	7.00
1277	2			TC	20.00	36.00	7.00
0877	3			RTC	20.00	36.00	8.00
5097	4			TCVJ2	20.00	36.30	7.00
6912	2			SC	20.00	37.00	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
5188	6	93102-20315		TC	20.00	37.00	7.00
1602	4			KC6Y	20.00	37.00	8.00 / 10.40
0498	4	09283-20011		TC	20.00	37.00	8.00
1760	4	09283-20034		TCY	20.00	37.00 / 38.00	8.00
4155	4			TCY	20.00	37.00	8.00
1829	2			TC	20.00	37.00	10.00
CK 0088	8			SC	20.00	38.00	5.00
1434	16	93102-20143	93102-20042	TC	20.00	38.00	5.00
0675	4			TC	20.00	38.00	7.00
5391	6	93102-20358		TCY	20.00	38.00 / 39.00	7.00
7026	2			LTCW	20.00	38.00	8.00
0659	4			SC	20.00	38.00	8.00
7385	2			TC	20.00	38.00	8.00
1020	4	F2493	201469	KC6Y	20.00	40.00	5.50 / 10.30
0143	3			BISF	20.00	40.00	6.00 / 7.00
0112	2			SC	20.00	40.00	6.00
0556	1			TC	20.00	40.00	6.00
0119	12			TBF	20.00	40.00 / 60.00	6.50
0288	3			DC	20.00	40.00	7.00
0290	1			HSCR	20.00	40.00	7.00
0714	2			SC	20.00	40.00	7.00
1075	8	09283-20004		SC	20.00	40.00	7.00
1113	4	K653B20407	653B2-04007	TBG2	20.00	40.00	7.00
CK 0084	4			TC	20.00	40.00	7.00
0113	4	09283-20004	TS100 RS125	TC	20.00	40.00	7.00
1352	2	09283-20008		TCY	20.00	40.00	7.50 / 9.00
0533	1			DBG2	20.00	40.00	8.00 / 10.20
5700	2			DC	20.00	40.00	8.00
CK 0172	8			TC	20.00	40.00	8.00
0114	10	93102-20010	YB100/RX100	TC	20.00	40.00	8.00
4123	4			TC	20.00	40.00	8.00
1749	4			SC	20.00	40.00	10.00
1745	4			TC	20.00	40.00	10.00
0703	2			TCN	20.00	40.00	10.00
CK 0227	2			SL	20.00	41.00	10.00
5878	2			TC	20.00	41.10	7.00
1822	2			TC	20.00	42.00	6.00
0506	2			SC	20.00	42.00	7.00
1858	2			TC	20.00	42.00	7.00
5091	4			TCBYJ	20.00	42.00	7.00 / 9.00
5086	4	93102-20425	93102-20371	LTCY	20.00	42.00 / 42.70	8.00 / 9.00
1562	6	93102-20371		TC	20.00	42.00	8.00
CK 0206	4			TCF	20.00	42.00 / 45.00	8.00
1152	1			SC	20.00	42.00	10.00
1859	2			TC	20.00	42.00	10.00
0359	1			KC4	20.00	42.00	12.00
1801	2			TC	20.00	44.00	8.00
6913	2			TC	20.00	45.00	7.00
1563	2			TC	20.00	45.00	8.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6078	2			SC	20.00	45.00	10.00
4165	6			TC	20.00	47.00	6.00
1181	1			SB2	20.00	47.00	7.00
CK 0222	3			SC	20.00	47.00	7.00
0389	4	91202-200-0	N-222075 / NJ757	SC	20.00	47.00	7.00
0548	6			TC	20.00	47.00	7.00
4207	4			TC	20.00	47.00	7.00
0660	1			SC	20.00	47.00	8.00
4080	2			TC	20.00	47.00	8.00
1411	6	09283-20028	N-710342	HTC	20.00	47.00	8.50
4090	4			RTC	20.00	47.00	8.50
1350	4	93102-20012		TC	20.00	47.00	9.00
0130	8			TBY	20.00	47.00	9.50
0542	3			SC	20.00	47.00	10.00
2008	6			TC	20.00	47.00	10.00
0307	2			TC3	20.00	47.00	12.00
1830	2			TC	20.00	48.00	9.00
1802	2			TC	20.00	50.00	10.00
6914	2			SC	20.00	52.00	7.00
6795	1			TC	20.00	52.00	7.00
CK 0217	4			TC	20.00	52.00	8.00
5677	3			TC	20.00	52.00	8.00
1564	1	91201-216-0		TC	20.00	52.00	9.00
0261	1			SC	20.00	52.00	10.00
5946	3			TC	20.00	52.00	10.00
2188	4	ENE5		SBXR	20.00	56.00 / 83.00	10.50
0142	3	CORTECO		BASF	20.00	62.00	6.50
0118	12			SC	20.00	62.00	6.50
3485	6			LSB2	20.18	41.25	5.00
3482	6			RSB2	20.50	31.80	5.00
2657	4	RMS5857	302-4709	WSCR2	20.57	26.04	3.00
2542	4			VB2	20.62	26.97	3.18
0894	6			SBY	20.62	31.37	4.30
3506	12	N-8609	CF-33083	TBR	20.62	31.75	6.35
2546	4		N-471231	TBRC	20.62	34.92	7.92
0874	18	CR-8060		SB2	20.62	34.92	9.53
0167	6			SB2	20.62	34.93	10.31
0720	1	F3286		TC	20.64	34.93	9.53
4031	2			SC	20.65	30.15	4.75
0762				TC	20.65	34.93	7.92
5533	2	BF1174E		KBCS	21.00	31.00	4.00
5618	2			TC4	21.00	31.00	5.50
7027	1			TC	21.00	31.00	7.00
3679	2			B/C	21.00	31.05	0.90
3828	2			B/C	21.00	31.70	0.95 / 1.43
0296	1			SC	21.00	32.00	5.00
CK 0121	6			DC	21.00	32.00	7.00
6136	2			TC	21.00	32.00	7.00
6603		S-13313		VAE	21.00	35.00	6.40

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1254	3	93104-21032		SC	21.00	35.00	7.00
1246	2	90752-035-000		TC	21.00	35.00	7.00
1245	4	90752-035-003		TC6Y	21.00	35.00	7.00 / 11.00
4171	6			TC6Y	21.00	35.00	7.00 / 10.00
0570	4	8710SS-CALN	F1916	RTC	21.00	35.00	10.00
1645	4	91202-436-0		TC	21.00	36.00	7.00
5504	6			KC6Y	21.00	37.00	5.00 / 9.50
1144	1	90755-229-0		SC	21.00	37.00	7.00
1243	6	93104-21016		TC6	21.00	37.00	7.00 / 11.00
4148	6			TC6Y	21.00	37.00	7.00 / 11.00
1612	4	DS80C		TC	21.00	40.00	6.00
0610	2	09283-21001		TC	21.00	40.00	7.00
2257	4	09283-21003		TC4Y	21.00	40.00	7.00 / 8.00
5489	4			RTC9	21.00	56.00	6.00
0990	4	18004548		KC	21.03	30.96	5.28
3805	2	65056F	9763	SBR	21.43	31.75	4.75
3242	3	90310-21034		SB2	21.43	34.93	7.94
3874	6	RS-G12-4B / V		B/S	21.54	28.58	2.00 / 2.50
3417	4			SC	21.83	34.93	6.35
5319	3	26-0007-09		VCXR2	22.00	26.70	6.70
1813	2			TC	22.00	28.00	4.00
4181	6			VB	22.00	28.00	4.00
7307	3			VCW	22.00	28.00	4.00
2216	2			GA	22.00	28.00	5.00 / 8.00
6090	1			OKA	22.00	29.00	4.50
5348	2			VCIR2	22.00	30.00	3.20
7308	3			VCW	22.00	30.00	4.00
5103	12			KCY	22.00	30.00	5.50 / 7.30
6342	4			LTCW	22.00	30.00	7.00
1814	2			TC	22.00	30.00	7.00
5452	10	CB125T		SC	22.00	31.00	5.00
7583	2	與#7582組合		VCY	22.00	31.00	6.00 / 7.00
4081	4			KBG2	22.00	32.00	3.00
2310	12			KC	22.00	32.00	3.00
5879	2			TB2	22.00	32.00	3.00
7234	3			GC	22.00	32.00	5.00 / 7.00
0154	3	MD-901726	JOY AR80	SC	22.00	32.00	5.00
4166	4		AC1113E	SC	22.00	32.00	5.00
5390	6	93102-22314		TC	22.00	32.00	5.00
2317	2			SC	22.00	32.00	5.50
1577	2			DKB	22.00	32.00	6.00 / 9.00
4124	4			SC	22.00	32.00	6.00
5403	6			TC	22.00	32.00	6.00
2370	2			GA	22.00	32.00	7.00 / 10.00
1599	4			LTCW	22.00	32.00	7.00
0276	6			SC	22.00	32.00	7.00
1627	4			TC	22.00	32.00	7.00
2258	4	91205-168-0	09285-22014	TC	22.00	33.00	7.00
5519	6			TC	22.00	34.00	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7582	2	與#7583組合		TC	22.00	34.00	8.00
7028	1			RTCW	22.00	34.00	10.00
6606	3			TC	22.00	34.50	7.00
4058	2	137-041-006		TCLY	22.00	35.00	3.40 / 10.00
6341	4			LTCW	22.00	35.00	5.00
5485	6	64810H11200	AE1124F/93102-22018	TC	22.00	35.00	5.00
1439	2			VC	22.00	35.00	5.00
0452	4	91202-286-0		SC	22.00	35.00	6.00
5237	3			TA2	22.00	35.00	6.00
cQ 0017	12			TC	22.00	35.00	6.00
6128	3			RTCW	22.00	35.00	7.00
0297	6	91216-397-005	91216-PA0-003	SC	22.00	35.00	7.00
cQ 0093	6			TC	22.00	35.00	7.00
1911	4	91216-397-005	91216-634-003/005	TC	22.00	35.00	7.00
4167	4			TC	22.00	35.00	7.00
4208	4			TC	22.00	35.00	7.00
5454	4	AP1127H		SCBN	22.00	35.00	8.00
0710	5	654A-223508	90310-21034	TC	22.00	35.00	8.00
0262	1			SC	22.00	35.00	10.00
7377	2			SC	22.00	35.50	6.00
1499	4			SC	22.00	36.00	6.00
2224	3	93101-22067		SCBR	22.00	36.00	6.00
1500	4			SC	22.00	36.00	7.00
2220	4	93101-22M00		SCBR	22.00	36.00	7.00
1565	3			TC	22.00	36.00	7.00
5295	4			DC4Y	22.00	36.00	10.00 / 15.00
5535	4	09283-22014		TC	22.00	37.00	7.00
6340	2			TC	22.00	37.00	10.00
7641	3	93102-22464		LTCF	22.00	38.00 / 39.30	6.00
7786	2			SC	22.00	38.00	7.00
5374	3			TC	22.00	38.00	7.00
1099	4			SBR	22.00	38.00	7.90 / 8.30
1207	1			OC	22.00	38.00	8.00
1448	4	93101-22059		SCB	22.00	38.00	8.00
6689	2			RTCW	22.00	38.00	10.00
5537	4			TC	22.00	39.00	5.00
6449	2			TC	22.00	40.00	5.00
5665	2			RTAY	22.00	40.00	6.00 / 9.00
2411	16	CR-8552		SBFYCV	22.00	40.00	6.35
5089	4			LSCJ	22.00	40.00	7.00
6129	3			RTCW	22.00	40.00	7.00
0454	3			SC	22.00	40.00	7.00
2439	2			TC	22.00	40.00	7.00
5648	6			TCWFY	22.00	40.00 / 56.00	7.50 / 11.50
2155	4			SC	22.00	40.00	8.00
1566	3			TC	22.00	40.00	8.00
5647	6			TCWY	22.00	40.00	8.00 / 11.50
5308	2	91252-HB7-671	CF-19187M	TC	22.00	40.00	9.00
6485	1			TC	22.00	40.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6587	2			TCY	22.00	40.00	12.00 / 16.00
3663	2			B/C	22.00	40.60	1.50
7029	1			TC	22.00	41.00	6.00
5234	6			TC	22.00	41.25	7.00
5238	3			TB2/TA2	22.00	41.30	6.00
CQ 0018	6			TC	22.00	41.30	6.00
0140	1			TB	22.00	41.50	7.00
7744	1			SC	22.00	42.00	7.00
1567	1	MB080085		TC	22.00	42.00	7.00
5844	2	AD1147G		TB	22.00	42.00	10.00
1854	2			TC	22.00	42.00	10.00
7030	1			TC	22.00	43.00	7.00
7486	2			RTCW	22.00	44.00	8.00
6407	2			SC	22.00	45.00	7.00
6450	2			TC	22.00	45.00	7.00
2383	2			LSC	22.00	45.00	8.00
0019	4			SC	22.00	47.00	7.00
4209	4			TC	22.00	47.00	7.00
6076	4			TC	22.00	47.00	7.00
1831	2			TC	22.00	47.00	8.00
5880	1			TC	22.00	48.00	10.00
3852	1			TA2	22.10	34.80	7.87
0851	1			VB	22.20	28.51	3.17
1026	3	CR-8627	N-7840S	VB2	22.20	31.75	4.76
0371	2	66067-3953		KC	22.20	33.00	7.93
2650	8	CR-8648	1937718	SB2	22.20	34.92	6.35
0516	2			SC	22.20	34.92	6.35
2946	4		AMRB-0072	VBKC2	22.20	34.93	4.78
0126	2	F-3214		SA2	22.20	38.10	7.94
3167	4	32818		VC1	22.21	30.23	3.30
0852	3	CR-8620		VB2	22.22	28.57	3.17
1095	4			VB2	22.22	30.16	3.96
3478	2			TB2	22.22	31.75	4.75
0823	1	15574		TFVAL	22.22	31.75	4.75
3496	1			TC	22.22	31.75	4.77
0709	2			SC	22.22	31.75	6.35
3837	6	436978		SC	22.22	31.80	4.75
2726	3	N-471267	CR-8660	TB2	22.22	34.92	6.35
3369	2			TC	22.22	38.10	7.92
0821	6			VC	22.22	40.00	5.59
0957	4			VC	22.23	28.57	3.81
4022	4	AR1168EO		WPB	22.23	28.58	3.17
0978	2			VC	22.23	31.75	6.35
3055	3	N-340413		VC	22.23	33.22	6.35
1272	1			SC	22.23	33.50	7.00
4108	12	8648		TC	22.23	34.92	6.35
3241	3	N-470567		TB2/TA2	22.23	34.93	7.94
3723	1			TCV	22.23	34.93	7.95
3235	2			TC	22.23	34.93	9.53

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
3855	2	08142TB-H		TB2	22.23	38.07	6.35
1482	2	CR-8700	N-481570	SB	22.23	38.10	6.35
3818	2			SC	22.23	38.10	6.40
2630	2			SC	22.23	38.10	9.53
2940	4			VBC2	22.23	39.67	4.78
3856	2	08162TB		TB2	22.23	41.25	6.35
3381	2			SB2	22.23	41.27	6.35
3330	1			TC	22.23	47.60	6.35
2512	3	N-7842N		SC	22.23	52.43	9.02
2267	3	93101-22M15		SCBR	22.40	35.00	6.00
0286	6			SCY	22.70	47.00	7.00 / 7.70
0758	6			VC	22.86	38.10	6.35
5609	4			VBF	23.00	32.00 / 41.00	4.50
4262	3	HE182		VCFY	23.00	33.00 / 40.00	5.50 / 9.00
1620	2	12389	69J09	KBRYG2	23.00	34.00	6.30 / 9.30
7031	1			TC	23.00	34.00	8.00
2450	2			TCBY	23.00	35.00	6.50 / 7.00
6154	2			RSB2	23.00	35.00	7.00
0508	10	92102-23174		TC	23.00	35.00	7.00
7395	2			SCB	23.00	35.50	6.00
6637	2			RSCWB	23.00	36.00	6.00 / 7.00
5702	3			TC	23.00	36.00	7.00
7336	1			TCYTW	23.00	36.00	13.00
7376	2			SCB	23.00	37.00	6.00
1255	3	91252030003		TC6	23.00	37.00	7.00 / 11.00
2455	2	BP1501F		SCBNY	23.00	38.00	5.00 / 8.00
1860	2			TC	23.00	38.00	7.00
5410	4	UP0874E	CF-83731B	SC4	23.00	38.00	8.00
5459	4	BP5385E		SCBN	23.00	38.00	9.00
7671	2			VSC	23.00	39.50	20.00 / 26.00
7263	1			TC	23.00	40.00	6.00
1502	2	8067-23010		TC	23.00	40.00	7.00
1362	2			KC	23.00	42.00	7.00
0399	1			TC	23.00	42.00	11.00
6345	1			TC	23.00	43.00	7.00
6346	1			TC	23.00	45.00	8.00
0620	1			TC	23.00	47.00	7.00
1910	2	09283-23001		TCY	23.00	47.00	7.00 / 8.00
6847	1			TC	23.00	50.00	7.00
0532	1			SCY	23.00	62.00	4.30 / 5.80
3812	3			B/C	23.20	36.93	0.90 / 1.10
3847	2	OS0100401	CMSK.2.E/F-14	WASHER	23.40	28.60	2.00
3095	36		CF-46354	BUSH-CW	23.40	29.15	7.00
3097	6		CF-46354B	BUSH-CW	23.40	29.15	10.80
3096	24		CF-46354A	BUSH-CW	23.40	29.15	12.70
3662	2			B/C	23.60	40.60	1.60
3325	4			TC	23.79	44.45	7.92
3210	3	471647		TB2	23.80	41.25	6.35
0440	9	A10371		SAXC2	23.80	41.27	7.92

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
3273	3			SC	23.81	34.93	6.35
2631	2			SC	23.81	38.10	9.53
0841	4	CR-9307		SB2(SA)	23.83	41.25	6.40
2898	4	N-450039	66101-3917	SA2	23.83	46.43	11.11
0789	3			SCY	23.87	43.43	4.36 / 6.35
1950	4	49365-Q5225		SCYRV	24.00	30.00	3.50 / 6.00
0305	1			VC	24.00	30.00	7.00
5060	2	91203-GC8-003/000		VC	24.00	31.00	3.50
1621	2	69J06		VBRG2	24.00	32.00	4.00
5983	2			VC	24.00	32.00	4.00
7309	3			VCW	24.00	32.00	4.00
2191	4			VBRC3	24.00	32.00	5.00
7598	2	01J-301-553	K1059804	SCW	24.00	32.00	5.50
6915	2			TC	24.00	32.00	7.00
6159	2			RSB2	24.00	33.00	7.00
6130	2			TC	24.00	33.00	7.00
0504	2			SC	24.00	34.00	5.50
6374	2	90310-23005		SC	24.00	34.00	6.50
5373	3			TC4	24.00	34.00	9.00
0141	3			BARC	24.00	35.00	6.00
0121	6	90043-10036	90043-10035	SC	24.00	35.00	6.00
2345	2			TC	24.00	35.00	6.00
1229	2			SBG2	24.00	35.00	7.00
0283	3			SC	24.00	35.00	7.00
0085	2			TC	24.00	35.00	7.00
1855	4			TC	24.00	36.00	7.00
1553	4	91205-KE1-0		TC	24.00	36.00	8.00
4125	4			TC	24.00	36.00	8.00
1838	2			TC	24.00	36.00	10.00
6347	1			TC	24.00	36.50	7.50
5379	6	BP1720F	CF-83730B	SCBN	24.00	36.60	8.50
5083	4			TC	24.00	37.00	5.00
5024	3			TC	24.00	37.00	7.00
1832	2			TC	24.00	38.00	5.00
5261	2			TC	24.00	38.00	7.00
2001	1			SC	24.00	38.00	10.00
0375	1			TC	24.00	38.00	10.00
6348	2			TC	24.00	38.50	10.00
6755	3			SC	24.00	40.00	7.00
0289	3	91254-187-005		TC	24.00	40.00	7.00
5368	6	BH3685E	YSK-1069	RTC	24.00	40.00	7.50
1656	4	32113-13200	0613-16-103	TC	24.00	40.00	8.00
7033	1			TC	24.00	40.00	10.00
CK 0224	2			TCS	24.00	40.00	10.00
0427	6		CF-83631B	SCWBN	24.00	41.00	8.50
5163	4		CF-66129(3936)	SC	24.00	41.28	10.50
5728	2			RTCW	24.00	42.00	8.00
0135	2			SC	24.00	42.00	8.00
0378	3			TC	24.00	42.00	8.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
5380	6	BP2285E	CF-83730C	SCBN	24.00	42.00	8.50
4168	6			TC	24.00	43.00	6.00
7619	2			TC	24.00	43.00	6.00
1833	2			TC	24.00	46.00	6.00
5331	3			TC4	24.00	46.00	10.00
5601	2			TC	24.00	47.00	5.00
0477	1			SC	24.00	47.00	7.00
2014	3			SC	24.00	47.00	7.00
1367	4			TC	24.00	47.00	7.00
2174	4			SC	24.00	47.00	10.00
1933	4			TC	24.00	47.00	10.00
CK 0226	2			TCS	24.00	47.00	10.00
0410	1			TC	24.00	50.00	9.00
6916	1			SC	24.00	52.00	10.00
3681	2			B/C	24.10	35.65	1.00
7032	1			RTCW	24.50	40.00	7.00
6137	2			TC	24.50	42.00	6.00
0905	1	CR-9688		SB2	24.59	52.02	9.52
3479	2			TC	24.60	54.28	9.52
3286	2			TC	24.61	42.82	7.92
0673	1			TC	24.61	44.50	7.90
2261	2	93102-25142	29712	SCBR	24.80	38.00	7.00
2291	2			RSC	24.90	40.00	6.50
3452	4	016-331-261L		RSCW	24.90	40.00	8.00
1751	4			HSCRY	24.90	45.00	5.50 / 6.50
0444	3			SC	24.90	45.00	6.50
1750	4			SC	24.90	45.00	6.50
4039	3			SC	24.90	45.00	6.50
5372	6	157FM-034100		油面窗	25.00	5.50	8.00
7710	3			OLA	25.00	28.90 / 47.40	1.70 / 8.50
CQ 0048	6			SL	25.00	29.00 / 37.00	9.50 / 13.00
CQ 0046	6			SL	25.00	29.50 / 47.50	9.50 / 13.00
5497	6	MK71600162		OVF	25.00	30.00 / 34.00	12.00
5562	3			SJ	25.00	30.00 / 42.00	12.00
6724	4			BUSH	25.00	30.00	13.00
5800	2	F002-RP-0502		OKF	25.00	30.50 / 34.00	12.70
4261	3	HE181A		VC	25.00	31.00	7.00
7782	2			VC	25.00	31.00	7.00
5118	6	12035		SBRYCP	25.00	32.00	3.00 / 5.00
5833	2			SC	25.00	32.00	4.00
1834	2			TC	25.00	32.00	4.00
7617	4			VB2	25.00	32.00	4.00
0826	2	T3003939		VC	25.00	32.00	4.00
7384	3			VCW	25.00	32.00	4.00
5792	2			OKA	25.00	32.00	5.00
7792	2			TC	25.00	32.00	6.00
5829	2			SC	25.00	32.00	7.00
1856	2			TC	25.00	32.00	7.00
6447	2			TC	25.00	33.00	6.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
5101	6			SCBYN	25.00	35.00	3.00 / 6.00
5100	6			SCBYR2	25.00	35.00	3.50 / 7.50
5346	2			VBF	25.00	35.00 / 41.00	4.00
7310	4			VCW	25.00	35.00	4.00
2249	6			GA	25.00	35.00	5.00 / 8.00
7235	3			GC	25.00	35.00	5.00 / 7.00
0519	2			SC	25.00	35.00	5.00
CQ 0066	6			TC	25.00	35.00	5.00
7407	1			VB2	25.00	35.00	5.00
5315	4			RSC	25.00	35.00	6.00
5388	3	AH1292F	93102-25270	RTC	25.00	35.00	6.00
0180	6	90043-1035	MD-050608	TC	25.00	35.00	6.00
6732	2			DC	25.00	35.00	7.00
2244	8			DKB	25.00	35.00	7.00 / 10.00
7286	3			GA	25.00	35.00	7.00 / 10.00
7668	2			GC	25.00	35.00	7.00 / 10.00
6479	2			HSCW	25.00	35.00	7.00
7738	2			RSCW	25.00	35.00	7.00
0517	2	MD069950/N712007	21321-42011	SB2	25.00	35.00	7.00
0464	12	N-222510	NJ610	SC	25.00	35.00	7.00
2015	5			SC	25.00	35.00	7.00
0321	4	MD069950	AH1294P	TC	25.00	35.00	7.00
2016	6	93102-25064		TC	25.00	35.00	7.00
4210	4			TC	25.00	35.00	7.00
7718	4	NOK AW1295E		DBCY	25.00	35.00	7.90 / 10.80
0030	1			TC	25.00	35.00	8.00
1250	6	JH70YA/YB		TC4Y	25.00	35.00	9.00 / 11.00
7387	1			TC	25.00	35.00	10.00
6591	1	90311-22005	BR1157E	TCF	25.00	35.00 / 41.00	12.00 / 16.00
CQ 0022	8			TC4	25.00	35.90	10.00
1943	4	49365-95225	CF-83432A	TC4BR2	25.00	36.00	5.00
1949	4	RCV		TC	25.00	36.00	6.00
1835	2			TC	25.00	36.00	7.00
6824	4			SB2	25.00	36.00	7.30
1461	8	93102-25099		TC	25.00	36.00	8.00
1110	5			SC	25.00	37.00	5.00
1647	4	07016-10256		DKB	25.00	37.00	6.00 / 9.00
5304	2	91258-HB3-003	CF-19183M	KC	25.00	37.00	6.00
0560	4	92050-013		SC	25.00	37.00	6.00
0526	6	92050-013		TC	25.00	37.00	6.00
4126	4			TC	25.00	37.00	6.00
6349	2			TC	25.00	37.00	6.30
5701	3			DC	25.00	37.00	7.00
7236	3			GC	25.00	37.00	7.00 / 10.00
0453	1			SC	25.00	37.00	7.00
6825	4			SCW	25.00	37.00	7.00
7719	5			TBCW	25.00	37.00	7.00
5262	3	90311=25016		TC	25.00	37.00	7.00
6350	1			TC	25.00	37.00	7.20

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1988	2	BP3601E		SC4	25.00	38.00	5.70
5110	4	09283-25088		RTC	25.00	38.00	6.00
2475	3	2470-10	AH1306G	RTC	25.00	38.00	7.00
5094	4			SBR	25.00	38.00	7.00
1755	6			SC	25.00	38.00	7.00
2497	4	ROBINEY-18	B3915	TBR	25.00	38.00	7.00
CQ 0019	6			TC	25.00	38.00	7.00
1658	4	90311-25001		TC	25.00	38.00	7.00
1297	2			TCY	25.00	38.00	7.00 / 8.00
0155	2	90311-25001		TC	25.00	38.00	8.00
2451	2	BP3024E		SCBN	25.00	38.00	8.50
5025	3			TC	25.00	38.00	9.00
1740	2			TC	25.00	38.00	10.00
5776	2			VC	25.00	38.50	5.00
6351	1			TC	25.00	39.50	7.20
2432	4			SCB	25.00	40.00	3.00
5284	4	DLR25		KB	25.00	40.00	4.00
7645	1			SC	25.00	40.00	5.00
0395	1	93102-25017		TC	25.00	40.00	5.00
1430	2	09285-25001		KC6	25.00	40.00	6.00
2431	6			LTCRS	25.00	40.00	6.00
2187	2			SBY	25.00	40.00	6.00
1666	6	AE1312H		TC	25.00	40.00	6.00
4169	4			TC	25.00	40.00	6.00
1135	4	N-222540		SC	25.00	40.00	7.00
0300	4	K653B25407 32113-H3100	653B2-54007	TBG2	25.00	40.00	7.00
CQ 0029	6			TC	25.00	40.00	7.00
0426	6	09283-25035		TC	25.00	40.00	7.00
4194	6			TC	25.00	40.00	7.00
6352	1			TC	25.00	40.00	7.20
CQ 0072	6			DC	25.00	40.00	8.00
1347	6	93103-25098		DC	25.00	40.00	8.00
4132	9	93103-25098		DC	25.00	40.00	8.00
2017	1	0613-16-103		SC	25.00	40.00	8.00
0696	3			TB2	25.00	40.00	8.00
2018	11	93102-25061	09283-25054	TC/RTC	25.00	40.00	8.00
1242	6	09283-25003		TC	25.00	40.00	9.00
1918	6			TC4	25.00	40.00	9.00
0306	1			TCY	25.00	40.00	9.40 / 11.00
6917	2			SC	25.00	40.00	10.00
6083	1			TC	25.00	40.00	10.00
1399	6			TC	25.00	41.00	6.00
0032	4			SC	25.00	41.00	7.00
4077	4			TC	25.00	41.00	8.00
6353	1			TC	25.00	41.10	6.00
CQ 0009	4			TC	25.00	41.25	6.00
CQ 0051	18			TC	25.00	41.25	6.00 / 13.00
2498	4			TBR	25.00	41.25	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6508	3			TC	25.00	41.25	7.00
CQ 0052	4			TC	25.00	41.25	8.00
0228	3	09-118		TC	25.00	41.55	10.00
6733	3			TC	25.00	41.60	6.00
0539	1			SC	25.00	42.00	6.00
4170	6			TC	25.00	42.00	6.00
2167	2			SB2	25.00	42.00	7.00
1136	6			SC	25.00	42.00	7.00
5092	3			TC	25.00	42.00	7.00
6379	3			RTCW	25.00	42.00	8.00
0328	4			TC	25.00	42.00	8.00
5276	18			DC	25.00	42.00	10.00 / 12.00
CK 0210	4			SA2	25.00	42.00	10.00
1298	2	A55058		SC	25.00	42.00	10.00
0665	4			TC	25.00	42.00	10.00
2084	2			TC	25.00	42.00	12.00
1299	2	A55060		SC	25.00	42.90	9.50
6848	1			TC	25.00	43.00	7.00
0421	6	09283-25009	09283-25037	TC	25.00	44.00	7.00
4130	6	09283-25066		TC	25.00	44.00	7.00
4154	4			TC	25.00	44.00	8.00
1601	4			TCJ	25.00	44.00	8.00
1803	2			TC	25.00	45.00	6.00
1568	4			SC	25.00	45.00	7.00
1862	6			TC	25.00	45.00	7.00
1836	2			TC	25.00	45.00	8.00
1648	4	0743-11260		TC	25.00	45.00	10.00
0415	1			SB2	25.00	45.00	11.00
1472	2			SC	25.00	45.00	11.00
0033	2	90310-25006		TC	25.00	45.00	11.00
6270	2		AP1338F	TCX1	25.00	45.00	11.00
1863	2			TC	25.00	46.00	7.00
6918	2			SC	25.00	47.00	5.00
1114	1	92050-006		SC	25.00	47.00	6.00
5179	3			TC	25.00	47.00	6.00
5819	3			SC	25.00	47.00	6.35
1182	1			SB2	25.00	47.00	7.00
2290	2			SC	25.00	47.00	7.00
1864	2			TB2	25.00	47.00	7.00
1314	5	09283-25016		TC	25.00	47.00	7.00
B 7710				VCYOLA	25.00	47.00	7.00
1569	1			TC	25.00	47.00	8.00
1865	2			TC	25.00	47.00	9.00
4050	8			SC	25.00	47.00	10.00
4083	2			TC	25.00	47.00	10.00
* 5563		AQ1354E		AQ	25.00	47.00 / 53.00	12.00
5650	4			TCWUY	25.00	47.00 / 66.00	12.00 / 15.50
2266	3	93102-25M04		SCBR	25.00	48.00	8.00
1570	4	93102-25M28		TC	25.00	48.00	8.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7430	1			SC	25.00	50.00	7.00
6057	2			TC	25.00	50.00	7.00
5267	2			TC	25.00	50.00	8.00
1571	1			TC	25.00	50.00	10.00
1972	1			TC	25.00	50.00	11.00
1162	1			SC	25.00	50.00	12.00
1837	2			TC	25.00	52.00	5.00
1149	1			SC	25.00	52.00	7.00
0229	3	91202-030-0		TC	25.00	52.00	7.00
6512	2			TCV	25.00	52.00	7.00
2019	3			SC	25.00	52.00	8.00
CK 0189	4			TC	25.00	52.00	8.00 / 4.40
1866	2			TC	25.00	52.00	8.00
5407	3	UE0323E	CF 66074	TC	25.00	52.00	9.50
1139	2			SC	25.00	52.00	10.00
1757	8			TC	25.00	52.00	10.00
2097	3			VC	25.00	52.00	10.00
5080	4			TC	25.00	52.00	11.50
2178	4			SC	25.00	53.00	6.00
7034	1			TC	25.00	53.00	7.00
6919	2			SC	25.00	55.00	7.00
5026	1			TC	25.00	55.00	8.00
4257	1			TCF	25.00	55.00 / 130.00	8.00
6614	1			TC	25.00	55.00	10.00
3850	2	RB0100404	CMSK.8-6	BOOT	25.00	55.50	17.50
6451	2			TC	25.00	58.00	10.00
7035	1			TC	25.00	60.00	8.00
6803	1			TC	25.00	60.00	10.00
0645	1			DC	25.00	62.00	6.00
1688	4			DCTY	25.00	62.00	6.00 / 10.00
6920	2			SC	25.00	62.00	6.00
5981	1			SC	25.00	62.00	7.00
0234	2	09-101		TCY	25.00	62.00	7.00 / 7.50
0744	2	09283-25014		DC	25.00	62.00	8.00
7684	1			SC	25.00	62.00	8.00
6398	1			TC	25.00	62.00	8.00
0235	2			SC	25.00	62.00	10.00
1867	2			TC	25.00	62.00	10.00
0014	2			SC	25.00	72.00	7.00
4211	4			TC	25.00	72.00	7.00
6277	3			TC	25.00	72.00	7.00
2892	6			TA2	25.02	50.80	10.31
0071	12	32033		VBX	25.30	36.62	6.40
3120	2	6825		B/C	25.30	39.00	1.32
4121	3		F6316	TC	25.38	50.78	6.35
0854	2			VC	25.40	28.65	3.20
0956	1			VB	25.40	28.65	6.35
2719	8	AR1399-EO		WPB	25.40	31.75	3.17
3839	2			KBY	25.40	31.75	3.18 / 4.45

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
0773	4	CR-9815	N-240731	VBC2	25.40	31.75	3.18
0651	1			WPC	25.40	31.75	3.18
2663	3			VC	25.40	31.75	3.20
0935	1			WPB	25.40	32.56	6.35
2983	4	CR-9818		VB2	25.40	33.32	3.18
3883	2			WPB	25.40	33.33	3.18
3176	4		CF-46212	KC	25.40	33.34	5.16
5758	1	FAA151		TC6Y	25.40	34.00	8.00 / 19.00
3462	2			SC	25.40	34.70	4.72
3391	2			DB2	25.40	34.92	6.35
2895	6			SBJYC2	25.40	34.93	3.90 / 4.76
3388	2			WPB	25.40	34.93	4.75
3645	3			SC	25.40	34.93	6.35
2531	4			TBR	25.40	34.93	6.35
1092	4	CR-9813		SBKC2	25.40	34.93	6.50
2686	2	CR-9838		TB2	25.40	36.51	6.35
3014	2			TC	25.40	36.51	6.35
3719	2	1361-505	CR-9854 / N-481224	SB2	25.40	38.07	6.35
2674	2	CR-9876		SBY/SA	25.40	38.07	6.35
0839	6	CR-9878	N-471224	TBY	25.40	38.07	6.35
0002	9			TC	25.40	38.07	6.35
0999	3			TBR	25.40	38.07	7.92
1019	2	N-472324	CR-9843	TB	25.40	38.08	6.35
3203	6	KA10275A	CR-9859	VBY	25.40	38.10	4.00 / 5.00
3395	2			WPB	25.40	38.10	4.75
3041	3	166941		EAI	25.40	38.10	6.35
1217	4	F-2934		SC	25.40	38.10	6.35
1031	1			SC	25.40	38.10	7.14
3018	2	F3629		TC	25.40	38.10	7.92
1227	3	F-3629		TC	25.40	38.10	7.93
2617	4			TC	25.40	38.10	7.93
2632	2			SC	25.40	38.10	9.53
0921	4			TA2	25.40	38.10	9.90
0013	5			TB2	25.40	38.18	7.92
0439	1	A 10370		SALF	25.40	38.25	11.10
0991	4	CR-527939		VB2	25.40	39.68	4.76
5993	1			TC	25.40	41.00	6.00
0996	4	CR-9935	N-471649	TBY	25.40	41.25	6.40
3449	2			WPB	25.40	41.27	6.35
2586	4			TBR	25.40	41.28	7.92
2716	2			SCRV	25.40	41.28	9.53
3867	2			TBR	25.40	41.28	9.53
2527	4			TBR	25.40	42.82	7.92
1058	2	N-474250		TB2	25.40	42.90	6.35
3256	2	VK-471965		TCV	25.40	44.45	7.94
0334	1			TB	25.40	44.45	7.95
2995	12	2112-0003		TBCV	25.40	44.45	9.53
0708	8	N-450230		SA2	25.40	44.45	11.10
0637	1			SA2	25.40	44.50	6.35

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
2970	10	CR-9997	SST-H041	SB2	25.40	44.50	6.35
2604	6	N-471689 / 148104	10172TB / CR-9998	TB2	25.40	44.50	6.35
0885	4	CR-9997		SB	25.40	44.50	6.40
2788	3	AP-6994-GO		TCN	25.40	44.50	9.53
0083	1	CR-10027		VA2	25.40	45.24	11.90
2824	6	CR-10035	CF-66028(3931)	VB18	25.40	45.24	11.90
3084	4	10174VB	CR-10034	VB2	25.40	45.24	11.91
2798	2	CR-10075		SAKP2	25.40	47.60	6.35
1054	1	N-470233		TB2	25.40	47.60	11.10
3159	4		CF-66030(3934)	TB2C	25.40	47.63	6.40
0987	6			TC	25.40	49.96	6.35
1053	2			TB2	25.40	50.67	6.35
0314	2			DBG2	25.40	50.80	12.70
2633	2			SC	25.40	50.80	12.70
1225	1			TB2	25.40	50.80	12.70
1056	1			TB2	25.40	51.99	7.92
3319	2			SC	25.40	52.37	9.53
3019	2	F3644-1		TB6G2	25.40	55.63	12.70
1044	2			TB2	25.40	62.00	9.53
3572	6	39376		KC	25.50	33.73	5.50
3484	6			LSB2	25.60	38.03	6.50
0287	6			TBY	25.70	35.00	7.00 / 9.00
1069	7			VB2	26.00	31.00	3.00
0116	1			VCO	26.00	32.00	4.00
6131	3			RTCW	26.00	34.00	4.00
7599	3	ZF0770080252	RS-02878-11	TCY	26.00	34.00	4.50 / 7.50
5932	2			OKA	26.00	34.00	5.00
5550	4		S-D421-12	TCBY	26.00	35.00	3.50 / 6.00
0274	1		CF-83974A	SC	26.00	35.00	7.00
1748	4			TC	26.00	35.00	7.00
CQ 0219	1			TC4	26.00	35.00	7.00
1249	8	109-23145-00/01		TB4	26.00	36.00	10.50
5448	2			KC9	26.00	37.00	5.50
1432	2	90753-051-0		SC	26.00	37.00	6.00
5594	2			SC	26.00	37.00	7.00
6584	2			TC	26.00	37.00	7.00
CK 0124	4	TOSK.16.Z		TCWY	26.00	37.00	7.00
6638	2			TCYW	26.00	37.00	7.00 / 7.50
CQ 0032	6			DC4	26.00	37.00	10.50
1595	12	51490GN5305 367-23145-00	51153-02501	DC4	26.00	37.00	10.50
4112	6	51153-02501		DC4	26.00	37.00	10.50
5277	6	51153-02501		DC4	26.00	37.00	10.50
1913	9	90249-1071 18-23145-00	3VR-23145-00 367-23145-60	TC4	26.00	37.00	10.50
4218	5			TCY	26.00	37.00	10.50 / 12.00
1596	8			VC5Y	26.00	37.50 / 42.80	14.50
0117	16	93102-26042	YB100/RX100	TC	26.00	38.00	5.00
4127	6			TC	26.00	38.00	5.00
5449	4			TB2C	26.00	38.00	6.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
2493	3	AE2518		SC/LSC	26.00	38.00	7.00
1552	2	09283-26010		TC	26.00	38.00	7.00
4185	6			TC	26.00	38.00	7.00
0045	4	09283-26016		TC	26.00	38.00	8.00
0165	3			SC	26.00	39.45	10.00
5456	2	336-00075		OV	26.00	40.00 / 50.30	5.00
0520	2			VC	26.00	40.00	5.00
1768	2			TC	26.00	40.00	6.00
0687	1	48137-36700		TB2	26.00	40.00	7.00
5266	2			TC	26.00	40.00	7.00
5953	1			SC	26.00	42.00	7.00
1240	4			TCJ	26.00	42.00	7.00
6789	2			RTBC	26.00	42.00	8.00
1239	1	93106-26005		TC	26.00	42.00	8.00
4187	6			TC	26.00	42.00	8.00
6356	2			TC	26.00	42.00	9.00
5935	1			SC	26.00	42.00	10.00
6032	4			TC	26.00	42.00	10.00
6517	2			RTC	26.00	43.00	7.00
1951	4	49297-10V00	CF-83432C	SCBRN	26.00	45.00	7.00
1868	2			TC	26.00	45.00	10.00
1956	2	09283-26015		TCY	26.00	47.00	6.30 / 7.30
1076	2			SC	26.00	47.00	7.00
1353	6	09283-26002		TCY	26.00	47.00	7.00 / 9.00
6294	1			TC	26.00	47.00	8.00
6486	1			TC	26.00	47.00	10.00
7409	2			TC	26.00	48.00	7.00
7036	1			TC	26.00	48.00	10.00
5940	4	11193-15010		VC	26.00	48.00	10.00
CK 0216	2			VBY	26.00	48.00	11.50 / 14.00
1839	2			TC	26.00	52.00	7.00
1348	6	09283-26007		TCY	26.00	52.00	7.00 / 8.00
4128	4			TCY	26.00	52.00	7.00 / 8.00
5201	4			SC	26.00	52.00	8.00
5457	2	336-00070		VCO	26.00	62.00 / 70.00	6.00
3266	1	79623		OVUY	26.20	74.00 / 92.46	5.20 / 27.20
4276	3	HE192	957E727A	SC	26.31	38.17	6.35
3321	6	68660653		VCYRS	26.50	61.60	7.00 / 28.00
2541	8	AR1491-EO		WPB	26.57	38.10	4.75
3832	2			TCBY	26.57	38.23	5.65 / 7.40
3184	4	BP2967H	CF-83634A	SCWBN	26.60	41.28	8.70
3455	20			B/C	26.65	37.85	1.10
0970	3	37-16		TBR	26.92	42.85	7.92
0764	3			TC	26.92	42.85	7.92
3420	4			VC	26.97	33.32	3.30
2850	4			WPCR4	26.97	33.78	3.96
0798	3			WPB	26.97	36.50	4.75
1015	4	CR-10515		SC	26.97	38.07	6.35
4109	12	10515		TC	26.97	38.07	6.35

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
3399	2			WPB	26.97	38.10	4.75
0822	6			VC	26.97	38.10	6.40
3232	2		S-A686-9	SBRN	26.97	41.28	7.54
0779	1			SA2	26.97	50.80	11.10
3493	3			WPC	26.98	33.78	4.06
3421	4			VCJ4	26.98	37.30	3.18
3432	1	N-96376	CR-10515	SB2	26.98	38.17	6.35
0636	1			SA2	26.98	39.65	9.53
3408	3	8684482	K3039804	BGY	26.99	38.10 / 41.77	25.40 / 29.00
5347	4			VBG2	27.00	32.00	3.20
2851	4			VC	27.00	33.32	3.20
5350	4			TCB	27.00	35.00	5.00
6448	2			TC	27.00	35.00	7.00
7037	1			TC	27.00	36.00	7.00
5411	4	BP4448E	CF-83732	VC	27.00	37.00	4.00
1368	2			DC	27.00	37.00	7.00
0148	3			SC	27.00	37.00	7.00
0196	10			SC	27.00	37.00	7.00
0403	2			TC	27.00	37.00	7.00
0025	16	90756-028-000		TC4Y	27.00	37.00	7.50 / 9.50
4149	6			VFCY	27.00	37.50	8.50 / 14.50
0899	2			TC	27.00	38.00	5.00
5349	4			TCY	27.00	38.00	5.50 / 7.50
CQ 0198	6			TC	27.00	38.00	6.00
7038	1			TC	27.00	38.00	7.00
4110	8	51153-39140		DC4	27.00	39.00	10.50
5132	8	90756-149-8	90756-168-000	DC4	27.00	39.00	10.50
0224	13	51153-39140	276-23145-00	TB4	27.00	39.00	10.50
0313	8	90756-118-003	92049-1076	TC4	27.00	39.00	10.50
1942	4	92049-1319	2M6-23145-0	TC4YR3	27.00	39.00	10.50 / 11.50
4113	6			VC5Y	27.00	40.00	5.00 / 12.00
1589	4	90753-028-013		KC4Y	27.00	40.00	6.00 / 7.00
1138	1			SC	27.00	40.00	6.00
0208	6	157FM-31300	90753-029-010	TC	27.00	40.00	6.00
1968	4	09283-27007	N-712009 / 91233-PT0-003	TC	27.00	40.00	7.00
4044	4			SC	27.00	40.00	8.00
6132	2			TC	27.00	40.00	8.00
7039	1			RTCW	27.00	40.00	10.00
2655	4	CR-10583		SB1P2	27.00	40.06	6.35
2573	4	AE 2133		SBRC	27.00	41.25	7.92
CQ 0030	6			TC	27.00	42.00	7.00
5171	8	91255GW3980	91255-GEO-003	TC	27.00	42.00	7.00
6133	3			LTCW	27.00	42.00	9.00
7515	2	TWO COLOR		RTCBW	27.00	42.00	9.00
6358	2			SC	27.00	42.00	9.80
0455	1			SC	27.00	42.00	10.00
5602	2			TC	27.00	42.00	10.00
5412	4	BP4448E	CF-83732	SC4	27.00	42.00	12.50
6672	2			RTCW	27.00	43.00	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
5196	3			SC	27.00	43.00	8.00
6134	1			TC	27.00	43.00	8.00
1156	4	09724-033 5-9625-018-0	0603-16-103 611-004 91203-	LTC	27.00	43.00	9.00
0145				BA	27.00	47.00	6.00
0198	4			SC	27.00	47.00	6.00
1106	3			SC	27.00	47.00	7.00
6408	2			TC	27.00	47.00	7.00
5881	1			TC	27.00	47.00	8.00
0457	1			SC	27.00	47.00	10.00
1990	2			TC	27.00	47.00	10.00
1804	2			TC	27.00	50.00	10.00
5608	2			TC	27.00	53.00	7.00
3875	3	RS-G34-4B / V	BS#027	B/S	27.05	34.93	2.00 / 2.50
3717	4	HE0102		DB	27.40	41.20	10.00
2134	1			VBR	27.40	44.46	5.30
2675	2	F2031		TBGS	27.62	42.80	6.35
2544	4	N-450044		SA2	27.76	46.43	11.10
2822	4	28074		SC	27.78	46.43	7.92
6357	2			TC	27.80	40.00	5.50
6160	2			TC	27.87	40.00	7.50
5484	6			LTC9W	27.90	40.00	8.00
6652	3			RTCW	27.90	56.00	10.00
6760	3			RTCBW	27.94	56.00	8.00
1260	2				28.00	33.00	6.50
4212	1			DKB	28.00	35.00	4.00 / 6.00
7042	1			RTCW	28.00	35.00	4.00
7769	6			VB	28.00	35.00	4.00
7311	3			VCW	28.00	35.00	4.00
1840	2			TC	28.00	35.00	6.00
5882	2			TC	28.00	35.00	7.00
6111	12	FAA125		TC6F	28.00	36.00 / 40.00	8.00 / 15.00
5759	20	FAA125		TC6Y	28.00	36.00	8.00 / 20.00
5460	10	FAA105		TC3FY	28.00	36.00 / 40.00	14.50
5984	2			VC	28.00	37.00	4.00
7043	2			RTCW	28.00	37.00	5.00
1665	2			TBG2	28.00	37.00	6.00
0380	3			VBG2	28.00	37.00	6.00
2467	2	SK737		TCRV	28.00	38.00	4.50
5057	2			GA	28.00	38.00	5.00 / 8.00
7681	2			GC	28.00	38.00	5.00 / 7.00
0676	2	91207-201-0		SC	28.00	38.00	5.50
5682	8			SC	28.00	38.00	6.00
5744	8			TC	28.00	38.00	6.00
6266	3			DKB	28.00	38.00	7.00 / 10.00
5930	4			LTC	28.00	38.00	7.00
5729	2			RTCW	28.00	38.00	7.00
0386	2	90311-28038		SC	28.00	38.00	7.00
4076	3			TC	28.00	38.00	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1663	3	99583-28388		SC	28.00	38.00	8.00
1869	2			TC	28.00	38.00	8.00
1013	4	24780-79001	09283-28011	LTC4Y	28.00	38.00	10.00 / 15.00
4091	4	24780-79001		LTC4Y	28.00	38.00	10.00 / 15.00
1823	2			TC	28.00	38.00	10.00
5812	1			LSC	28.00	40.00	5.00
2358	3			VBGV	28.00	40.00	5.00
6762	3			TCB	28.00	40.00	6.00 / 6.60
5409	4	087-409-085B	CF-31117	HSBY	28.00	40.00	6.50 / 7.00
2353	6			GA	28.00	40.00	7.00 / 10.00
0425	1			SC	28.00	40.00	7.00
0293	12	90310-28027		TC	28.00	40.00	7.00
5520	2	61500-13-0048		TCW	28.00	40.00	7.00
0499	5	93013-28011		DC	28.00	40.00	8.00
4133	6			DC	28.00	40.00	8.00
1991	4	14011		RTC	28.00	40.00	8.00
1996	4	30402-M7000		RTCA	28.00	40.00	8.00
5730	2			RTCW	28.00	40.00	8.00
0689	1	90310-28027	90311-28014	SBG2	28.00	40.00	8.00
1657	3	32113-86400		SC	28.00	40.00	8.00
2459	4			TBY	28.00	40.00	8.00
4078	2	MD008883		TC	28.00	40.00	8.00
1617	4	164-23145-0		TB4	28.00	40.00	10.50
1931	2			TB2	28.00	41.00	8.00
1232	4	1E7-23145		TB4	28.00	41.00	10.50
5239	3			TB2/TA2	28.00	41.30	6.00
6409	4			SC	28.00	42.00	5.00
7516	2	TWO COLOR		RTCBW	28.00	42.00	6.00
7713	2			TC	28.00	42.00	6.00
0546	1	91257-230-0	CB125S2	LSC	28.00	42.00	7.00
3546	4	27116-28049	80672-8040	SCY	28.00	42.00	7.00 / 7.50
CK 0221	3			TC	28.00	42.00	7.00
1238	4	91257-230-005		TC	28.00	42.00	7.00
6155	2			RSB2	28.00	42.00	8.00
0131	2			TC	28.00	42.00	8.00
7724	1			SC	28.00	42.00	10.00
1769	2			TC	28.00	42.00	10.00
2223	3			SCBR	28.00	43.00	7.00
1696	2			TC	28.00	43.00	7.00
6153	2			RSB2	28.00	43.00	8.00
7572	1			TC	28.00	43.00	8.00
5666	2			RSB2	28.00	43.00	10.00
7044	1			RTCW	28.00	44.00	6.00
1236	1			TC	28.00	44.00	7.00
5538	3			TC	28.00	44.00	10.00
5093	4			VCWCR	28.00	45.00	5.00 / 6.50
2346	2			TC	28.00	45.00	7.00
5703	4			RTCW	28.00	45.00	8.00
6921	1			SC	28.00	45.00	8.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
5667	2			TC	28.00	45.00	8.00
1534	2	MV-037781		TC	28.00	45.00	10.00
6673	2			RTCW	28.00	46.00	10.00
1160	3	93102-28022		SC	28.00	47.00	7.00
4043	4			SC	28.00	47.00	7.00
2021	3	09283-28002		TC	28.00	47.00	7.00
1127	13	93103-28012		DC	28.00	47.00	8.00
5137	4			LTB2	28.00	47.00	8.00
5668	2	NJ321	N-222860	RSB2	28.00	47.00	8.00
0366	1	MB001172		TC	28.00	47.00	8.00
5279	2	BH4887E	CF-66072(3998)	RTC	28.00	47.00	9.00
1410	6	09283-28010		HTC4	28.00	47.00	10.00
4092	4			RTC4	28.00	47.00	10.00
1488	4			SC	28.00	47.00	10.00
4075	3			TC	28.00	47.00	10.00
6653	3			RTCW	28.00	48.00	7.00
1824	2	93103-28011		TC	28.00	48.00	8.00
2203	2			SC	28.00	48.00	10.00
7573	1			TC	28.00	48.00	12.00
0412	1			VB2	28.00	50.00	6.00
7045	1			TC	28.00	50.00	7.00
7260	1			SC	28.00	50.00	10.00
2426	4	MB-001170		TC	28.00	50.00	10.00
6922	1			SC	28.00	52.00	5.00
1460	8	93102-28023		SC	28.00	52.00	6.00
1825	2			TC	28.00	52.00	7.00
1826	5			TC	28.00	52.00	10.00
0220	1			TC	28.00	54.00	7.00
5027	1			TC	28.00	54.00	8.00
0219	1			TC	28.00	55.00	9.00
5883	6			TC	28.00	55.00	10.00
7434	1			TC	28.00	56.00	6.00
0249	5			DC	28.00	56.00	8.00
4136	4			DC	28.00	56.00	8.00
0218	4	91206-166-0	087-210-D	TC	28.00	56.00	8.00
2194	6		29011	TC	28.00	56.00	10.00
7435	2			TC	28.00	58.00	6.00
6476	1			TC	28.00	58.00	10.00
7758	1			TC	28.00	60.00	10.00
5884	1			TC	28.00	62.00	7.00
5028	1			TC	28.00	62.00	8.00
6033	2			TC	28.00	62.00	10.00
6734	2			TC	28.00	70.00	10.00
5885	1			TC	28.00	72.00	10.00
3268	4			PBF	28.10	62.00 / 70.00	14.00
7040	1			RTCW	28.50	38.70	6.20
7041	1			RTCW	28.50	39.50	9.50
6359	2			TC	28.50	43.00	7.00
2868	9	6038B		WREP	28.50	56.80	4.30 / 6.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
4230	9			SC	28.51	38.10	6.16
4024	4	AR1588FO		WPB	28.57	34.93	3.17
0871	3	CR-11050		VB2	28.57	34.93	3.20
1269	1			SC	28.57	36.50	6.00
3323	2			TC	28.57	38.10	4.75
4027	4	AR1592EO		WPB	28.57	38.10	4.75
3034	4	F4705		KCX	28.57	38.10	6.35
3701	3	340151A		VC	28.57	39.65	6.35
4277	3	HE193	C5NN2N258B	SC	28.57	39.75	9.15
2511	2			WPB	28.57	41.25	4.78
3380	1			SB2	28.57	41.27	9.52
3430	1			TB2	28.57	41.27	9.52
2615	2			WPB	28.57	41.28	4.78
4048	6	AR1598EO		WPB	28.57	41.28	6.35
2078	2			SBKG2	28.57	41.28	6.70
3195	6	R-10473-1	X-S11-3401R	DBJGV	28.57	41.28	7.10 / 11.40
4226	5	HE06A		SB	28.57	41.28	9.53
3336	8			SBG2	28.57	41.28	9.53
2660	2			SC	28.57	41.28	9.53
3004	1	PC1276		TC	28.57	42.68	7.94
2937	8	CR-11138		SB2	28.57	44.45	6.35
2912	2			TB2	28.57	44.45	6.35
1481	2			SB2	28.57	44.45	10.92
0848	2			TBY	28.57	44.50	6.40
3720	1			SC	28.57	44.60	11.10
2902	4	CR-11161		VB2	28.57	45.24	6.35
0815	3			VB2	28.57	45.24	8.26
3207	6	TCM-11174TB		TB2	28.57	45.24	11.90
0088	6	178HD14	TCM-11174VB	VB	28.57	45.24	11.90
0082	6	111784VHY	CF-66029(3932)	VB18	28.57	45.24	11.90
0164	25	N-204020		VA2	28.57	45.24	11.91
3205	2	CR-11171		TB2	28.57	46.43	6.35
3206	2	CR-11171		TC	28.57	46.43	11.10
2709	3			TC	28.57	46.53	7.92
0310	2	N-450045		SA2	28.57	46.53	11.34
1480	2			SB2	28.57	47.63	9.53
0893	4			SC4	28.57	47.63	9.53
3161	4		CF-66032(3995)	KB2	28.57	49.20	8.80
0757	2			VC	28.57	49.20	9.53
0977	2	CR-11340		TB2	28.57	50.80	6.35
1052	1			TB2	28.57	50.80	6.35
2893	4			TA2	28.57	50.80	10.31
2634	2			SC	28.57	50.80	12.70
3032	4	10875114		SB2	28.57	52.37	9.53
2921	4	J8121781	N-710068	SC	28.57	52.39	7.94
3664	3			SC	28.57	57.15	9.20
2966	3	N-472954		TB2	28.57	72.01	9.53
3274	2			SC	28.58	38.10	6.35
3745	2	N-240151		VCBY	28.58	39.65	4.75

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
0984	4	CR-11060		VBY	28.58	38.07	4.80
0601	1			VBR	28.58	38.15	6.35
2654	4	CR-11123	N-482208	SB2	28.58	41.25	6.35
3859	2	11162TB		TB2	28.58	41.25	6.35
0332	2	CR-11134	N-471652	TB	28.58	41.35	6.35
0707	2			SB2	28.58	44.45	7.94
3229	3	TCM-111774KC		KC	28.58	45.16	10.31
2921	4	J8121781	N-710068	SAY	28.58	53.98	9.13 / 19.50
0868	1			SC	28.58	72.21	9.53
3817	5			TCPW	28.60	38.10	6.00
1536	4	MT-142084		TC	28.60	40.00	8.00
1355	4	90311-28004/3	91213-PR3-004	TB2	28.60	43.00	6.50
2282	2	90311-28003		TC	28.60	43.00	6.50
3846	2			B/C	28.70	41.85	0.95 / 1.60
2871	4	91P1-33		VBC2	28.83	31.75	6.10
5362	1			DCF3	29.00	34.00 / 40.00	16.86
7046	1			TC	29.00	36.00	8.00
6519	2			RTC	29.00	36.00	10.00
0320	1			TGP	29.00	40.00	11.00
cQ 0047	6			TCF	29.00	41.00	9.50 / 12.50
7047	1			TC	29.00	43.00	7.00
cQ 0068	6			TC	29.00	43.00	9.00
5886	1			TC	29.00	43.00	10.00
6615	1	N-320595		TC	29.00	45.00	8.00
2095	2			SC	29.00	45.00	10.00
6735	2			TC	29.00	46.00	10.00
7427	1			LTC	29.00	47.00	7.00
0422	1			DC	29.00	47.00	8.00
5704	2			RTCW	29.00	47.00	10.00
1805	2			TC	29.00	48.00	8.00
3726	3	27.0187-1	22743	VCY	29.00	49.90	5.00
6518	2			RTC	29.00	50.00	10.00
1618	4	92049-1097		TC	29.00	62.20	9.00
5167	1	1-488-705-0		OCY	29.00	145.00	37.00
3849	2	RB0100402	CMSK.7.1-5	BOOT	29.03	51.50	18.00 / 24.00
3183	4	RCAT-3G9193		TCRV	29.36	38.10	4.75
1336	6			VCY	29.36	39.69	6.30 / 12.70
3190	3	RVIC-429286		TCBRV	29.36	42.67	7.92
0684	6	AP1636FO		TC/TCV	29.36	42.82	7.90
0771	3	CR-11524		SB2(SA2)	29.36	47.60	6.40
0803	2	CR-11545		TB2	29.36	50.80	6.40
2572	4			TC	29.36	62.00	9.53
0151	2			TB2	29.37	43.65	12.70
0602	2			SB2	29.44	55.55	6.35
7426	1			LTC	29.50	47.00	7.00
cQ 0045	6			TCF	29.50	52.00	9.50
3829	2			B/C	29.65	41.85	0.95 / 1.60
3761	1	N-451182		SA2	29.72	51.59	9.52
3178	4		CF-31414	VCW	29.77	42.07	6.35

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
0836	2			SB2	29.84	46.43	10.31
1218	3	F2013		SA2	29.85	46.43	9.53
3185	3		CF-65055C	SB2	29.85	46.43	9.53
2611				VAXCJ	29.85	46.43	9.53
3160	4		CF-66031(3938)	SCY	29.85	46.70	7.92
5640	2	29210		HTCW	29.85	47.00	9.90 / 7.00
6639	2			RTBCA	29.85	47.00	11.30
7587	4			RTCWT	29.90	47.00	11.30
2761	4	1800145		WREP	29.92	54.28	5.00
3348	1			TC	29.99	50.80	9.06
1252	3	1251-3		SL	30.00	33.50 / 47.60	14.80
5564	3			SJ	30.00	35.00 / 47.00	12.00
7349	4			SL	30.00	35.00 / 49.00	18.00
1776	4			SL	30.00	35.00 / 50.00	19.00
6063	4			TC	30.00	36.00	7.00
1398	2	1397-2		SLG	30.00	36.00 / 55.00	21.00
7048	1			RTCW	30.00	37.00	4.00
5952	2			VB	30.00	37.00	4.00
7325	4			VB1	30.00	37.00	4.00
0724	6	T3003938		VCW	30.00	37.00	4.00
5793	2			OKA	30.00	37.00	5.00
5823	1			SC	30.00	37.00	7.00
2385	2			VC	30.00	38.00	4.00
5990	6	FAA070		TC4F	30.00	39.00 / 42.00	8.00 / 15.00
5342	12	FAA070	SF-086241	TC4FR3	30.00	39.00 / 44.00	8.00 / 15.00
7312	4			VCW	30.00	40.00	4.00
2254	12			GA	30.00	40.00	5.00 / 8.00
7238	3			GC	30.00	40.00	5.00 / 10.00
7378	3			GC	30.00	40.00	5.00 / 7.00
7647	1			SC	30.00	40.00	5.00
6923	1			TC	30.00	40.00	5.00
6232	1			VB1	30.00	40.00	5.00
6580	5			TC	30.00	40.00	6.00
CK 0153	3	TSK-25-1-11	1421186-17	TCW4	30.00	40.00	6.00
0417	1			TCY	30.00	40.00	6.00 / 9.00
2245	8			GA	30.00	40.00	7.00 / 10.00
7237	3			GC	30.00	40.00	7.00 / 10.00
6654	3			LTCW	30.00	40.00	7.00
5926	1			SB2	30.00	40.00	7.00
0147	3			SC	30.00	40.00	7.00
0197	16	N-223005		SC	30.00	40.00	7.00
2022	4	90310-30035		TC	30.00	40.00	7.00
0559	1			TCY	30.00	40.00	7.00 / 9.00
6392	4			TCY	30.00	40.00	7.00 / 12.00
6401	2			VAY	30.00	40.00	7.00
1827	2			TC	30.00	40.00	10.00
0485	1			HTBC2	30.00	40.40	8.00
5259	6	51153-36A00	4LS-F3145-01	DC4	30.00	40.50	10.50
1233	8	137-23145	51153-39140	TB4	30.00	40.50	10.50

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1295	6	51153-26420	5F6-F3145-00	TC4	30.00	40.50	10.50
1616	6	33J-23145-00	3HB-23145-00	TC4Y	30.00	40.50	10.50 / 12.00
5133	6			TC4Y	30.00	40.50	10.50 / 12.00
4114	6			VC5Y	30.00	40.70	5.00 / 12.00
1986	4	90310-30005	CF-83632B	SC4	30.00	41.00	6.50
7487	2			RTCW	30.00	41.00	7.00
0344	3	90043-11098		HTBL	30.00	41.00	10.00
1603	2	90043-11098		LTBR	30.00	41.00	10.40
0115	12	91201-003-0 / 91202-GB4-692	91201-GB4-631/691	SC	30.00	42.00	4.50
4129	6			SC	30.00	42.00	4.50
4224	10			SC	30.00	42.00	4.50
CQ 0003	6			TC	30.00	42.00	4.50
6245	1			TC	30.00	42.00	5.00
5943	2			DKB	30.00	42.00	6.00 / 9.00
5985	2			OKA	30.00	42.00	6.00
2100	2			SBG2	30.00	42.00	6.00
1958	4	92050-039		SC	30.00	42.00	6.00
4153	4			SC	30.00	42.00	6.00
2222	3	93102-30M11		SCBR	30.00	42.00	6.00
1609	2	KE175B1		TC	30.00	42.00	6.00
6100	2	006-997-7347		VCW	30.00	42.00	6.20
7517	4	TWO COLOR		RTCBW	30.00	42.00	7.00
4191	4	VICTOR		RTCW	30.00	42.00	7.00
5731	3			RTCW	30.00	42.00	7.00
0518	2			SB2	30.00	42.00	7.00
5450	4	010-409-085E 93110-30008	CF-31112	SBRC	30.00	42.00	7.00
2023	4	7700749395		SC	30.00	42.00	7.00
4079	6	60809849	N-148902 / N-223010	TC	30.00	42.00	7.00
7518	4	TWO COLOR		RTCBW	30.00	42.00	8.00
6138	4			RTCW	30.00	42.00	8.00
0661	5	90043-10020	93103-30004	SC	30.00	42.00	8.00
0695	3			TB2	30.00	42.00	8.00
0616	2	09924-451 / N-710302	93106-30004	TC	30.00	42.00	8.00
4177	6			TC	30.00	42.00	8.00
5441	4	115-272-11-92	CF-31313	VCW	30.00	42.00	9.00
1558	12	35B-F3145-00(?)		DC4Y	30.00	42.00	10.50
1209	7	93110-30008	1E7-23145-00	TC4	30.00	42.00	10.50
4201	6			TC4	30.00	42.00	11.00
5511	6	GN-250	09282-30004	VC	30.00	43.00	5.00
5508	6	GN-250	09283-30041	TCYR3	30.00	43.00	5.20 / 9.00
6156	2			RSB2	30.00	43.00	7.00
5232	3			TC	30.00	43.00	7.00
5542	6			SB2	30.00	43.00	8.00
1770	2			TC	30.00	43.00	8.00
5029	1			TC	30.00	43.00	9.00
5240	3			TA2	30.00	43.30	10.00
0230	2	09283-30023		SC	30.00	44.00	7.00
1268	4	3991/ B630-10-602	KKY01-12602	TB2	30.00	44.00	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1235	4	09283-30023	B630-10-602	TC	30.00	44.00	7.00
4152	4			TC	30.00	44.00	7.00
6674	2			LTCW	30.00	44.00	8.00
1659	3	0155-16-103	N-223012	TC	30.00	44.00	9.00
7386	1			TC	30.00	44.50	8.00
1928	4	MD703735		TB2	30.00	45.00	6.00
1989	4	MD703735/N223014	43143-33000	TC	30.00	45.00	6.00
6157	2			RSB2	30.00	45.00	7.00
0719	2			SC	30.00	45.00	7.00
2230	3			SCB	30.00	45.00	7.00
5551	4			TC	30.00	45.00	7.00
1191	6	90043-10029	32114-E9000	HSC	30.00	45.00	8.00
7363	1			LSC	30.00	45.00	8.00
5136	4			RSB2	30.00	45.00	8.00
1974	2	AD1679F	90311-30010	TB2	30.00	45.00	8.00
0512	6	90311-30115 8-94215-220-0	90043-11141	TC	30.00	45.00	8.00
0363	1			TC	30.00	45.00	11.00
0485	1	32136-G1001		Y	30.00	45.00	15.00 / 41.00
1960	2	32136-H5000		LTBFY	30.00	45.00 / 77.00	43.00
0513	1			Y	30.00	45.00	45.00 / 77.00
1379	2			TC	30.00	46.00	5.00
0217	1	21421-21030		TC	30.00	46.00	6.00
6675	2			LTCW	30.00	46.00	7.00
CQ 0011	4			TC	30.00	46.00	8.00
0401	3	8067-30021	MD-031837 / N-223018	TC	30.00	46.00	8.00
1870	2			TC	30.00	46.00	10.00
7049	1			RTCW	30.00	47.00	4.00
5285	4	DLR30		KB	30.00	47.00	5.00
0146	4			BA	30.00	47.00	6.00
0195	7			SC	30.00	47.00	6.00
1234	1			TC	30.00	47.00	6.00
2024	5			LTC	30.00	47.00	7.00
7360	1			RTC	30.00	47.00	7.00
2101	4			SC	30.00	47.00	7.00
0325	6	93102-M0500		TC	30.00	47.00	7.00
7634	1			SA2	30.00	47.00	8.00
2025	4	N-223020		SC	30.00	47.00	8.00
0626	2	91253-443-761		TC	30.00	47.00	8.00
6373	2			TBY	30.00	47.00 / 58.00	9.00 / 23.00
2180	4			SC	30.00	47.00	10.00
1871	2			TC	30.00	47.00	10.00
5563	3			KC9F	30.00	47.00 / 53.00	11.00
5263	3			TC	30.00	48.00	7.00
2378	4			SC	30.00	48.00	8.00
0530	2			TC	30.00	48.00	8.00
2334	2			TC	30.00	48.00	10.00
5434	4	N-4748	CF-49915A	HTBFP	30.00	48.00 / 58.00	23.50
CK 0232	4			SC	30.00	50.00	5.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6382	1			SC	30.00	50.00	5.00
5378	4			VBY	30.00	50.00	5.00 / 6.50
5353	2		CF-65056D(3911)	TC	30.00	50.00	6.00
5425	3	N-4738	CF-49914A	HSBP	30.00	50.00	7.00
6015	3			SC	30.00	50.00	7.00
1944	3	49297-27N01		SCBRN	30.00	50.00	7.00
5887	1			TC	30.00	50.00	7.00
0304	2			TCY	30.00	50.00	7.00 / 10.00
7622	1			LSC	30.00	50.00	8.00
5705	4			LTCW	30.00	50.00	8.00
7621	1			RSC	30.00	50.00	8.00
6581	2			SC	30.00	50.00	8.00
1497	4			TC	30.00	50.00	8.00
5706	4			LTCW	30.00	50.00	10.00
5830	2			SC	30.00	50.00	10.00
4074	6			TC	30.00	50.00	10.00
0413	2			TC	30.00	50.00	11.00
6271	2		AP1709FO	TCV	30.00	50.00	11.00
0216	1			TC	30.00	50.00	12.00
6360	1			TC	30.00	50.00	12.50
1251	3	1252		M	30.00	50.00	15.00
7283	1			TC	30.00	51.00	10.00
7781	2			SC	30.00	52.00	5.00
7603	2			KCF	30.00	52.00 / 58.00	6.00 / 8.00
CK 0089	6			SC	30.00	52.00	6.00
1971	4			HTB2	30.00	52.00	7.00
5539	2	300003		RSB2	30.00	52.00	7.00
6640	2			RTCYW	30.00	52.00	7.00 / 11.00
1077	1			SC	30.00	52.00	7.00
CK 0218	4			TC	30.00	52.00	7.00
1669	4	60801282		TC	30.00	52.00	7.00
6139	3			RTCW	30.00	52.00	8.00
5820	3			SC	30.00	52.00	8.00
0677	2	09783-3000	AE1720F	TC	30.00	52.00	8.00
6520	2			LTC	30.00	52.00	9.00
2102	2			TBY	30.00	52.00	9.00 / 11.00
0465	1			SC	30.00	52.00	10.00
2026	2			SC	30.00	52.00	10.00
0555	6			TC	30.00	52.00	10.00
* 5565		AQ1724E		AQ	30.00	52.00 / 58.00	12.00
6575	1			TC	30.00	52.00	12.00
5030	1			TC	30.00	54.00	8.00
5359	4	3610043		HTCBR2	30.00	55.00	7.00
2098	12			SC	30.00	55.00	7.00
0466	1			TC	30.00	55.00	7.00
5043	2			TC	30.00	55.00	8.00
5777	4			SC	30.00	55.00	10.00
0551	5	09283-30011		TC	30.00	55.00	10.00
1183	2	90043-11027	90043-11093	TC	30.00	55.00	12.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
* 7349				TC6FA	30.00	55.00 / 62.00	12.00 / 18.00
2002	1			SC	30.00	56.00	8.00
2204	2			SC	30.00	56.00	10.00
6924	1			TC	30.00	56.00	10.00
6488	1			TC	30.00	56.00	12.00
5888	1			TC	30.00	58.00	12.00
2251	2	93102-30045		LTC	30.00	60.00	6.00
2205	2			SC	30.00	60.00	10.00
6736	2			TC	30.00	60.00	10.00
5031	2			TC	30.00	60.00	12.00
0646	1			DC	30.00	62.00	6.00
1689	4			DCYT	30.00	62.00	6.00 / 10.00
0243	2	09-141-3		SC5	30.00	62.00 / 90.00	6.35 / 11.00
0643	1			DC	30.00	62.00	7.00
1167	4			SC	30.00	62.00	7.00
0238	5	09-126		TC	30.00	62.00	7.00
0233	2	09-142-2		TCY	30.00	62.00	7.00
1294	4			DCY	30.00	62.00	8.00 / 11.00
7475	1			TC	30.00	62.00	8.00
0237	2	09-140		TCY	30.00	62.00	8.00
2027	6			SC	30.00	62.00	10.00
5603	6			TC	30.00	62.00	10.00
0239	4	09-146		TCY	30.00	62.00 / 63.50	10.00
3835	2			TCY	30.00	64.00	5.00 / 7.50
0278	1			DC	30.00	65.00	8.00
0240	2	09-146-3		TCY	30.00	65.00	9.00 / 11.00
0242	2	09-146-4		TCY	30.00	65.00	9.00 / 11.00
1469	1			TC	30.00	65.00	10.00
5436	3			HTC9F	30.00	65.00 / 72.00	12.00 / 16.00
5153	4			TCFY	30.00	65.00	15.00 / 20.00
2211	2			DCY	30.00	70.00	7.00 / 13.00
7050	1			TC	30.00	70.00	10.00
0041	1			TC	30.00	72.00	10.00
1147	1			TC	30.00	72.00	10.00
2869	9	16155B		WREP	30.05	53.29	6.68 / 7.75
2647	9	99404		VCY	30.10	39.70	12.70
0971	6			TBR	30.15	42.85	7.92
3749	2	N-40576S		VAY	30.15	50.69	6.35
2671	2			SA2	30.15	57.15	12.70
1335	8			VC	30.16	39.69	6.35
0858	4	356934		VCY	30.16	39.69	24.50
0765	3			TC	30.16	42.85	7.92
1483	2			SB2	30.16	44.45	4.76
2662	2			SB2	30.16	46.53	9.53
3100	4	X-7337-20		TBR	30.16	47.63	8.60
2506	4			SA2	30.16	62.00	11.88
0869	2			SA2	30.17	46.43	9.53
3240	2			DBYJ	30.18	42.88	6.35 / 11.13
0876	5			SC	30.19	46.02	7.92

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7711	3			VCYA	30.20	47.00	5.00 / 5.45
3073	2	DS-0619		VBE1G2	30.35	46.48	4.06
CK 0188	4			OA	30.40	43.00	5.40
0832	9	A1705-Q277		VXAPS	30.48	49.40 / 63.75	7.60 / 11.70
2985	12	B4246		VBYP	30.48	54.20	5.00 / 8.60
6807	3			SCYW	30.50	38.10	4.50 / 6.20
2533	2			VB2	30.75	44.45	6.35
2226	3			SCBR	30.80	42.00	6.00
2811	9	N-203025		VA18	30.94	50.27	10.31
0161	2	N-70146		DAX	30.94	53.98	19.05
3532	1		S-7642	TB2	30.96	49.61	6.35
1405	6	CR-12124		KB2	30.96	50.27	10.31
3618	6	CR-12124	N-203025	VBV	30.96	50.27	10.31
3158	4		CF-65359(3930)	TC	30.96	50.37	6.35
1267	6			VC	30.96	50.39	10.31
2947	3			DAC2	30.96	53.98	17.48
6361	2			TC	31.00	41.00	7.00
1241	3	90755-216		TC4	31.00	41.00	9.00 / 11.00
6737	2			TC	31.00	43.00	4.00
5131	6			KCFY	31.00	43.00 / 49.00	5.50
1914	8	92049-1080	51495-331-405	DCY	31.00	43.00	10.30 / 10.50
CQ 0031	6			DC4	31.00	43.00	10.50
4131	4			DCY	31.00	43.00	10.50
1237	4	91255-446-0013		TC4	31.00	43.00	10.50
1614	4	2A6-23145-0	91255-331-671	TC4	31.00	43.00	12.50
4146	4			KCFY	31.00	43.30	5.60 / 13.00
5298	4	91212-PE0-003/000/662	91212-PE1-721 / N-1121	TCR	31.00	46.00	8.00
7628	2			SC	31.00	47.00	7.00
6140	1			TC	31.00	48.00	5.00
7051	1			TC	31.00	50.00	8.00
2376	2			SC	31.00	52.00	7.00
0279	1			SC	31.00	52.00	9.00
1828	2			TC	31.00	52.00	9.00
0144	3			BASF	31.00	62.00	4.30 / 5.80
0120	6			SCY	31.00	62.50	4.30 / 5.80
3265	1	79622		OVNY	31.24	95.70	16.50 / 24.50
2658	10	CR-523696		KBY	31.35	50.39	9.30 / 11.00
0254	3			SC	31.50	47.00	6.80
3678	2			B/C	31.65	42.80	1.10
3356	1			SC	31.72	55.56	11.11
2556	4			VB2	31.75	35.99	3.18
0964	4	CR-12330		VB	31.75	38.10	3.17
3865	2	12151VB		VB2	31.75	38.10	3.17
5440	2	N-328802		VC	31.75	38.10	3.17
0888	4	AF1815-EO		WPB	31.75	38.10	3.17
0170	4	W10009		WPB	31.75	38.10	3.18
0476	2			VC	31.75	38.10	3.96
2584	4			SB2	31.75	39.69	3.97
3398	2			WPB	31.75	41.27	6.35

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
0944	3	CR-12329		SB	31.75	41.28	4.75
0914	1			VB2	31.75	41.28	4.75
3866	2	12161VB		VB2	31.75	42.82	4.76
0853	8	AR1818-FO		WPB	31.75	42.82	4.80
3460	4	N-340356		VC	31.75	42.82	5.53
3015	2			TC	31.75	42.82	6.35
1059	2			TC	31.75	42.82	7.95
0753	4			TBR	31.75	42.85	6.25
2074	20	M641A		VC	31.75	42.86	3.96
0127	1	CR-12334		VBG	31.75	42.86	4.76
0902	4			KCRV	31.75	42.86	5.72
1024	6	35151-52		SC	31.75	42.86	6.35
3010	2	F3270		TC3	31.75	42.86	7.94
0890	3			WPB	31.75	42.88	4.78
1024	6	33-39-36339	35151-52	SBFC2	31.75	43.90 / 70.08	8.55
3009	2	CR-12360	N-7412S	RTBKC2	31.75	44.45	6.35
2758	6	N-7412S		SBKRP2	31.75	44.45	6.35
2653	4	CR-12363		SBY	31.75	44.45	6.35
3416	4			SC	31.75	44.45	6.35
1220	1	CR-12364	N-471413	TB2	31.75	44.45	6.35
2722	4	AR1826-EO		WPB	31.75	44.45	6.35
0919	3			VBV	31.75	44.45	6.40
1055	4			TB2	31.75	44.45	7.92
1043	1			TC	31.75	44.45	7.92
2747	2	71-12371		SC	31.75	44.45	7.93
3087	4	3349985		RTCY	31.75	44.45	8.70
3329	2			SB2	31.75	44.45	9.52
3443	2			TCW	31.75	46.50	9.53
3425	2			WPB	31.75	47.63	6.35
1484	2			SB2	31.75	47.63	9.53
4106	6	N-223240		TC9	31.75	48.00	9.00 / 15.00
3557	4			DB5PS	31.75	50.06 / 57.00	11.50
3537	6		CF-33084	DBFCS	31.75	50.08 / 57.00	11.50
2887	6	125192TB	AD-1836-EO	TB2	31.75	50.27	6.35
2933	2	71-12411	25450	VAP2	31.75	50.27	6.35
3308	12	CR-12437	12192VB	VB2	31.75	50.27	6.35
0084	8	CR-12411	N-204507	VB18	31.75	50.27	10.30
2682	9	N-204029		VA18	31.75	50.27	10.31
2812	9	N-203029		VA8YC2	31.75	50.27	10.31
2926	12	CR-12428	N-471750	TB2	31.75	50.37	6.35
3622	9	N-7781S		VA18	31.75	50.37	6.35
0614	4			VC	31.75	50.37	6.35
0087	2	N-470906		TB2	31.75	50.37	9.53
2844	2			KB2	31.75	50.42	9.53
3310	16			VB2	31.75	50.80	6.35
2077	1	118-5630		EA	31.75	50.80	7.40
0003	2			TC	31.75	50.80	7.95
1097	1			SC	31.75	50.80	9.53
1310	2			TA3	31.75	50.80	10.90

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
0922	2	N-450163		TA2	31.75	50.80	11.10
0206	6			TB	31.75	50.80	11.10
1486	2			SB2	31.75	50.80	12.70
2635	2			SC	31.75	50.80	12.70
2076	6	CR-12458		TBKC2	31.75	50.86	6.35
0624	4			TC	31.75	50.90	6.35
0615	4			VC	31.75	50.90	6.35
2673	2			TB2	31.75	52.32	6.35
3000	4			TA2	31.75	52.50	17.50
0587	3			SBR	31.75	53.97	11.10
0840	3			TBY	31.75	53.98	6.35
3789	1	N-7686S		TB3RY	31.75	57.15 / 58.10	9.60 / 11.05
0756	2			VC	31.75	58.72	9.53
1046	3			TB2	31.75	59.13	11.10
2530	8	CR-12614		TB2	31.75	60.30	7.95
2513	2	AE1852.E		TC	31.75	61.98	7.92
1048	1	N-471407		TB2	31.75	62.00	9.53
3695	1	MB290013	N-471845N / BD1355F	TBY	31.75	65.05	2.50 / 12.00
2599	1			SA2	31.75	65.05	12.70
2815	4	A1098XB3		SCB	31.75	69.98	8.50
1049	1			TB2	31.75	72.01	11.89
0857	3			SB2	31.88	47.60	6.43
7052	1			TC	32.00	38.00	10.00
5528	2	90311-32002/1	AG8907E / N-223210	VC	32.00	40.00	5.00
5251	4			KC	32.00	40.00	7.00
7745	1			SC	32.00	40.00	7.00
5604	2			TC	32.00	40.00	7.00
6588	9			TC4Y	32.00	41.00	8.00 / 14.40
5858	1			VC	32.00	42.00	4.00
7313	3			VCW	32.00	42.00	4.00
7239	3			GC	32.00	42.00	5.00 / 7.00
7456	2			DCFY	32.00	42.00 / 45.00	5.90 / 13.30
0418	10	93102-32M07		TC	32.00	42.00	6.00
0388	1			SC	32.00	42.00	7.00
0515	2			SCY	32.00	42.00	7.00 / 9.00
1872	2	CF-66070C(3918)		TC	32.00	42.00	7.00
6738	3			TC	32.00	42.00	8.00
7328	6			TC4FR	32.00	42.00 / 45.00	9.50 / 14.15
2280	6	24780-83000		LTC4Y	32.00	42.00	10.00 / 15.00
5111	6	24780-83010		LTCY	32.00	42.00	10.00 / 12.50
5824	1			SC	32.00	42.00	10.00
1775	4	N-223215		TC4	32.00	42.00	10.50
7449	4			DCFY	32.00	42.00 / 45.00	12.00
2250	2	92050-032		SC	32.00	43.00	5.50
5265	2			TC	32.00	43.00	7.00
1270	1			TC	32.00	43.00	8.00
0215	1	5115305210		TC	32.00	43.00	10.00
1610	2	51153-48500	51153-05210	TC4	32.00	43.00	12.50
0436	1	CY-LM-11910		OVY	32.00	44.00	4.70

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
4151	6	N-223220	90310-32014/24	TC	32.00	44.00	6.00
7441	2			DKB	32.00	44.00	7.00 / 11.00
5889	1			TB2	32.00	44.00	7.00
5210	6			TC	32.00	44.00	7.00
CQ 0073	6			DC	32.00	44.00	8.00
1121	6	93103-32065		DC	32.00	44.00	8.00
4134	9			DC	32.00	44.00	8.00
5890	1			TB2	32.00	44.00	8.00
1912	4	93103-32099		TC	32.00	44.00	8.00
0094	2	90310-32034		SB2	32.00	44.00	9.00
1322	2	44009-025	2K5-23145-00	TC4	32.00	44.00	10.50
2691	2			TC	32.00	44.45	9.93
2355	6			GA	32.00	45.00	4.00 / 8.00
2256	2			SC	32.00	45.00	5.00
5339	4	BF4384E		KBG2	32.00	45.00	6.00
0373	1			SC	32.00	45.00	6.00
6267	3			DKB	32.00	45.00	7.00 / 10.00
2354	2			GA	32.00	45.00	7.00 / 10.00
1159	4			SC	32.00	45.00	7.00
1112	1	653B324507		TB2	32.00	45.00	7.00
2028	4			TC	32.00	45.00	7.00
4253	1	PS 368950	58311	RSC	32.00	45.00	8.00
5707	2			RTCW	32.00	45.00	8.00
5822	1			SC	32.00	45.00	8.00
6410	1			TC	32.00	45.00	9.00
6521	2			LTCW	32.00	45.00	10.00
6797	1			TC	32.00	45.00	10.00
5632	4	09283-32026		RTC	32.00	46.00	6.00
5065	6	90311-32001/18	90311-32023PA / N-22323	TC	32.00	46.00	6.00
5492	4		CF-82132	VCY	32.00	46.00	6.00
5233	3			TC	32.00	46.00	7.00
2776	2	91212-PE003		TC	32.00	46.00	8.00
4097	4	09283-32025/42/26/38	BH1941G/N-710310	RTC	32.00	47.00	6.00
2488	6			SC	32.00	47.00	6.50
2374	2			SC	32.00	47.00	7.00
2362	4			TB2	32.00	47.00	7.00
1561	2			TC	32.00	47.00	7.00
4100	12	CR-12730	056-103-095	RTC	32.00	47.00	8.00
0662	3			SC	32.00	47.00	8.00
0726	6	09283-32022/32002		TC	32.00	47.00	8.00
4088	4	CR-12730		TC	32.00	47.00	8.00
4094	4	056-103-095	AH1889E	TC	32.00	47.00	8.00
CK 0180	0			PUA	32.00	47.00	8.50
4195	4			HTCW	32.00	47.00	10.00
5203	12	056-103-085	NB4468	HTCW	32.00	47.00	10.00
0214	6	068-103-085		RTCW	32.00	47.00	10.00
5735	3			RTCW	32.00	47.00	10.00
2209	3			SC	32.00	47.00	10.00
1523	10	90043-11109	XNJ268B	RTC	32.00	48.00	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
4103	2			RTC	32.00	48.00	7.00
2003	1			SC	32.00	48.00	7.00
1548	2	90043-11081		SB2	32.00	48.00	8.00
0138	4	90311-32106	90043-11160	TC	32.00	48.00	8.00
7444	2			DCFT	32.00	48.00 / 51.70	10.00
0232	2			DCY	32.00	48.00 / 50.70	10.00
1533	2	MD-701430	37013	LTC	32.00	48.00	10.00
2004	1	MD-701430		SC	32.00	48.00	10.00
6676	2			RTCW	32.00	50.00	7.00
6925	2			TC	32.00	50.00	7.00
6788	2	02317BRAG		RTBC	32.00	50.00	8.00
0700	1	13168-01M00	N-710164	TC	32.00	50.00	8.00
7519	2	TWO COLOR		RTCBW	32.00	50.00	10.00
0066	2			TC	32.00	50.00	10.00
7563	3			RTCWF	32.00	50.00 / 60.00	12.90
7488	2			RTCW	32.00	50.50	8.00
7574	1			TC	32.00	51.00	10.00
0408	2			SC	32.00	52.00	5.00 / 5.50
0445	3			SC	32.00	52.00	5.00
6558	3			SC	32.00	52.00	5.00
7489	2			RSB2	32.00	52.00	7.00
0718	1			SC	32.00	52.00	7.00
4041	2			TC	32.00	52.00	7.00
7521	1	TWO COLOR		RTCBW	32.00	52.00	8.00
1219	3	90043-11086		TC	32.00	52.00	8.00
0420	1			DCY	32.00	52.00	8.40
2489	6			SCA	32.00	52.00	9.00 / 11.50
6763	1			KB2	32.00	52.00	9.50
0043	4	09283-32009		LTC	32.00	52.00	10.00
7520	1	TWO COLOR		RTCBW	32.00	52.00	10.00
7262	1			SC	32.00	52.00	10.00
1873	2			TC	32.00	52.00	10.00
1633	2	90311-32086/24	90311-32010	TC	32.00	52.00	11.00
3021	3			SA2	32.00	52.00	12.00
1164	1			SC	32.00	52.00	12.00
1874	2			TC	32.00	52.00	12.00
7053	2			RTCW	32.00	53.00	7.00
7054	1			TC	32.00	54.00	7.00
5393	3			TC	32.00	55.00	8.00
7055	1			RTCW	32.00	55.00	10.00
7787	2			SC	32.00	55.00	10.00
6175	1			RSB2	32.00	56.00	10.00
1187	1			SC	32.00	56.00	10.00
6655	2			TC	32.00	56.00	10.00
5141	4			RTB2	32.00	56.00	11.00
6926	2			TC	32.00	58.00	10.00
1983	2	38189-18000		TB2	32.00	58.00	12.00
2375	4			SC	32.00	62.00	6.00
4042	3			SC	32.00	62.00	6.00 / 7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1875	2			TC	32.00	62.00	8.00
6400	4			SC	32.00	62.00	10.00
1876	2			TC	32.00	62.00	10.00
0443	3			SCY	32.00	62.50	6.00 / 7.00
5891	1			TC	32.00	65.00	10.00
0213	1	40533-44000		TC	32.00	65.00	13.00
5892	1			TC	32.00	75.00	10.00
0245	2	09-137		DC	32.00	78.00	9.50
0244	2	09-135		DCY	32.00	78.00	10.00 / 12.00
3295	2	097-409-399A		RTCWY	32.30	48.30	7.00 / 15.00
6363	1			TC	32.50	46.00	7.00
2827	3	AE1602		TBR	32.54	47.63	11.10
2133	12	RE018006		LIJC2	32.54	57.15	5.30
2247	12	RE018006M2		VBYGP	32.54	57.15	6.40
0072	12	28048X		VBX	32.60	42.00	7.30
2587	4			SBG2	32.72	41.28	4.76
0973	6		X7337-13	TBR	32.72	50.80	7.92
0763	4			TC	32.77	50.80	7.92
2695				DVXCT	32.77	50.80	8.76
2694				SAXCT	32.77	50.80	8.76
3289	3	095-323-927G		PVF3	32.80	43.90 / 89.27	18.00 / 29.00
3683	1	N-3348		TB2	32.99	51.92	12.45
5084	6	93210-368G9	93109-33049/52	KC	33.00	39.00	4.00
3040	4		GP40085	RAY	33.00	40.50	6.10
7056	1			TC	33.00	43.00	7.00
7057	1			RTCW	33.00	43.00	8.00
0212	1			TC	33.00	43.00	9.00
1276	12	90311-33085	N-710070 / NJ125	TB2	33.00	44.00	8.00
0099	2			TC	33.00	44.00	8.00
5463	4	AMHD-0851		SC	33.00	45.00	7.00
6237	2			TC	33.00	45.00	7.00
4135	6			DC	33.00	45.00	8.00
1600	4			TC4Y	33.00	45.00	8.00 / 10.30
4150	4			TCL	33.00	45.00	8.00 / 10.00
2000	2	51153-29420		TC4Y	33.00	45.00	10.50 / 12.00
4115	4			VC5Y	33.00	46.00	5.00 / 12.00
5275	4	50037X		SC4	33.00	46.00	7.00
5767	2		K4049801	RTBR	33.00	46.00	8.00
4111	6			DC4	33.00	46.00	10.50
5294	4	92049-1340		DC4	33.00	46.00	10.50
4111	8			DC4	33.00	46.00	11.00
7058	1			TC	33.00	47.00	6.00
0701	1	13510-DO100	13510-88G10	TC	33.00	47.00	8.00
1628	4			SCY	33.00	48.00	8.00 / 13.00
6141	1			TC	33.00	48.00	8.00
0460	2			SC	33.00	50.00	6.00
0558	2			TB5	33.00	50.00 / 61.00	6.00
0538	1			TC	33.00	50.00	6.00
7059	1			TC	33.00	50.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
0541	1			SC	33.00	52.00	6.00
7060	1			RTCW	33.00	52.00	7.00
0098	2			TC	33.00	52.00	10.00
3727	3	27.0187-2	22745	VCY	33.00	54.00	4.80
1517	2	9097240630	9-09724-063-0	SBR	33.00	55.00	10.00
5076	3	BE416OE	CF-29613	TC9	33.00	56.00	8.00 / 13.00
1456	4	27611B		TC9	33.00	59.00	11.00 / 17.00
1778	2			TC	33.00	65.00	12.00
6849	1			TC	33.00	66.00	13.00
3633	4	CR-12925	N-710043	SBFYC2	33.05	66.57 / 79.38	8.00
3841	2			B/C	33.10	39.80	0.80 / 2.40
3840	2			B/C	33.10	41.20	0.80 / 2.40
0906	4			SA2GP	33.25	46.43	9.52
3495	4	6228		B/C	33.30	52.30	1.90
3419	4			VCJ4	33.32	46.02	3.91
0776	3	CR-13021	N-6370N	SBR	33.32	46.43	6.53
0974	4			SA2GP	33.32	46.56	9.52
3691	1	N-473211		TB2	33.32	53.97	7.92
2636	2			SC	33.32	53.98	9.53
3424	3			VC	33.34	39.69	3.18
0864	3			TBY	33.35	50.80	7.95
3635	4	N-5131	CR-13165	TBY	33.35	57.93	8.90 / 23.00
3660	6	6205		B/C	33.50	47.00	1.10
3668	6	GP89200		SC	33.50	48.10	7.32
3151	3		CF-29085C	PVF3	33.50	88.50	29.00
3104	3	095-323-927C	CF-29085D	PVF3	33.50	88.64 / 90.00	27.00 / 29.00
3771	1	N-484058		SB2	33.58	56.57	9.52
1042	32	28148X		VBXC2	33.60	43.70	7.20
3770	1	N-484054		SB2	33.68	52.35	9.52
3772	1	N-5124		SB2	33.68	56.54	12.70
3710	2	N-9161		SB2	33.68	58.72	11.05
3331	2			QTS	33.70	84.50	36.00
3304	1			OKC	33.78	59.70	4.95
3876	3	RS-G1-4B / V	BS#031	B/S	33.89	42.80	2.50 / 3.00
3280	1	75628		POF4	33.90	102.90 / 121.54	19.50
4145	4	91211-GW3-003		VC	34.00	39.00	3.00
5205	6	91211-GAZ98		VCR	34.00	39.00	3.00
5173	4	91211-187-003	91211-KN7-6	KC	34.00	41.00	4.00
4144	6			TC4	34.00	41.00	4.00
2164	4	43100-90081		KBC3	34.00	41.74	10.00
5206	6			KC	34.00	42.00	5.00
6362	1			TC	34.00	42.00	10.00
5893	1	BH2304F	09283-68002	TC	34.00	43.00	4.50
7062	1			TC	34.00	43.00	7.00
0456	1			SC	34.00	44.00	7.00
0404	1			TC	34.00	44.00	7.00
7063	1			TC	34.00	44.00	10.00
6928	2			SC	34.00	45.00	5.00
0722	2			SB2	34.00	45.00	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1194	3			SC	34.00	45.00	7.00
5352	2		CF-65056C(3910)	TC	34.00	45.00	8.00
2444	4	B33358		SCX	34.00	45.00	21.00
1313	2	MB-001118		TC	34.00	46.00	8.00
2470	2			SC	34.00	46.00	10.00
6424	3	與#6423組合	0734-319-562	RSCWB	34.00	46.00	10.50
6423	3	與#6424組合	0734-319-562	LSBRY	34.00	47.00	7.00 / 10.50
7064	1			TC	34.00	47.00	7.00
6142	1			TC	34.00	48.00	4.00
4102	2	F801-10-602		RTC	34.00	48.00	7.00
0077	6	90043-11144	F801-10-602	TC	34.00	48.00	7.00
1455	8	CF-25813	90310-34005 90311-34012	SCR	34.00	48.00	8.00
1572	2	I3042-DO100 XN1285B	F801-10-602	TC	34.00	48.00	8.00
1068	4			HSCL	34.00	48.00	9.00
0253	3	1068-4		TBY	34.00	49.50	12.60 / 20.00
0685	1	32113-N2101		SC	34.00	50.00	7.00
1655	3	32113-14601	ME620713	TC	34.00	50.00	7.00
0100	2			TBY	34.00	50.00	8.00
7351	1			SC	34.00	50.00	10.00
5483	6	BE2549E		TC	34.00	52.00	5.00
5629	2	096-323-862A	CF-34112	SCW	34.00	52.00	7.00
5482	6			TC	34.00	52.00	7.00
7732	4			TC5WY	34.00	52.00 / 65.00	7.00 / 10.50
1779	2			TC	34.00	52.00	8.00
5894	1			TC	34.00	52.00	10.00
6594	1	N-2147		HTB2Y	34.00	52.00	12.00
1941	2			VBRY	34.00	54.00 / 55.00	8.50
5397	4	BH2078F/CF-25911	90311-34005/07/12/16	HTC9	34.00	54.00	9.00 / 16.00
7065	1			TC	34.00	54.00	10.00
7735	1			TC	34.00	54.00	11.00
6034	3			TC	34.00	55.00	7.00
1932	2	38212-73000		TC	34.00	55.00	11.00
6739	2			TC	34.00	56.00	8.00
6412	2	MT034A7	K8149804	LTC9	34.00	56.00	9.00 / 15.00
6850	1			TC	34.00	57.00	7.00
6851	1			TC	34.00	57.00	10.00
1774	2			SC	34.00	62.00	6.00
1984	2			SCY	34.00	62.00	6.00 / 7.00
1940	2	91206-428-0		SCAY	34.00	62.00 / 63.50	8.00
6927	1			SC	34.00	62.00	10.00
5447	4	BH2077E 90311-34010/13/17	CF-25912 N-710109 90311-34008	HTC9	34.00	63.00	9.00 / 15.00
0049	4			RTC	34.00	72.00	10.00
7658	1			SC	34.00	72.00	10.00
5501	1	095-323-927A		PV FY	34.00	88.00	29.00
2870	9	2035		WREP	34.16	57.00	5.54 / 8.30
6413	2	MT035A17	K8149801	LTC9	34.50	57.00	9.00 / 15.50
3012	1	F3097		HTCLY2	34.53	49.50	7.94 / 9.53
3616	4			TBFCS	34.53	56.75	23.40

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
3494	2			TC	34.53	57.15	7.92
0774	4			SC	34.62	56.90	6.35
3682	1	N-3214		SB2	34.67	49.65	11.05
3389	1			SB2	34.67	52.86	7.95
2548	4	N-9569S		TB2	34.67	57.40	11.05
3500	1	CR-13700		SB2	34.67	57.42	7.95
3779	1	N-6939	CR-13738	SB2	34.67	60.32	7.95
2730	2			TB2	34.85	53.98	7.11
3790	1	N-8549S	CR-13508	TBFY	34.85	59.00 / 115.82	12.19
4085	4	N-323138	50480	TC	34.90	46.40	6.00
7061	1			RTCW	34.90	64.00	9.00
2676	2	F2027		TBGS	34.92	44.45	4.75
2085	4	N-323138	50480	TC	34.92	46.40	6.00
2071	1			HSBK	34.92	47.63	8.00
3715	1	S-13314		TB2	34.92	50.80	7.95
0001	8			TC	34.92	50.80	7.95
2637	2			SC	34.92	50.80	12.70
3470	4	24204330	N-100165	TBFY	34.92	53.95 / 63.50	7.80 / 16.30
0972	3			TBR	34.92	53.98	7.92
3192	2	188349		SBJ	34.92	55.56	12.70
0588	1			TBR	34.92	63.55	9.53
2720	2	AR1994-FO		WPB	34.93	41.28	3.17
4037	4			WPB	34.93	41.28	3.17
2922	2			VB21	34.93	41.28	3.18
3396	2			WPB	34.93	44.45	4.75
0907	3	91P1-12		VBC2	34.93	44.45	5.00
0829	2	T3003858		SBC2	34.93	44.47	4.93
3056	3	N-50480		SA2	34.93	46.43	9.53
0783	3	CR-13529		VBXG3	34.93	46.58	4.78
3261	2	N-472354		TB2	34.93	47.60	6.35
0769	1	T3003861	CR-13545	VB	34.93	47.62	6.60
3285	2			SC	34.93	47.63	7.93
2721	2	AR1997-EO		WPB	34.93	47.63	6.35
3569	4	75125S		TC	34.93	49.50	6.86
0152	1			TA2	34.93	49.50	12.70
2994	4	GP45201		TC	34.93	50.29	10.92
3201	2	N-482163	CR-13557PA	SB2	34.93	50.36	7.92
0168	2	CR-13568		SBY	34.93	50.79	7.92
2969	2		SST-H027	SC	34.93	50.80	7.95
0205	6			TB	34.93	50.80	7.95
2529	2	CR-13569	N-472258	TB2	34.93	50.80	7.95
1465	1	AC2005EO		SC	34.93	50.80	8.00
2735	2	N-5872S		SA2	34.93	50.80	8.33
1098	1			SC	34.93	50.80	9.52
2670	2	N-450403		SA2	34.93	52.37	11.10
2700	6	AA-7602-EO		TA2	34.93	53.97	7.92
2616	4	N-471192	CR-13661	TB2	34.93	53.97	7.92
0766	3			TC	34.93	53.97	7.92
0442	1	A 10373		SAL	34.93	53.97	9.53

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
0772	4	CR-13649		SB2(SA2)	34.93	53.98	7.95
0642	1			SC	34.93	53.98	9.53
3062				VAPTF	34.93	53.98	9.53
0613	4	N-450135		SA2	34.93	53.98	11.10
3857	2	13223TB		TB2	34.93	57.15	7.92
1130	3	CR-13671	13223SB	SB2	34.93	57.15	7.95
3006				SA2	34.93	57.15	9.50
1485	2	CR-13684		SB2	34.93	57.15	9.52
2638	2			SC	34.93	57.15	12.70
1047	3			TB2	34.93	57.15	12.70
3644	7	N-2655	CF-31511	LTBFY	34.93	57.15 / 63.50	30.00
3489	3	K5039801		LTBF	34.93	57.25 / 63.60	11.00 / 22.50
1224	1			SC	34.93	57.38	9.53
3060	2	N-427639	640959	VB2	34.93	57.96	6.35
0927	1	CR-13810		SBY	34.93	62.00	7.95
3623	4	CR-13839	N-7687S	SBRYC2	34.93	63.50	7.95 / 9.53
3788	1	N-7245	CR-13862	VB21	34.93	63.55	6.35
0068	4			TC	34.93	69.01	9.53
2515	2			SC	34.93	80.16	9.53
3763	2	N-4532N		LTBCYW	34.93	89.97	10.08
3271	2			TC	34.93	90.29	7.92
3490	3	K6119806		TBR	34.95	49.40	12.70
3541	6	125214		TBFLC2	34.95	57.15 / 63.50	11.00
3079	7			LTBF	34.95	57.20 / 63.50	11.00
5555	4			SJ	35.00	40.00 / 59.00	16.00
5566	2			SL	35.00	40.00 / 52.00	17.00
2262	4			GA	35.00	41.00	5.00 / 8.00
2361	6			GA	35.00	41.00	5.00 / 7.00
2193	6			VBG2	35.00	42.00	3.50
7632	6			VB	35.00	42.00	4.00
2292	2			VC	35.00	42.00	4.00
7314	3			VCW	35.00	42.00	4.00
5794	2			OKA	35.00	42.00	5.00
7733	3			VB2	35.00	42.00	5.50
7066	1			TC	35.00	42.00	8.00
3848	1	OS0100402	CMSK.2.GR	OKCY	35.00	42.50 / 44.70	5.70 / 8.45
AZ 0003	8			VC	35.00	43.00	4.00
6077	1			TC	35.00	43.00	6.00
1473	2	90311-35038		TBC2	35.00	44.00	7.00
0792	3	N-340853		VC	35.00	44.50	4.80
7315	3			VCW	35.00	45.00	4.00
2359	2			VBGV	35.00	45.00	5.00
2094	2			SC	35.00	45.00	6.00
0809	8			GA	35.00	45.00	7.00 / 10.00
7240	2			GC	35.00	45.00	7.00 / 10.00
0547	1			SC	35.00	45.00	7.00
2029	4			SC	35.00	45.00	7.00
6058	2			TC	35.00	45.00	7.00
2492	4			DCX	35.00	45.00	24.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6728	2	54152 / 31612A	96040762	LTC	35.00	46.00	7.00
0361	1			SB	35.00	46.00	8.00
6764	2			SC	35.00	47.00	5.00
1423	2			VBG2	35.00	47.00	5.00
7284	1			DKB	35.00	47.00	7.00 / 10.00
4040	3			LTCW	35.00	47.00	7.00
0136	4			SC	35.00	47.00	7.00
5895	2			TB2	35.00	47.00	7.00
2030	7			TC	35.00	47.00	7.00
7614	2			TCJ	35.00	47.00	7.00
0392	2			TCY	35.00	47.00	7.00 / 9.00
6393	4			TCY	35.00	47.00	7.00 / 12.00
1179	2	0734-319-461	32212	LTCW	35.00	47.00	8.00
0663	4			SC	35.00	47.00	8.00
0962	1			TC	35.00	47.00	9.50
0390	4			TC	35.00	47.00	10.00
6284	2	BH5406F	90043-11345	RTC	35.00	48.00	5.00
4193	6	90311-35023		RTBC	35.00	48.00	7.00
0153	2			SC	35.00	48.00	8.00
5371	4	AD2048H	CF-66057A(3914)	TB2	35.00	48.00	8.00
5264	3			TC	35.00	48.00	8.00
1806	2			TC	35.00	48.00	10.00
4190	6			DC4	35.00	48.00	11.00
1915	2	1T3-2314500	2K5-2345-00	DC4Y	35.00	48.00	11.00
1613	4	92049-1029	93001-35019	TC4	35.00	48.00	11.00
3593	6	0437-17-335		LTBFR2	35.00	48.00 / 55.00	13.00 / 15.00
3607	6	0376-17-3350(A)	66557A	LTBRF	35.00	48.00 / 55.00	13.00 / 15.00
1939	2	91255-400-7		TC	35.00	48.00	14.00
5144	6	90311-35013	90311-35003/40/17	RTC	35.00	49.00	6.00
6049	4			TC	35.00	49.00	12.50
3585	4	AH7895E		HTCYL2	35.00	49.50	8.50
1178	2	89422-30260	8-94223-026-0	LTC	35.00	49.50	12.50
5505	4		CF-66070B(3916)	TC	35.00	50.00	6.00
7226	1			OSC	35.00	50.00	7.00
6099	2	010-997-4547	31910N	RSBC	35.00	50.00	7.00
5192	6	90310-35005/ N-713771 MD008762	N-3771/CR-13943 35136-07200	SC	35.00	50.00	7.00
2225	3			SCBR	35.00	50.00	7.00
5127	4	91213-PH7-003		SCW	35.00	50.00	7.00
1780	2	93102-35M18		TC	35.00	50.00	7.00
4232	2	157G-6700AC		KCW	35.00	50.00	8.00
7523	4	TWO COLOR		RTCBW	35.00	50.00	8.00
4192	4	MD372536	AH2057E	RTCW	35.00	50.00	8.00
1493	1	7703-087-07	MD016310 32136-U0100	SC / RSC	35.00	50.00	8.00
CK 0081	4			TC	35.00	50.00	8.00
1158	7	AH2057QO 91212-611-003/004	MD008762	TC	35.00	50.00	8.00
5117	2	90320-35005		HTBW	35.00	50.00	9.50
6143	10			LTCW	35.00	50.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7522	4	TWO COLOR		RTCBW	35.00	50.00	10.00
1877	2			SBY	35.00	50.00	10.00
1078	2	N-1980		SC	35.00	50.00	10.00
0270	4	770-308-709		TC	35.00	50.00	10.00
0402	6	32136-E0100	AH2060WO	TC	35.00	50.00	11.00
5032	2			TC	35.00	50.00	12.00
CQ 0169	2			TB2	35.00	50.32	8.00
7757	1			TC	35.00	51.00	10.00
2192	4			SCB	35.00	52.00	5.00
1739	1	GJ2068E		SCY	35.00	52.00	5.50 / 9.00
5095	4		CF-37011	LTCBV	35.00	52.00	7.00
6740	2			RTCW	35.00	52.00	7.00
2273	2			SC	35.00	52.00	7.00
CQ 0037	4			TC	35.00	52.00	7.00
5451	10	CB125T		TC	35.00	52.00	7.00
0231	2	09-123		TCY	35.00	52.00	7.00 / 7.50
4254	1	PS 368955	58306	HTC	35.00	52.00	8.00
2031	1			SC	35.00	52.00	8.00
2268	3	93102-35M13		SCBR	35.00	52.00	8.00
CQ 0012	4			TC	35.00	52.00	8.00
0529	2	90043-11041	29310	TC	35.00	52.00	8.00
6035	3			RTB2	35.00	52.00	8.80
5745	1			SC	35.00	52.00	9.00
0522	3			TC	35.00	52.00	9.00
5835	2	89161	24014	DC	35.00	52.00	10.00
7524	3	TWO COLOR		RTCBW	35.00	52.00	10.00
6144	4			RTCW	35.00	52.00	10.00
1079	1			SC	35.00	52.00	10.00
2356	2			TC	35.00	52.00	10.00
5565	3			KC9F	35.00	52.00 / 58.00	10.50
1878	2			TC	35.00	52.00	12.00
1636	2	38332-21000		TC9	35.00	52.00	12.00 / 18.00
3795	3	N-4150N	N-710096	HTBFY	35.00	53.95 / 56.9/64	7.80 / 19.40
4252	2	PS 368954	58312	HTC	35.00	54.00	7.00
1737	2	91212-PC6-003	91212-PD2-004	TC	35.00	54.00	8.00
0211	1			TC	35.00	54.00	9.00
5432	4	B5214E	CF-35211	HTC9	35.00	54.00	9.50 / 13.50
5406	3	15650-53B	CF-66074A	SBR	35.00	54.00	9.50
0193	2			TC	35.00	54.00	10.00
6741	2			TC	35.00	54.00	11.00
3556	6	N-3543 / 24202835	CF-33007	HTB5A	35.00	54.89 / 61.00	10.00 / 14.65
3731	2		AW55-550SN	HTBFA	35.00	54.89 / 61.00	10.00 / 14.65
6004	1			TC	35.00	55.00	7.00
5769	3	AH2081F		HTC	35.00	55.00	8.00
7526	1	TWO COLOR		RTCBW	35.00	55.00	8.00
6431	1			SC	35.00	55.00	8.00
CQ 0071	4			TC	35.00	55.00	8.00
0521	4	0603-26-154		TC	35.00	55.00	8.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
5401	4	AH2083E 90311-35019	CF-25811	HTC9	35.00	55.00	9.00 / 15.00
5639	2			RTCWB	35.00	55.00	9.00 / 7.00
0550	2			TC	35.00	55.00	9.00
7525	2	TWO COLOR		RTCBW	35.00	55.00	10.00
6990	1			SC	35.00	55.00	10.00
1736	5			TC	35.00	55.00	10.00
2293	2	90311-35004		TA2	35.00	55.00	11.00
0585	4	90311-35071 AF2085A	90043-11092	TC	35.00	55.00	11.00
6001	3			TCV	35.00	55.00	11.00
4271	4	HE-H		RTCW	35.00	55.00	12.00
4269	4	HE-185	40/00038/3	SB2	35.00	55.00	12.00
5971	3			SB2	35.00	55.00	12.00
6608	4			TB2	35.00	55.00	12.00
6481	3			TC	35.00	55.00	12.00
6482	3			TC3	35.00	55.00	12.00
7350	4			TC6F	35.00	55.00 / 62.00	12.00 / 16.00
5970	3			TCB	35.00	55.00	12.00
1777	4			TCS	35.00	55.00 / 51.00	16.00
6422	3			LTC9	35.00	56.00	8.00 / 11.00
7476	3			SC	35.00	56.00	8.00
7469	1			TC	35.00	56.00	8.00
5939	5	MD707184	42152 AH6901	HTC9	35.00	56.00	9.00 / 12.50
3609	6	F001-27-238 F7GE-1177A	91206-PE6-0	TC9	35.00	56.00	9.00 / 15.00
7527	2	TWO COLOR		RTCBW	35.00	56.00	10.00
5807	1			SC	35.00	56.00	10.00
0575	4	N-223543		TC	35.00	56.00	10.00
6006	3			TC	35.00	56.00	12.00
5961	1	124968500	與#5960組合	SCW	35.00	57.00	7.50
1879	4			TC	35.00	57.00	10.00
6259	8			TC	35.00	58.00	5.00
6681	1			RTCW	35.00	58.00	7.00
6656	1			LTCW	35.00	58.00	8.00
6786	2			RTC9	35.00	58.00	8.00 / 11.50
6068	2	MB092527		SA2	35.00	58.00	10.00
0362	3	MB092527		TB/TA2	35.00	58.00	10.00
5268	3			TC	35.00	58.00	10.00
7067	1			RTCW	35.00	58.00	12.00
7068	1			RTCW	35.00	58.00	15.00
* 5567		AQ7745E		AO	35.00	58.00	17.00
5426	3	AH8146E	CF-35212	HTC9	35.00	58.95	9.50 / 13.00
7352	1			SC	35.00	60.00	7.00
7401	1			TC	35.00	60.00	8.00
5734	2			LTCW	35.00	60.00	10.00
7528	3	TWO COLOR		RTCBW	35.00	60.00	10.00
5033	2	22144-33004		TC	35.00	60.00	10.00
5578	6	T139S-8		VBYO	35.00	60.60	15.50
2260	2	93102-35180		LTCY	35.00	62.00	6.00 / 10.00
1998	2	93102-35146	93102-35054	TC	35.00	62.00	6.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
0535	5			SC	35.00	62.00	7.00
CQ 0061	2			TC	35.00	62.00	7.00
6489	1			TC	35.00	62.00	7.00
0553	4			TC	35.00	62.00	8.00
3598	6	91205-689-005	28211 / N-4901 / N-223553	TC9	35.00	62.00	9.00 / 12.50
7529	2	TWO COLOR		RTCBW	35.00	62.00	10.00
1185	4			SC	35.00	62.00	10.00
CK 0176	4			TC	35.00	62.00	10.00 / 8.00
1735	6			TC	35.00	62.00	10.00
1693	4	09283-35008	AE7362E	TC9	35.00	62.00	10.00 / 17.00
5960	1		與#5961組合	VCWY	35.00	62.00	11.00 / 12.50
0664	2			TC	35.00	62.00	12.00
* 5556		AQ7985P		AQB	35.00	62.00 / 69.00	16.00
1807	2			TC	35.00	63.00	10.00
1962	2			TC	35.00	64.00	7.00
6135	2			TC	35.00	64.00	8.00
1111	1	38189-02700/AU00		TC	35.00	64.00	13.00
6014	1			TC	35.00	65.00	10.00
7773	2	TWO COLOR		RTCBW	35.00	65.00	11.00
2466	2	MB001170		TB2	35.00	65.00	12.00
1961	4			TBY	35.00	65.00	12.00
6929	2			SC	35.00	68.00	8.00
1402	1	AH2136F	CF-28010	HTC9	35.00	68.00	9.00 / 12.50
2500	2	90043-11153		TC9	35.00	68.00	9.00 / 15.50
5034	2			TC	35.00	68.00	10.00
5330	2			TC	35.00	70.00	8.00
6522	2			TC / RTC	35.00	70.00	10.00
5641	2			TC	35.00	72.00	7.00
0241	2	09-165		TCY	35.00	72.00	7.00 / 8.00
1012	4	09283-35022	09283-35031	TC3Y	35.00	72.00	7.60 / 9.50
0282	1			DC	35.00	72.00	8.00
1880	2			SB2	35.00	72.00	8.00
7649	3			SC	35.00	72.00	8.00
4098	6	09283-35036		TCY	35.00	72.00	9.50
0633	5			SC	35.00	72.00	10.00
1881	2			TC	35.00	72.00	10.00
2158	2			SB2	35.00	72.00	12.00
4016	4			SC	35.00	72.00	12.00
1203	1			TC	35.00	72.00	12.00
2060	5			TC	35.00	72.00	12.00
1401	1	91206-689-005	AH2145F	LTC9	35.00	76.00	9.00 / 12.50
7069	1			TC	35.00	76.00	10.00
7650	3			TC	35.00	80.00	8.00
1650	2	09283-35006	AH7363E	LTCF	35.00	80.00 / 84.00	9.00
7470	1			SC	35.00	80.00	10.00
5642	2			TC	35.00	80.00	10.00
3505	12			SBR	35.23	58.22	13.25
CK 0107	6			BOOT	35.50	62.80 / 68.80	9.00
5772	2			RTB2	35.50	68.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
2759	4	N-8660S	CR-13990	TBK	35.53	58.22	11.70
3638	4	N-4795		TBFC2	35.53	63.00 / 69.85	8.73
5606	2	098-323-862A		RTCBW	35.70	58.00	7.00
3545	6	31614		TBR	35.72	49.40	12.70
3591	6	CR-14381		HSBFC2	35.72	63.10 / 70.05	13.70
1507	4	77044	28311	OVC	35.80	43.00	7.00
1978	2			TB2	35.80	68.00	10.00
5142	3			RTB2	35.80	68.00	12.00
0909	6	91P1-16		VB2	35.81	39.62	3.05
3497	2			TCV	35.89	47.77	6.35
6375	2	90311-36005		TC	36.00	44.00	5.00
2215	2			GA	36.00	45.00	5.00 / 7.00
7241	2			GC	36.00	45.00	7.00 / 10.00
2438	1			TC	36.00	45.00	7.50
6509	3			TC	36.00	46.00	7.00
7070	1			RTCW	36.00	46.00	9.00
0416	1			SC4	36.00	46.00	10.50
4017	2			SBG2	36.00	47.00	7.00
6930	1			SC	36.00	47.00	7.00
6432	2			TC	36.00	47.00	10.00
7741	2	1100-0101-0306-44		MBR	36.00	47.50	3.00 / 3.80
6779	3			DKB	36.00	48.00	7.00 / 10.00
1999	2	1K7-23145-0		TB4	36.00	48.00	10.50
1263	2			TC4R3	36.00	48.00	10.50
7403	1			RTC	36.00	49.00	6.00
0699	1	13510-01M00	CR-14007	TC	36.00	49.00	7.00
7071	1			RTCW	36.00	50.00	7.00
7408	1			TA2	36.00	50.00	7.00
6931	1			TC	36.00	50.00	7.00
6690	1			RTCW	36.00	50.00	8.00
6145	1			TC	36.00	50.00	10.00
2206	2			SC	36.00	52.00	7.00
6991	1			TC	36.00	52.00	7.00
0496	2			DC	36.00	52.00	8.00
5138	4			TB2	36.00	52.00	8.00
6411	2			TC	36.00	52.00	8.00
1531	2	MD-703743	N-223608 / NJ612	LTC	36.00	52.00	10.00
0210	1			TC	36.00	54.00	7.00
5708	8			LTCW	36.00	54.00	7.50
7766	6	TWO COLOR		RTCBW	36.00	54.00	7.50
6053	3			TC	36.00	54.00	10.00
0036	5	770-308-7068		LTCW	36.00	54.00	11.00
7767	4	TWO COLOR		RTCBW	36.00	54.00	11.00
6030	3			TB2C	36.00	54.00	11.00
1995	4	38342		TC9	36.00	55.00	11.00 / 15.00
5301	2	91209-HA7-671	CF-19181M	TC9	36.00	56.00	7.00 / 12.00
5035	2			TC	36.00	56.00	8.00
6117	1			TC	36.00	56.00	10.00
7072	1			TC	36.00	57.00	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
2207	2			SC	36.00	58.00	10.00
0644	1			DC	36.00	62.00	7.00
6524	3			LTCW	36.00	62.00	10.00
1397	2	1398-2		TCS	36.00	62.00	12.50 / 17.00
0246	1			TC	36.00	63.40	12.50
0482	1	38189-A6100		TB2	36.00	64.00	13.00
1205	8	F3170		TCY	36.00	66.00	10.50 / 12.00
1186	1			SC	36.00	68.00	10.00
6525	3			TC	36.00	68.00	10.00
1652	2	09283-36002		DCFY	36.00	72.00 / 76.00	6.00
5036	2			TC	36.00	72.00	8.00
7443	2			TCF	36.00	80.00 / 83.50	8.00
0954	3	91P1-16		VB2	36.32	39.62	3.05
2801	2	PC1104		TC	36.37	50.80	7.94
6523	2	N-710355	NK158 / BH4592E	LTC	36.50	50.50	7.00
2876	0		33093666093	SBAFC2	36.50	50.50	14.70
3191	3	RVIC-429284		TCBRV	36.50	50.80	7.92
2944	4			TBY	36.50	57.15	12.70
3781	1	N-6966		VB2	36.50	61.90	6.35
3760	1	N-450746		SA2	36.50	68.22	12.70
3001	1	PC494		TC	36.51	47.62	6.35
6248	1			RTC	36.51	49.55	7.00
1023	2	AP8243EO		TC	36.51	50.80	7.94
2585	4			SC	36.51	53.98	6.35
2639	2			SC	36.51	57.15	9.52
0627	1			SC	36.51	59.13	9.52
2640	2			SC	36.51	63.50	12.70
3122	2	CR-14283		TB2	36.52	60.30	7.95
3193	4	3610071		TCSP	36.52	62.03	6.86
0358	2	701M6700A1A		HSC	36.60	52.50	12.00
3499	4			VBYO	36.62	69.72	11.43
3177	4	MD951482	CF-25414	LTAXF	36.69	57.15	13.10
2690	1			VBYP A	37.00	40.90	1.90 / 2.63
5037	2			TC	37.00	46.00	8.00
7490	2			RTCW	37.00	47.00	10.00
6526	3			RTCW	37.00	47.50	5.20
2441	4			TC	37.00	47.50	7.00
1265	2			DCY	37.00	49.10	8.00 / 10.00
5038	2			TC	37.00	50.00	8.00
4105	6			LTC	37.00	50.00	9.00
CQ 0050	6			TC3Y	37.00	50.30 / 55.00	8.00
7743	4	Ars G6848		XICY	37.00	50.50 / 54.70	5.50 / 15.00
3039	4	BH4592E		RTC	37.00	50.80	7.00
7073	1			TC	37.00	57.00	8.00
4249	2	PS 313955	83706	RTCW	37.00	57.00	10.00
5327	3	9828-37105		TC4	37.00	57.00	10.00
7074	1			RTCW	37.00	60.00	10.00
4248	2	PS 313954	83707	LTCW	37.00	61.00	10.00
7075	1			RTCW	37.00	61.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7076	1			RTCW	37.00	62.00	7.00
0480	1			SC	37.00	62.00	8.00
0424	1			DC	37.00	62.00	9.00
6287	1			TC	37.00	62.00	12.00
5896	1			TC	37.00	65.00	10.00
3694	2	BD1M1249AA		SC	37.28	58.50	7.00
3575	2	SE-132		SA2	37.28	62.00	11.88
1208	3			VC	37.31	47.63	4.76
3111	4	37465-41		TA2	37.31	57.15	9.13
0658	6	W185184		TC6	37.34	59.06	8.89
3659	6	6305		B/C	37.50	53.35	1.30
6426	3	與#6425組合	0734-319-529	LSCYW	37.50	60.50 / 88.00	8.00 / 11.50
6425	3	與#6426組合	0734-319-529	RSCYW	37.50	88.00	7.00
2668	2	CR-541688		SA2	37.70	53.98	7.94
3352	2			SC	37.90	52.70	6.35
0856	2			SB2	37.95	47.60	6.50
1587	2	90311-38033		SC5Y	38.00	44.00 / 48.30	12.80 / 17.50
2364	6			KBRFC2	38.00	46.00 / 52.00	14.50
2195	2	90311-38146		TBG2	38.00	47.00	7.00
7282	1			TC	38.00	47.00	7.00
5045	2			TC	38.00	47.00	8.00
1376	2	43252-J200		SB2	38.00	47.00	10.00
6091	1			VC	38.00	48.00	4.00
7316	3			VCW	38.00	48.00	4.00
6268	3			DKB	38.00	48.00	7.00 / 10.00
7242	2			GC	38.00	48.00	7.00 / 10.00
5039	2			TC	38.00	48.00	8.00
7077	1			RTCW	38.00	48.00	10.00
5358	1			KBG2	38.00	50.00	6.00
5367	4	AH8740H	YSK-1074	RTC	38.00	50.00	6.00
5288	8			KC	38.00	50.00	7.00
4272	4			RTC	38.00	50.00	7.00
4015	2			SBY	38.00	50.00	7.00
0458	2	90311-38034/17	29972-80050 / N-223800	SC	38.00	50.00	7.00
6809	2			TB2	38.00	50.00	7.00
2061	2			TBG2	38.00	50.00	7.00
0221	2			TC	38.00	50.00	7.00
0285	2			TCY	38.00	50.00	7.00 / 9.00
2088	1			TB2	38.00	50.00	8.00
0047	2	90311-38036	N-223801	TC	38.00	50.00	8.00
1262	2			TCY	38.00	50.00	8.00 / 9.50
5414	3	31336-X8000	CF-27411/BH1289E	LTC	38.00	50.00	9.00
0391	9	90311-38025	90311-38031/46	TC	38.00	50.00	10.00
1781	2			TC	38.00	50.50	8.50
6559	2			TC	38.00	51.00	7.00
5474	6	OS-001		GARY	38.00	51.00	8.00 / 10.00
5475	6	OS-001		GARY	38.00	51.00	8.00 / 10.00
3606	4	53554 / BH2107E	M502-14-335A	LTBRF	38.00	51.00 / 58.00	13.00 / 15.00
5638	2	AE1503		SC	38.00	52.00	5.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1001	1	MA-125844	AF-2221-WO	KB2	38.00	52.00	6.00
0568	1	N-1196	71-550270	VBF	38.00	52.00 / 59.00	6.00
4053	12	STH201313		SBC2	38.00	52.00	7.00
1080	6			SC	38.00	52.00	7.00
4073	2			TC	38.00	52.00	7.00
7362	1			LSC	38.00	52.00	8.00
5931	1			RTC	38.00	52.00	8.00
4196	14	31084		RTCW	38.00	52.00	8.00
2039	2			SC	38.00	52.00	8.00
1695	4	11060041		TCF	38.00	52.00 / 62.00	8.50
1945	2	40232-18000		KC	38.00	52.00	9.50
2005	1			SC	38.00	52.00	9.50
2255	2			SC/LSC	38.00	52.00	10.00
2032	1			TC	38.00	52.00	10.00
2808	2	N-3357		VBF	38.00	52.04 / 58.50	6.35
1273	1			TC	38.00	52.50	8.00
2006	1			SC	38.00	53.00	7.00
6852	1			TC	38.00	53.00	8.00
5420	4	BH2254F 91205-PC8-931	CF-28713	LTC9	38.00	54.00	8.00 / 11.50
7340	2			RTC9	38.00	54.00	9.00 / 15.50
2123	1			SC	38.00	54.00	10.00
1503	3	92050-92		SC	38.00	55.00	6.00
7659	1			SC	38.00	55.00	7.00
1782	2	13510-H1000		TC	38.00	55.00	7.00
3535	6	90311-38020	CF-25010	RTBR	38.00	55.00	8.00
5305	2	93102-38417	CF-19186M	TB9YC2	38.00	55.00	8.00 / 15.80
1611	4	90043-11022		TC	38.00	55.00	8.00
6250	4	90311-38020		RTBR	38.00	55.00	8.70
0016	3	13042-18000 90311-38020/29	XNJ022B 13510-H10000	TC3	38.00	55.00	9.00
1422	2			TC	38.00	55.00	10.00
1752	2			SC	38.00	55.50	9.00
5041	2			TC	38.00	56.00	9.00
6018	4			RTB9	38.00	56.00	10.00 / 13.50
7436	1			SC	38.00	56.00	10.00
1783	2			TC	38.00	56.00	10.00
5159	2			SB2	38.00	56.40	6.40
5158	2			SAXCF2	38.00	58.00	7.00
5307	2	91203-957-003	CF-19178M	KC	38.00	58.00	8.00
6300	1			TC	38.00	58.00	8.00
6096	1			SC	38.00	58.00	10.00
6260	1			TC	38.00	58.00	10.00
5396	3	AH22401 / 25114 48850A	90311-38043 57B00	27792-LTC	38.00	58.00	11.00
5843	5			TB3	38.00	58.00	11.00
1543	6	90311-38040/38005	04332-30010	TBG2	38.00	58.00	11.00
0017	3		90311-38013	TC	38.00	58.00	11.00
0097	2	806738070	AH8655PO	RTC	38.00	59.00	9.00
5897	1			TC	38.00	60.00	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
0048	4			TC	38.00	60.00	8.00
1883	2			TC	38.00	60.00	8.00
6285	1	29971-80051	29971-80051	TC9	38.00	60.00	8.00 / 14.50
1729	1			TC	38.00	60.00	10.00
1772	1	NJ887	N-223845	TC	38.00	62.00	7.00
6932	1			SC	38.00	62.00	10.00
1884	2			TC	38.00	62.00	10.00
1165	1			SC	38.00	62.00	12.00
7341	2			HTC	38.00	63.00	9.00
7339	2			LTC9	38.00	63.00	9.00 / 15.50
0096	2	90311-38011		TB9	38.00	63.00	10.00 / 17.00
7756	1			TC	38.00	63.50	10.00
5042	2			TC	38.00	64.00	8.00
5898	1			TC	38.00	64.00	10.00
0209	1	90311-38093		TC	38.00	65.00	9.00
5040	2			TC	38.00	65.00	10.00
1451	6	90311-38014/15/19/57	90311-38007/27/ 48/52/124	HTBYG2	38.00	65.00	12.00 / 19.00
6616	1			TC	38.00	68.00	10.00
5044	2			TC	38.00	70.00	8.00
1885	2			TC	38.00	72.00	10.00
0133	8	90311-38133	CR-14767	RTB2	38.00	74.00	11.00
1702	1	90311-38010/35/134	90311-38028/79	TC	38.00	74.00	11.00
0582	6	AR2263-OO		WPB	38.10	47.63	4.78
0918	1	91P1-10		VBC2	38.10	47.63	4.75
1211	8		AF2263G0	VB2	38.10	47.63	4.76
3725	4			TBY	38.10	47.63	4.80 / 5.80
2800	2	PC474		TC	38.10	47.63	6.35
0175	16	AF2264EO	CR-14810	VB2	38.10	47.63	6.35
2756	6	AR7901-EO		WPB	38.10	47.63	6.35
2641	2			SC	38.10	47.63	12.70
2935	6			KB2	38.10	50.27	6.35
2066	14	CR-14840	15191VB	VBR	38.10	50.36	4.78
3165	6	15192		TB2	38.10	50.37	6.35
0012	3	N-452554		SA2	38.10	50.37	11.10
2737	6	N-41257	CR-14848	TB2	38.10	50.52	6.35
3507	6			VB	38.10	50.52	6.40
2810	2	N-3677		KBF	38.10	50.52	7.24
3504	6	N-3677		KBF	38.10	50.52 / 63.00	8.00
2547	4	CR-14848	N-3677	KB2	38.10	50.55	6.35
0923	4			TBY	38.10	50.80	4.76
1487	2			SB2	38.10	50.80	6.35
2723	6	AR2269-FO		WPB	38.10	50.80	6.35
2594	2	CR-14855	N-481163	SB2	38.10	50.80	7.92
1028	1	300913		SC	38.10	50.80	7.92
0870	2			WPB	38.10	50.80	7.92
2528	4	CR-14864	CR-14867	SB2	38.10	52.37	7.87
2880	6	CR-550270	N-3357	VBF	38.10	52.40 / 58.50	6.35
2669	2	N-450394		SA2	38.10	53.98	11.10

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
3711	1			SC	38.10	54.07	7.95
3110	2	15222VH	CR-14960	VB21	38.10	57.15	6.35
0946	1			VBRG2	38.10	57.15	6.40
3302	1	N-470625/GM4412475	AD7860EO	TB2	38.10	57.15	7.92
0159	4			TC	38.10	57.15	7.95
3513	12		CF-33081	RSBRGS	38.10	57.15	9.52
1051	1	N-470548		TB2	38.10	57.15	9.52
2750	2			TC	38.10	57.15	9.52
0441	1			SALF	38.10	57.15	9.53
0834	3	CR-14966		VC	38.10	57.20	6.40
3579	4			TBKG2	38.10	57.94	18.25
3315	4			TBR	38.10	59.06	11.10
3204	2	CR-15233	CR-14975	VB18	38.10	59.13	9.90
2867	9	N-203013		VA18	38.10	59.13	10.30
2843	4			VB2	38.10	59.13	10.31
1406	8	CR-14974	CML-11	VB18	38.10	59.13	12.70
3617	4	CR-14972		VBKC2	38.10	59.13	12.70
3335	2			TC	38.10	60.27	7.89
2954	24			VA2	38.10	60.30	6.35
3858	2	152372VH		VB21	38.10	60.30	6.35
3121	4	04638904		LTBFY	38.10	60.32 / 67.00	20.00
3522	3	N-7692S	CR-14978	LTBF	38.10	60.32 / 69.85	38.00
3401	2	N-470380		TB2	38.10	60.33	7.92
2856	2			SC	38.10	60.33	11.10
3514	12	N-470059		LTB2	38.10	60.33	12.70
3540	10		CF-33003	LTB2Y	38.10	60.33	12.70
0149	2	5056		TBR	38.10	60.33	14.29
2896	4	33015 / N-2194 /8350138	04638904 / N-4370N	LTBF	38.10	60.38 / 67.00	11.60
2838	12	N-9613S		LTB5	38.10	60.38 / 65.00	11.80
3515	12	N-9613S	CF-33002	LTB5	38.10	60.38 / 65.00	11.80
3270	3			TB2	38.10	61.90	9.52
2865	3	C/R 527517	N-8790E	OE	38.10	62.53	7.37
3061	2	N-481837	994258 / N-473228	TB2	38.10	63.50	7.92
3589	9			SB2	38.10	63.50	11.10
1037	1	N-51098		VB2	38.10	63.50	11.10
2863	4	N-481837		SB2	38.10	63.55	9.53
2832	4			KATTC	38.10	63.55	12.70
2612	2	N-450067		SA2	38.10	63.55	12.70
2823	4	SE28	CR-15190	VB21	38.10	66.63	6.35
0755	2			VC	38.10	68.25	9.53
3313	6			TC	38.10	69.11	9.53
3475	1			TC	38.10	69.95	7.05
3175	2	76544		TC	38.10	71.84	7.95
2738	1	F3733	CR-15234	SBKC2	38.10	72.01	7.95
3328	3			SB2	38.10	73.03	7.95
0010	2			SA2	38.10	88.90	12.70
2806	3	N-331228H		SBFRP2	38.15	57.12 / 62.30	9.65
6682	1			LTCW	38.50	50.00	7.00
6683	1			LTCW	38.50	50.00	8.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
5669	6			VARY	38.50	50.80	8.00 / 9.50
7413	1			RTC	38.50	58.00	8.50
2480	2	90311-38024/38002	AH2304EO/N-710318	RTC	38.50	58.00	11.00
3322	6	68660567		VAXRS	38.50	68.90	7.00 / 17.00
3684	1	N-8610		RTBF	38.63	67.46 / 75.30	10.76
3791	1	N-8611N		RTBF	38.63	67.46 / 75.20	15.08
2715	2			SC	38.86	63.50	7.92
3518	6	CR-15778	N-5778	TA5Y	38.89	71.04 / 80.17	6.35 / 13.90
3809	1	N-8935S		Y	38.90	63.85	28.00
7415	1			TB2	39.00	50.50	8.50
4202	6	BR3714E		TCL	39.00	51.00	8.00 / 9.50
4203	6	BE3715F		VCFY	39.00	51.50	4.70 / 11.50
5334	1			TB9	39.00	52.00	6.30 / 11.30
1266	2			DC4	39.00	52.00	11.00
6264	1	52713-24000		TB2	39.00	52.00	11.00
CK 0062	6			TCA1	39.00	52.00	12.50
CQ 0062	6			TCA1	39.00	52.00	12.50
5540	2	328802		KB	39.00	54.00	6.00
1457	8	27612		TC9	39.00	57.00	11.00 / 17.00
5427	3		CF-27615	TC9	39.00	57.00	15.50 / 21.50
5121	4		CF-29612A	TC9	39.00	59.00	11.00 / 17.00
7425	1			RSC	39.00	60.00	10.00
2473	3	15514		TCY	39.00	62.00	12.00 / 17.00
2007	1			SC	39.00	65.00	9.00
3822	2	PS 380031		PISTON	39.10	120.00 / 121.90	12.80 / 16.50
3676	1	178241	178217	KBY	39.20	50.39	8.50
2942	3	MJM 65257		TB2	39.37	63.55	12.70
0340	1	N-8695S	CR-15460	SB2	39.42	68.26	12.70
0981	2	CR-15788	N-5778	TB5Y	39.42	70.60 / 80.26	6.40 / 16.90
7424	1			RSC	39.50	60.00	10.00
6563	2	K8139806		RTC9	39.50	64.00	9.00 / 15.50
3730	2	NOK-BH3063E	AW55-50SN	HTC	39.50	75.00	10.00
2710	3			SC	39.56	55.50	8.50
3808	1			TBF	39.57	57.15 / 62.00	10.50
* 3808		N-8935S		TBFY	39.57	57.15 / 63.85	11.50 / 38.60
3561	8			KBF	39.58	55.00 / 64.80	8.40
2711	3	951482		SAFTG2	39.58	57.10	13.00
3542	10		CF-33082	TBF	39.58	60.32 / 69.00	9.90
3080	4			TBFP2	39.58	60.32 / 69.00	9.90
7491	2			RTCW	39.60	52.00	10.00
7596	2	MD731708	K4119802	TC6Y	39.60	52.00	10.00 / 11.00
5096	4		CF-37012	LTCBV	39.60	56.00	10.00
2975	2	N182075		DCWJF	39.67	52.37	7.62 / 11.89
2699	6	AA-7601-EO		TA2	39.67	53.98	8.01
3026	2	F4120	331930	SC	39.67	57.15	9.52
3033	4	10875115		SB2	39.67	57.15	9.53
3075	4	HW365		TBK/TA	39.67	62.65	9.52
3058	3	N450185	8123077 / CR-50185	SA2	39.67	63.50	12.70
2545	9	5796		SA2	39.67	68.22	9.53

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
3596	3			TBR	39.67	72.00	12.70
3554	12	N-49012		TBFC2	39.68	58.06 / 63.00	9.80
0629	1	N-450064		SA2	39.68	61.91	12.00
3431	1			TC	39.69	63.65	12.70
* 3150	2			HSBKP	39.69	72.00	12.70
3150	2		CF-49913A	HSBKP	39.69	73.03	12.70
3831	2			OVV	39.70	50.80	3.20
0491	1	N-1195		TC5	39.70	52.35 / 57.78	8.59
3647	2	N-7994		VB2	39.70	52.37	5.15
2914	4	1986		DCYJ	39.70	52.37	7.62 / 12.00
3744	9	S-14717-1		KAT	39.70	52.40	4.77
0124	6	13042-B3000	N-8160	RTC3	39.70	62.00	11.00
3059	2	N-473229	CR-15655	SB2	39.70	63.55	7.95
3008	2	CR-15635	N-473229	TB2	39.70	63.55	7.95
3222	2	CR-15656TC		TC	39.70	63.55	7.95
5842	2			VB	39.80	48.00	6.00
3816	2	33009 / 8643935	75152G / 8643931	HTAF	39.96	57.94 / 63.50	9.90 / 12.70
3797	2	451-AX-02047		VBV	40.00	44.00	4.00
6748	2			VC	40.00	45.00	1.80
1684	1	90310-40001		SCFR2	40.00	46.00 / 49.00	12.80
5088	4			KBC2	40.00	47.00	4.00
7317	3			VCW	40.00	47.00	4.00
2386	2			VC	40.00	48.00	4.00
5185	8			GA	40.00	48.00	5.00 / 8.00
6158	1			RSB2	40.00	48.00	8.00
0429	2			OS	40.00	49.00	4.20
6684	1			RTCW	40.00	49.00	7.00
6019	3			KCY	40.00	49.60	5.50 / 7.30
5709	4			LTC	40.00	49.60	5.50
5948	3			VA2	40.00	50.00	4.00
7318	3			VCW	40.00	50.00	4.00
5081	4			GA	40.00	50.00	5.00 / 8.00
7243	2			GC	40.00	50.00	5.00 / 8.00
0625	2			OVV	40.00	50.00	5.00
6933	1			TC	40.00	50.00	5.00
2313	12			GA	40.00	50.00	7.00 / 10.00
7244	2			GC	40.00	50.00	7.00 / 10.00
6685	1			RTCW	40.00	50.00	7.00
2033	2			SC	40.00	50.00	8.00
7353	1			TC	40.00	50.00	8.00
5994	1			TC	40.00	50.00	10.00
5143	4			TB2	40.00	51.00	10.00
2177	2			GA	40.00	52.00	5.00 / 8.00
5710	2			LTC	40.00	52.00	5.00
CK 0086	6			SC	40.00	52.00	5.00
7319	3			VCW	40.00	52.00	5.00
3614	6			TCFR2	40.00	52.00	5.50 / 9.00
1946	2	90312-40011		VBVG2	40.00	52.00	6.00
1578	2			DKB	40.00	52.00	7.00 / 8.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
5584	2	0734-310-298		RSC	40.00	52.00	7.00
6804	2	0734-319-588		RTCW	40.00	52.00	7.00
1137	5	N-224010		SC	40.00	52.00	7.00
3578	6			SC	40.00	52.00	7.00
0671	4	90311-40108	AA2342E	TA2	40.00	52.00	7.00
2034	8	13042-42L00 13510-77S05/10	13510-10Y10 90043-11206 N-224015	TC	40.00	52.00	7.00
6635	1			TCY	40.00	52.00	7.00 / 7.50
5140	6	321-501-641		LTCF	40.00	52.00 / 58.00	7.50
3624	4			TBF2	40.00	52.00 / 57.00	7.70
6657	2			RSB2	40.00	52.00	8.00
1416	2	90043-10043		TC	40.00	52.00	8.00
0961	4			TC4Y	40.00	52.00	8.00 / 9.50
5109	6	94608502		TCF3	40.00	52.00 / 62.00	8.50
0745	2	N-1217		SC	40.00	52.00	9.00
1081	2	014-409-399	N-224015 / NJ765	TC	40.00	52.00	9.00
5899	1			TB2	40.00	52.00	10.00
0534	3			TCY	40.00	52.00	10.00 / 10.50
0632	2	0398-33-065	13042-3000	TB2	40.00	54.00	5.00
1082	1	0187-33-065		VB2	40.00	54.00	5.00
6761	3			LTCBW	40.00	54.00	6.80
1128	3	B001-26-154		TB2	40.00	54.00	7.00
1734	2	09283-40009		TC	40.00	54.00	7.00
6420	2			TC	40.00	54.00	7.00
5253	4	B001-26-154	KK150-26154	TBR	40.00	54.00	8.00
7342	2			HTC	40.00	54.00	9.00
3680	2	6206		B/C	40.00	54.71	1.10
0400	1			VC	40.00	55.00	5.00
5287	8	90311-40006		TC	40.00	55.00	6.00
4236	2	96FB-1175-AA		KB2	40.00	55.00	6.50
1440	6	GJ2361QNM65		SCY	40.00	55.00	6.50 / 9.00
0327	2			LTC	40.00	55.00	7.00
1083	6			SC	40.00	55.00	7.00
1761	2			TB2	40.00	55.00	7.00
6005	2			TC	40.00	55.00	7.00
5768	2	AH2359F		HTC	40.00	55.00	8.00
6565	2	XS6R-3K169-AA		HTCB	40.00	55.00	8.00
2036	8	0187-10-507		RTC	40.00	55.00	8.00
2035	4	N-224020		SC	40.00	55.00	8.00
4032	4			SC	40.00	55.00	8.00
0487	4	N-473677		TBKC2	40.00	55.00	8.00
0015	1	1-09625-15500	NB384	TC	40.00	55.00	8.00
1463	1	13042-01M00	N-4681	RTC	40.00	55.00	9.00
5778	1			SC	40.00	55.00	10.00
6487	1			TC	40.00	55.00	10.00
1969	3			HTB2	40.00	56.00	7.00
5139	4	N-224025		RSB2	40.00	56.00	7.00
5543	2	8-94214-913-0 8-97023-373-0	8-94214-912-0 N-224025	RTC	40.00	56.00	7.00
1188	2			SC	40.00	56.00	7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6962	2			TC	40.00	56.00	7.00
6472	2	AH2365H		HTC9B	40.00	56.00	8.00 / 13.00
2037	1			SC	40.00	56.00	8.00
1936	4	38342-M8001	27211 / 90043-11291	TC	40.00	56.00	8.00
5075	6		CF-29612	TC9	40.00	56.00	8.00 / 13.00
5421	4	BH3146H/BH3146E	CF-28911	HTC9	40.00	56.00	9.00 / 12.50
6414	2	BH3146F/24010	90311-40010	HTC9	40.00	56.00	9.00 / 15.50
5418	4	XS4P-7H260AA	CF-32311D	HTAFP	40.00	56.00 / 63.00	10.00 / 17.00
6236	1			TC	40.00	56.00	10.00
6934	1			SC	40.00	56.00	12.00
7591	2	89FF6B653AC-FORD		RTBFY	40.00	56.50 / 98.80	7.00 / 11.80
5046	2			TC	40.00	57.00	8.00
5162	3	33763		RTCW	40.00	57.00	9.50
2465	2			TB2	40.00	57.00	10.00
0060	2			TC	40.00	57.00	10.00
5670	2			RSB2	40.00	57.15	10.00
1148				SC	40.00	57.15	10.00
5900	1			SB2	40.00	57.50	10.00
3071	8	N-3459 / 4412522	CR-15750	HTBF	40.00	57.94 / 64.00	10.70
0384	1			SC	40.00	58.00	7.00
5289	8			TC9	40.00	58.00	7.00 / 12.00
5299	6	91209-HA7-771		TC9	40.00	58.00	7.00 / 12.00
1535	2	ME623281		RTC	40.00	58.00	8.00
6785	2	AH2369G		RTC9	40.00	58.00	8.00 / 11.50
2038	1			TC	40.00	58.00	8.00
6473	2	BH6349E		HTC9	40.00	58.00	9.50 / 16.00
6471	2	AH2369J		HTCFA	40.00	58.00 / 65.00	9.50
5381	8	09283-40028	CF-29211	HTCW	40.00	58.00	10.00
5597	2			LTCW	40.00	58.00	10.00
5737	4			RTC	40.00	58.00	10.00
7530	2	TWO COLOR		RTCBW	40.00	58.00	10.00
1784	2			TC	40.00	58.00	10.00
3626	4			TCYRS	40.00	58.00	10.00 / 11.00
6643	3			HTBCA	40.00	58.00	11.30
7589	3	TWO COLOR		RTCWT	40.00	58.00	11.30
5567	2			TC6	40.00	58.00	11.50
1785	2			TC	40.00	58.00	12.00
7690	2			TCM	40.00	60.00	3.00 / 8.00
5417	4		CF-32310D	RSC	40.00	60.00	6.00
6992	1			SC	40.00	60.00	7.00
6007	1			TC	40.00	60.00	7.00
6686	1			RTCW	40.00	60.00	8.00
7694	1			TC	40.00	60.00	8.00
7460	2	02A-301-189A	C-1388	HTCBW	40.00	60.00	10.00
7361	1			LSC	40.00	60.00	10.00
2040	8			RTC	40.00	60.00	10.00
6911	2			RTCW	40.00	60.00	10.00
0459	7			SC/RSC	40.00	60.00	10.00
6853	2			SCY	40.00	60.00	10.00 / 16.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6067	3			TB2	40.00	60.00	10.00
6963	2			TC	40.00	60.00	10.00
5177	2			TC	40.00	60.00	12.00
7078	1			TC	40.00	61.00	10.00
5286	2	DLR40		KB	40.00	62.00	5.00
2150	2			SBG2	40.00	62.00	7.00
1084	6			SC	40.00	62.00	7.00
1762	2			TB2	40.00	62.00	7.00
1168	2			TC	40.00	62.00	7.00
5560	3			TCAF	40.00	62.00 / 68.00	7.00 / 11.00
4238	3	PS 311951	56550B/565506	RSBC	40.00	62.00	7.50 / 8.50
5431	4	AH2386G	CF-28712	RTC9	40.00	62.00	8.00 / 11.50
0573	3			SC	40.00	62.00	8.00
2041	3			TC	40.00	62.00	8.00
1412	4			TC	40.00	62.00	9.00
6098	2	012-997-8747		LTBCY	40.00	62.00	10.00 / 12.00
5736	4			LTC	40.00	62.00	10.00
1510	2			SAX2G2	40.00	62.00	10.00
7653	1			SC	40.00	62.00	10.00
6988	2			TB2	40.00	62.00	10.00
0021	4	93103-40077	13042-B3000/L1600	TC	40.00	62.00	10.00
B 7690				TCMA	40.00	62.00	10.00
3582	4			TBKYCS	40.00	62.00	10.80 / 12.00
0089	2	32136-J2000 91205-PC8-711	1363-17-335 111-405-641A	TC	40.00	62.00	11.00
1389	3	90043-11066	32136-J2000 5-09625-059-0	TC	40.00	62.00	12.00
5556	4			TB6F	40.00	62.00 / 69.00	13.00
5464	2	4338893		RDBF	40.00	62.00 / 72.00	14.00
* 5560		AZ8603P		AZ	40.00	62.00 / 73.00	20.00
6727	2	K5079803	BH4575F	HTCY	40.00	63.00	3.00 / 8.50
5435	4	BH4575E	CF-35011	HTCA	40.00	63.00	8.50
7564	1			TC	40.00	63.00	12.00
7561	3	BH6492F		RTC9	40.00	64.00	8.00 / 14.00
5047	2			TC	40.00	64.00	8.00
6687	1			LTCW	40.00	64.00	10.00
5316	4	TKQ290114A0		TB9YG2	40.00	64.00	16.00
0312	1	TCS45651117		SL	40.00	64.00	18.00
6490	1			TC	40.00	65.00	7.00
2042	4			SC	40.00	65.00	10.00
1573	4			TC	40.00	65.00	10.00
4086	4			TC	40.00	65.00	10.00
1529	2	90043-11159	AH2403E	RTC	40.00	65.00	12.00
2831	4	SE14X		VB21	40.00	65.02	6.35
5408	4	BH0253E	CF-28612	RTC9	40.00	66.00	8.00 / 11.50
5959	1	124966700	與#5958組合	SCW	40.00	67.00	8.00
6854	1			TC	40.00	67.00	10.00
7675	1			TC	40.00	68.00	6.00
7477	3			TC	40.00	68.00	7.00
6604	1			SC	40.00	68.00	8.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7637	1			TC	40.00	68.00	8.00
2043	1			RTC	40.00	68.00	10.00
1140				SC	40.00	68.00	10.00
1574	1			TC	40.00	68.00	10.00
5079	2			TB2	40.00	68.00	12.00
0691	2	N-6336S		OV	40.00	68.85	6.50
2487	2			TC	40.00	70.00	8.00
6380	1			SC	40.00	70.00	10.00
6071	1			TC	40.00	70.00	10.00
2306	1			SC	40.00	72.00	7.00
6935	2			TC	40.00	72.00	7.00
0345	3			NCY	40.00	72.00	8.00 / 9.00
0351	1			SC	40.00	72.00	8.00
5048	2			TC	40.00	72.00	8.00
6993	1			SC	40.00	72.00	10.00
1786	2			TC	40.00	72.00	10.00
6293	1			SC	40.00	72.00	12.00
2360	2			TC	40.00	72.00	12.00
1526	2			TC5	40.00	72.00	12.00
5958	1		與#5959組合	VCY	40.00	72.00	12.00 / 13.50
5671	2	8-94121-539-0		RTB9F(TBJF	40.00	74.00 / 85.50	10.00 / 19.00
1549	2	5-909724003	9-09724-003-0	TBY	40.00	74.00	10.00 / 19.00
5901	1			TC	40.00	74.00	10.00
6274	1	97146826-0/BE5616E	8-97146-826-0	RTB9F	40.00	74.00 / 86.00	11.00 / 18.00
6257	1			TC	40.00	75.00	9.00
6527	1			LTC	40.00	75.00	10.00
2315	2	0604-27-018		TC	40.00	75.00	12.00
2208	4	BH1952F	48918	LTC9	40.00	76.00	9.00 / 12.50
5049	2			TC	40.00	76.00	10.00
6452	1			TC	40.00	80.00	7.00
7651	3			SC	40.00	80.00	8.00
7478	6			TC	40.00	80.00	8.00
1206	2			SC	40.00	80.00	10.00
CK 0155	2			TC	40.00	80.00	10.00
1170	1			TC	40.00	80.00	10.00
1654	2			TC	40.00	80.00	12.00
6936	1			SC	40.00	85.00	10.00
7759	1			TC	40.00	85.00	10.00
6238	1			TC	40.00	90.00	8.00
CK 0236	2			SC	40.00	90.00	10.00
6937	1			SC	40.00	90.00	10.00
CK 0237	2			TC	40.00	90.00	10.00
7396	2			TC	40.00	90.00	10.00
6229	1			TC	40.00	90.00	12.00
3002	1	PC1275		TC	40.08	53.98	6.35
3599	6			TBFP2	40.08	57.94 / 64.00	10.70
3180	1	90316-40001	CF-26018	DCX1	40.08	57.94	13.40
3003	1	PC1277	N-1192	TC	40.08	60.33	9.35
5957	1	124610900	與#5956組合	VC	40.20	55.00	5.50

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
5956	1		與#5957組合	VCWY	40.20	60.00	8.00 / 10.50
6483	1			TCY	40.20	72.00	10.00 / 13.50
3716	4	HE0101		DB	40.40	49.30	9.00
3209	3	CR-544185		TBKV	40.48	63.50	6.35
3320	3			TA2	40.49	61.90	15.88
3806	2	N-4765		TBF	40.59	62.89 / 69.50	8.89
3145	40	N-4764	CF-33011	LTBFPY	40.60	62.86 / 69.85	20.50
0181	2			KCY	40.60	67.00	18.00 / 22.50
0892	2	91P2-7		VBY	40.64	76.96	9.78
3567	4		K51731A	HTBFCS	40.80	57.94 / 63.51	12.70
3407	3	24201936	K3039803	HTB	40.87	59.13	15.80 / 16.80
0174	16			VBY	40.89	44.04	3.17
3588	6	N-2658	CF-31513N	SBFRS	40.89	61.85 / 68.50	8.50
3571	1			HSBFRS	40.89	62.00 / 68.50	10.30
5172	4			KC	41.00	51.00	5.00
6314	1			TC	41.00	52.00	7.00
0031	2	90311-41123	90043-11208	TB2/TAG2	41.00	53.00	7.00
7642	4	4EB-23145-01	13411-01515 / BR3976J	DC4Y	41.00	53.00	8.00 / 10.00
0511	2			TC4	41.00	53.00	10.50
7742	4	NOK BR4935F		XICY	41.00	53.50 / 57.70	4.50 / 14.00
1264	2			DC4	41.00	54.00	11.00
5341	2	90311-41003/01		TB2	41.00	55.00	6.00
6261	1	90311-41001		TC	41.00	55.00	7.00
1316	4	43262-H100		SB2	41.00	56.00	7.00
0584	4	CR-550232	43252-H1000	SC	41.00	56.00	7.00
5941	1			TB2	41.00	56.00	7.00
1925	3			TC	41.00	56.00	7.00
1970	3			TC	41.00	56.00	7.00
6572	2	MD755904	37312 / K4039802	HTC9	41.00	61.00	9.00 / 13.50
6570	2	97GT-7A248-AA		RTCB	41.00	61.85	7.60 / 9.50
0382	1			SBR	41.00	65.00	9.00
0926	1	1205Q2123X		SBY	41.07	50.80	7.92
3651	1	CR-16146	N-4762N	HTBF	41.09	72.16 / 81.00	12.70
0566	4	N-8835	CR-16044	TB2	41.10	65.41	12.70
3260	4			TBR	41.15	49.30	6.20
4225	5	HE05A		TBR	41.15	49.30	6.20
0925	1			SB	41.15	50.80	5.80
0173	8			SBC2	41.15	50.80	5.84
3581	4			SBR	41.15	59.72	18.25
1062	6	N-8835S		SBR	41.15	65.41	13.70
1000	2			SC	41.20	53.77	7.95
3463	2			TB2	41.25	57.15	7.94
0943	6			VC	41.27	50.80	4.75
0993	6			SBY	41.27	50.80	6.40
0166	8			SBC2	41.27	50.80	6.76
3820	2			WPB	41.27	53.97	6.35
2566	4			HSC	41.27	53.98	6.35
3083	6	CR-16064		EB	41.27	59.23	11.13
3646	1			TC	41.27	60.30	7.92

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
0860	2			TA2	41.27	62.00	11.88
3429	1			TC	41.27	63.65	7.93
0780	8			VBRC2	41.28	44.45	3.20
0778	1			VC	41.28	44.45	3.20
0915	3	91P1-11		VBC2	41.28	50.80	4.75
2745	2	W100363		WPB	41.28	50.80	4.76
2073	1	N-481181N	CR-16054	SBR	41.28	53.98	6.35
3194	3	RVIC-429282	CR-16045	TCRV	41.28	53.98	6.35
1667	4			HSC	41.28	55.96	7.14
2746	2	W100373		WPB	41.28	57.15	4.76
1189	1			SC	41.28	57.15	9.52
1021	1			SA2	41.28	57.15	12.70
2829	3	KB1291		SBG2	41.28	58.74	7.94
2854	4	CR-16069		VB18	41.28	59.13	11.13
2582	9	450358		SAX2P2	41.28	60.30	11.11
1096	5			VBRC2	41.28	60.33	6.35
2882	4			KC	41.28	60.33	9.52
0681	6			TC	41.28	60.33	9.52
2642	4			SC	41.28	60.33	12.07
2789	2	CR-16117		SBY	41.28	61.93	7.95
2501	4			TA2	41.28	61.93	11.89
0648	3	CR-16189		TA2	41.28	62.00	15.87
0754	4	16253TB		TBY	41.28	63.50	7.95
2643	2	N-473010	CR-16247	SC	41.28	63.50	12.70
3353	1			TA2	41.28	63.55	12.70
3590	6	E60W-1177-AA	CF-33043 / N-3622	HTBFP2	41.28	64.00 / 72.00	11.10
3069	4	GA10A-0230	CF-46511	HTAFP	41.28	64.00 / 71.00	12.00
3642	4	46311		HTAFP	41.28	64.00 / 71.00	16.00
2649	4			SC	41.28	65.08	6.35
3570	6	CR-16284	CML14	VB21	41.28	65.08	6.35
2909	2	CR-16289	N-4763S	VB18	41.28	65.10	11.13
2919	4	4137426	N-8835S	HTBF	41.28	65.48 / 71.83	13.80
2543	4	N-450096		SA2	41.28	66.62	12.70
3677	2	SP6718.436.2		B/C	41.30	62.00	2.10
3538	6	N-8835S		TBR	41.48	65.40	12.95 / 13.72
3792	1	N-8620N		TB2	41.78	67.46	10.31
5306	2	91271-HC4-004	CF-19184M	TC	42.00	51.00	7.00
6688	1			LTCW	42.00	52.00	4.00
7682	2			GC	42.00	52.00	5.00 / 7.00
5458	2	12384		TBG2	42.00	52.00	7.00
7604	1			TC	42.00	52.00	7.00
4197	14	31080		LTCW	42.00	52.00	8.00
2382	2			SC	42.00	52.00	8.00
7788	2			TC	42.00	52.00	8.00
6528	2			LTC	42.00	52.00	10.00
1105	1			DC	42.00	52.50	7.00
7079	1			TC	42.00	53.00	8.00
1953	4	PS-2872		VCX	42.00	54.00	1.20 / 3.00
6855	1			TC	42.00	54.00	6.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6856	1			TC	42.00	54.00	7.00
1952	4	PS2874		SCBRN	42.00	54.00	8.00
7080	1			RTCW	42.00	54.00	10.00
7670	4	BR2004F		KCFY	42.00	54.50 / 62.00	9.00 / 15.00
3600	6	4334		TB2	42.00	55.00	6.00
2183	2			SC	42.00	55.00	7.00
4093	4			TB3	42.00	55.00	7.00
0308	4	09283-42008 0187-26-154	90311-42055	TB3R	42.00	55.00	7.00
2170	2			TC	42.00	55.00	7.00
0046	2			SC	42.00	55.00	7.50
6427	3	0734-319-535		HTCW	42.00	55.00	8.00
1085	2	N-224210	90311-42018	SC	42.00	55.00	8.00
CQ 0197	12			TC	42.00	55.00	8.00
0377	4	93011-42021/7	N-224205 / NJ267	TC	42.00	55.00	8.00
1539	2	MB-001115		RTB2	42.00	55.00	9.00
6782	3			RTCB	42.00	55.00	9.00
1443	2	0187-26-154	5-09625-022-0	TC	42.00	55.00	9.00
5433	4	AH2484E/ 26111	90311-42024	LTBRC	42.00	55.00	10.00
5554	4	AD8046E		TA3F	42.00	55.00 / 63.00	12.00
5673	1			RSBF	42.00	56.00 / 63.00	7.00
2020	2	N-224220	N-3774	SC	42.00	56.00	7.00
6529	2			TC	42.00	56.00	7.00
2425	4			TC	42.00	56.00	9.00
6857	1			RTCW	42.00	56.00	10.00
1107	1	91252-693-0	BG-1583FO	KC	42.00	56.20	7.00
1977	2			TB2	42.00	57.00	10.00
5672	4			SB2	42.00	57.15	10.00
CK 0128	4	TOSK.103.Z		TB2	42.00	58.00	7.00
5303	2	91252-HB6-003	CF-19177M	KC	42.00	58.00	8.00
1425	2			TC	42.00	58.00	8.00
6617	1			HTC9W	42.00	58.00	9.00 / 16.00
5309	2	91255-HB0-881	CF-19188M	KC3A	42.00	58.00	10.00
7437	1			SC	42.00	58.00	10.00
5270	2	32136-01G10	CF-26915 / N-2000N	TC	42.00	58.00	10.00
7327	2			RSB2	42.00	58.00	19.00
5073	3		CF-29610	HSC	42.00	59.00	7.70
6501	2			RTCY	42.00	59.00	7.70 / 8.50
0579	4	90311-42012/10/26	AH2492G / 26310	RTC	42.00	60.00	7.00
1010	3	90311-42007/12/15	90311-42003/01/19	RTC	42.00	60.00	7.00
2141	4	26310	90311-4205	HTBRGS	42.00	60.00	8.50
5398	4	31344-X0102	27410 / MD610203	RSC	42.00	60.00	9.00
6828	3	91A24-07900		RTC3	42.00	60.00	9.00
1356	4	90311-42014/42001	AH7886F	TC	42.00	60.00	9.00
5711	3			RTCW	42.00	60.00	10.00
7695	1			SC	42.00	60.00	10.00
1787	2			TC	42.00	60.00	10.00
2045	1			SC	42.00	62.00	7.00
CK 0249	3			TB9Y	42.00	62.00 / 66.00	7.00 / 11.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
2321	12			TC	42.00	62.00	7.00
2137	12			TC/RTC	42.00	62.00	7.00
1363	2			TC4Y	42.00	62.00	7.00 / 9.00
6286	2	K6069801	A140-997-0846	LTBCY	42.00	62.00	8.00 / 9.00
6118	2			RTCW	42.00	62.00	8.00
1086	6			SC	42.00	62.00	8.00
5688	2			TC	42.00	62.00	8.00
2046	2			RTCW	42.00	62.00	10.00
1300	2	A55017		SA2	42.00	62.00	10.00
1087	3			SC	42.00	62.00	10.00
0310	2			TC	42.00	62.00	10.00
4062	3			TC	42.00	62.00	10.00
1301	2	A55012		SB2	42.00	62.00	12.00
2049	2			TC	42.00	62.00	12.00
6214	1			RSB2	42.00	63.00	8.00
5790	1			SC	42.00	63.00	9.00
7565	3			SC	42.00	63.00	10.00
5241	3			TC	42.00	64.00	10.00
7081	1			RTCW	42.00	65.00	8.00
5837	2			SC	42.00	65.00	9.00
5732	3			LTCW	42.00	65.00	10.00
1771	3			TC	42.00	65.00	10.00
1476	2	90311-42083	MB160578/00296	RTB2	42.00	65.00	12.00
4267	4	HE-G		RTB2	42.00	65.00	12.00
5845	1			TC	42.00	65.00	12.00
6530	3			LTCW	42.00	66.00	8.00
7354	1			TC	42.00	68.00	8.00
5323	3			TC	42.00	68.00	10.00
5050	2			TC	42.00	70.00	8.00
1088	2			SC	42.00	70.00	10.00
1889	1			TC	42.00	70.00	10.00
7265	1			TC	42.00	72.00	7.00
6087	1			TC	42.00	72.00	8.00
4270	4	HE-F		SC	42.00	72.00	10.00
4266	3			TB2	42.00	72.00	10.00
6611	3			TB2	42.00	72.00	10.00
2320	4			TC	42.00	72.00	10.00
1887	1	38189-31300		TC	42.00	72.00	12.00
1516	2			TC	42.00	72.50	12.00
5243	2			TC	42.00	75.00	9.00
7696	1			SC	42.00	75.00	10.00
5553	3			TC	42.00	75.00	10.00
6020	4			TC	42.00	75.00	12.00
0172	8	580325-C1		VCY	42.00	77.78	9.52
5051	2			TC	42.00	78.00	8.00
5052	2			TC	42.00	80.00	8.00
6453	1			TC	42.00	80.00	10.00
6506	2			TC	42.00	80.00	12.00
5074	2		CF-29611	DC9	42.00	90.00	9.50 / 13.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6383	2			TC	42.00	90.00	10.00
3587	4			SC	42.04	62.00	9.53
2551	1	7160T38		HTCY	42.06	65.02	11.66 / 12.70
0150	2	5056		TCY	42.06	66.87	8.70 / 10.00
3461	2	TCM-165293		TB2	42.06	74.59	9.53
3811	3	DRAB643735		B/C	42.10	57.60	1.50 / 1.70
3269	2	58119		OVBY	42.11	104.95	24.94
3327	1	19825A	095-323-217G	PVF2	42.20	53.00 / 115.50	13.60 / 17.00
3524	1	N-7038S	CR-16871	LTBF	42.47	63.50 / 72.00	14.00
2920	2	4338655		TB4F	42.47	66.68 / 80.17	13.49
2932	3			KB2(SE22)	42.67	65.07	12.70 / 14.57
2766	4	1800013		WREP	42.67	70.49	5.51
2740	2	N7022S		TBY	42.77	59.10	13.49
3785	1	N-7022S		KFY	42.85	51.05 / 59.13	7.20 / 13.48
3783	1	N-7038		TA2	42.85	63.55	14.78
3639	9	N-9178S		VA2	42.85	66.17	5.97
3214	2	N-8516N		TB2	42.85	66.62	11.10
3311	16	N-200886		OEA	42.85	68.60	7.10
3838	3	N-410086N		TA2	42.85	77.77	12.70
3586	4			TB2	42.85	79.38	12.70
3523	12	N-23385	N-4099	KB4FC2	42.86	55.00 / 66.28	8.00
3573	4	77601		LTC	42.86	59.93	9.52
3548	16		F2296	VA3EC2	42.86	61.00	6.00
3508	6	33100		SBKCS	42.86	61.91	6.35
2644	2			SC	42.86	63.50	9.52
2751	2			TC	42.86	63.50	9.52
* 3521	3	N-7300S	CR-16725	LTBFY	42.86	63.50 / 72.00	11.50 / 32.00
2836	6	N-9556		LTBF	42.86	63.50 / 72.00	14.29
3503	10	N-9556	CF-33005	LTBF	42.86	63.50 / 72.00	14.29
2736	6	CR-523501		TBY	42.86	64.79	12.70
2696	2	CR-16747		TBC2	42.86	64.82	11.94
3168	2		53000477	HTCBY	42.86	65.10	9.53 / 12.30
3643	4		CF-33016	RSBFPA	42.86	66.62 / 73.00	9.52
3830	2	52067595		HTBF	42.86	66.65 / 76.00	12.70
3067	4	39246-1	N-710067	HTBKP2	42.86	77.00	12.70
0812	3			SA2	42.88	57.89	7.92
3200	4	K429705		VCQ	43.00	48.00	2.50
5840	2			KB	43.00	50.00	9.00
6858	1			TC	43.00	53.00	10.00
2780	2	43252-M7000		KBC2	43.00	54.00	7.50
1504	2			TC	43.00	54.00	7.50
5989	1			SC	43.00	55.00	5.00
0846	1			TBRC3	43.00	55.00	7.00
0751	2	40232-21000	N-1233	KC	43.00	55.00	8.00
0495	2			TC4	43.00	55.00	10.50
CK 0215	2			VBFY	43.00	56.00 / 63.00	11.50
6102	2	018-997-0447		RSBC	43.00	58.00	7.00
6060	4			TB2	43.00	59.00	10.00
6589	1	N-320583	MD707575	TC	43.00	60.00	8.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7593	2	MK043A8	K8239801	RTC	43.00	62.00	6.00
5502	1	095-323-217B		PVFY	43.00	91.00	27.00
5627	3	097-409-528A		RSCWY	43.00	92.00	6.50 / 10.50
* 5627				SET	43.00	92.00 / 93.00	12.00 / 17.00
5628	3	097-409-530A		LSCWY	43.00	93.00	4.50 / 10.30
3879	2	DRAB583328/584428		VCBA	43.22	51.73	3.20
2765	6	1800199		WREP	43.23	72.00	15.01
3650	1	CR-17053	N-3747	HTBY	43.25	78.33	12.70
3257	2			VB18	43.30	68.96	9.12
3653	1	CR-17005		HTBF	43.31	78.33 / 83.00	13.90
5631	1	095-323-257	CF-34180BN	POF2	43.40	107.70	15.00
* 3363	2			VB2	43.60	57.15	4.85
0086	2	N-442251		VB2K	43.64	65.05	12.70
2888	12	AD2548EO	17255TB	TB2	43.65	65.05	12.70
3107	6			TBY	43.65	65.05	12.70
2065	6	N-442251	CR-17146	VB2	43.65	65.05	12.70
2598	2			SA2	43.65	73.03	11.89
3287	6			VB03	43.66	65.05	11.12
3091	6	A7452		VBYG2	43.66	65.05	12.70
2852	10	CR-521277		KBY	43.66	65.09	12.70
3057	16	WSG2	CR-504270	VAG2	43.81	57.15	7.14
3777	1	N-6840S		KB2	43.94	59.33	6.35
1040	1	N-8121S		VB2	43.94	59.33	11.94
0095	4	43252-M7000		SB2	44.00	54.00	7.50
5369	4	BH3845F	YSK-1063	RTC	44.00	55.00	6.00
7082	1			RTCW	44.00	55.00	7.00
5122	4		CF-29610A	HSC	44.00	59.00	6.80
1537	4	MB-008882	AH25549	TC	44.00	60.00	7.00
1424	2			TC	44.00	60.00	9.00
6938	1			SC	44.00	60.00	10.00
6454	2	N-224460		TC	44.00	60.00	10.00
1104	1			TBR	44.00	60.50	11.50
1427	6	09283-44009	09283-44006	TBY2C2	44.00	62.00	8.00 / 14.00
1888	1	09283-44007/9	N-224462	TC	44.00	62.00	8.00
5300	2	91252-HB3-003	CF-19180M	KC	44.00	62.00	9.00
5415	3	AH2560F / 26911	31336-X6901	LTC	44.00	62.00	10.00
7438	1			TC	44.00	62.00	10.00
6059	2			TC	44.00	62.00	12.00
1719	1	NM-85/110	GJ7422P	SCY	44.00	65.00	6.50 / 9.00
7793	2			SC	44.00	65.00	10.00
1694	4	95605015		TCY	44.00	65.00	10.00 / 12.00
5582	1	MD000254	AH2564F	RTC3	44.00	65.00	11.00
0183	1	MD000254	NJ007	TC	44.00	65.00	11.00
6384	1			LSC	44.00	68.00	8.00
1664	3	91207-639-005 / 78195A	28912 / 91207-PG4-005 AH7689F	RSC	44.00	68.00	8.00
1377	2	39212-95960		SC	44.00	68.00	12.80
5053	2			TC	44.00	70.00	8.00
7794	1			TC	44.00	70.00	12.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1651	2	09283-44011		DC5Y	44.00	72.00	7.00 / 9.00
0479	2			Y5	44.00	72.00 / 76.00	8.00
7795	1			SC	44.00	72.00	10.00
7083	1			RTCW	44.00	76.00	12.00
5585	8	T179SP-8P		VBYO	44.00	79.20	19.70
2401	1	RP-010-323-217A	CF-31180	PVF4	44.00	87.00 / 93.00	15.00
3693	1	N-8705S		KBF	44.04	60.96 / 66.00	5.84
0492	2	N-8705S	CR-17187	VB2K	44.04	61.08	6.10
1039	1			VA2	44.05	59.53	6.35
2648	4	CR-17145		VB18	44.05	69.24	13.00
2550	4	6379T36		KBY	44.17	59.33	6.40 / 11.94
3520	3	N-8460N	CR-17190	TBFP2	44.17	71.44 / 83.00	15.00
3776	1	N-6818		TBFY	44.20	46.20 / 80.30	12.70
2826	7			KBC2	44.25	57.15	6.35
3746	2	N-3227		RTBF	44.40	56.20 / 60.60	8.90
3476	4			VB	44.45	50.80	3.18
4049	2			GA	44.45	52.43	2.78 / 4.76
2724	4	AR2573-FO		WPB	44.45	53.98	4.76
0938	1			SBC2	44.45	53.98	4.95
0912	1	91P1-22		VBC2	44.45	53.98	5.08
3123	3		S-A622	SCY	44.45	55.00	4.00 / 6.60
0953	3	91P1-6		VBC2	44.45	56.64	6.35
0913	3			VBC2	44.45	56.64	6.40
3363	2			VB2	44.45	57.15	4.76
0895	3	AR2575-FO		WPB	44.45	57.15	6.40
3397	2			WPB	44.45	57.15	7.92
2950	3	CR-17231		SBC2	44.45	57.15	7.95
2972	3	B-371		RTBP	44.45	57.15	8.60
2918	4	33004681	N-321460	RTBR	44.45	57.15	9.53
3124	3		S-A622	VCY	44.45	58.74	8.30 / 9.10
2068	8			VBKC2	44.45	59.13	7.93
3625	4	N-482126		SBKC2	44.45	59.13	11.10
0867	3			TC	44.45	59.90	12.70
0849	2	N-473237		TB2	44.45	60.30	7.92
3368	2			WPB	44.45	60.32	6.35
3464	0			SB2	44.45	60.32	11.12
3112	4	UW-0134E	12068	DBR	44.45	60.32	12.70
4029	4			TBP2	44.45	60.33	7.92
0191	3			TC	44.45	61.95	7.92
2510	2			SA2	44.45	61.95	11.89
0592	2	N-471504/63035	CR-17290	TB2	44.45	62.00	7.95
3477	4			VC	44.45	63.50	3.96
2519	2			SC	44.45	63.50	6.35
2793	4	CR-17392		VBY	44.45	63.50	6.35
3283	1			SC	44.45	63.50	7.93
3196	30	B002B2223	S-4746	KATF	44.45	63.50	8.70
3385	1			TC	44.45	63.50	9.53
3090	3	N-472164	CF-3935 / CR-17387	TB2	44.45	63.55	7.92
4116	6		F6311	LTBP	44.45	63.55	7.95

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
2991	4	CR-17386 / N-482164	90310-35001-N	SB2	44.45	63.55	7.95
3689	1	N-450494		SA2	44.45	63.55	9.52
0759	1			TA2	44.45	63.55	12.70
2928	2	71-17406	204502	VAP2	44.45	65.05	6.35
2881	6	CR-17415		VB21	44.45	65.05	6.35
2907	2	CR-17404	N-472193	SBY	44.45	65.05	7.95
3294	2			LTCWY	44.45	65.08	7.52 / 9.53
0528	2			TCY	44.45	65.08	9.10 / 13.00
2558	6	CR-17406		VB18	44.45	65.08	12.70
3743	9	S-14716-1		KAT	44.45	65.10	7.95
2908	2	CR-17413	N-473796	TB2	44.45	65.10	7.95
2689	2	CR-17443		TBY	44.45	66.62	7.95
3517	6		CF-33016N	RTBF	44.45	66.62 / 73.00	9.52
2560	2			TC	44.45	66.62	10.31
3345	2			WPB	44.45	66.68	6.35
0794	9	N-200854		OEA	44.45	69.04	7.47
1407	8	CR-17617	CML-13	VB18	44.45	69.04	9.12
2708	8			VA2	44.45	69.85	6.35
3296	2			SC	44.45	69.85	7.93
1057	2	N-470183		TBY	44.45	69.85	12.70
0975	2	CR-17671	N-471141	TBY	44.45	73.02	9.53
2760	8	1800012		WREP	44.45	78.49	5.50
3063	2	N-482267	5358980	SBG2	44.45	80.00	7.92
2514	1			TC	44.45	80.98	10.97
0880	4	91P2-10		OVCY	44.45	81.26	12.00
3469	4			RSBFY	44.45	82.15 / 87.31	9.52 / 11.10
0879	4			VB	44.45	83.57	7.10
2990	1	CR-17756		SB2	44.45	90.00	11.10
0931	1			SBY	44.45	92.07	11.12
3223	2			RTCW	44.50	60.33	9.53
0938	3			RSB2	44.70	54.00	5.00
6119	1			TC	44.70	54.00	5.00
6641	4			VC9Y	44.70	54.00	6.00 / 8.50
3544	6	CR-17286		HTB2	44.75	61.25	9.14
3778	1	N-6936S		SA2	44.75	61.26	9.53
0736	3	49328	10243247	RTB2	44.78	61.19	9.52
2813	2	N-9845	CR-17286	RTC	44.78	61.19	9.53
2113	4	49328		SBR	44.78	61.36	9.52
2894	9	4337		WREP	44.96	78.18	3.80 / 5.80
7810	3			OLA	45.00	48.90 / 58.50	1.70 / 8.50
1788	2			TC	45.00	52.00	4.00
7705	3			VB	45.00	52.00	4.00
7320	3			VCW	45.00	52.00	4.00
7575	1			TC	45.00	52.00	7.00
5557	2			SJ	45.00	52.00 / 69.00	17.00
5568	2			SL	45.00	52.00 / 67.00	19.00
2248	2			GA	45.00	53.50	5.00 / 8.00
0247	1			SC	45.00	54.00	4.50
5386	3			VBF	45.00	54.00 / 60.00	4.50

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1691	4	770-308-707		KC9	45.00	54.00	5.50 / 9.00
6120	1			RTCW	45.00	54.00	5.50
6642	3			TB2	45.00	54.00	5.50
5996	2			VA2	45.00	55.00	4.00
7245	2			GC	45.00	55.00	5.00 / 7.00
1622	2			LTBG2	45.00	55.00	6.00
2246	8			GA	45.00	55.00	7.00 / 10.00
7246	2			GC	45.00	55.00	7.00 / 10.00
2539	2	93105-45017		SBG2	45.00	55.00	7.00
6939	2			SC	45.00	55.00	7.00
1890	1			TC	45.00	55.00	7.00
6301	1			TC	45.00	55.00	10.00
1435	2	93105-45017		TC	45.00	56.00	6.00
7355	1			SC	45.00	56.00	7.00
6598	1			TC	45.00	56.00	7.00
0055	4			TC	45.00	57.00	5.50
7570	2			DKB	45.00	57.00	7.00 / 10.00
6531	1			LTC	45.00	57.00	9.00
7633	2	#46134	MTP4983	RTC	45.00	57.00	9.30
0728	2			SC	45.00	58.00	5.00
0324	2			DBG2	45.00	58.00	7.00
5404	4	0734-330-316	CF-29710V	RSCWV	45.00	58.00	7.00
2047	1			TC	45.00	58.00	7.00
1258	3	91251-001-0		TC4	45.00	58.00	7.00
B 7810				VCYOLA	45.00	58.00	7.00
3868	4	CFW FM 9777E		VBFW	45.00	58.00 / 68.00	7.70 / 26.60
1365	6	MB-001314	MB393719	TB2	45.00	58.00	9.00
5576	6	OS-4058		TC	45.00	58.00	10.00
1976	2			TB2	45.00	59.00	10.00
1973	1			TBY	45.00	59.00	13.00
5643	2			TC	45.00	60.00	5.00
2314	2			GA	45.00	60.00	7.00 / 10.00
7739	2			LKA-T	45.00	60.00	7.00
0326	2			LTCW	45.00	60.00	7.00
7740				RKA-T	45.00	60.00	7.00
5387	3	AH2554F	OS085-01	RTC	45.00	60.00	7.00
2165	4			SC	45.00	60.00	7.00
2048	4	MD050604	AH2554F	TC	45.00	60.00	7.00
1302	2			TCY	45.00	60.00	7.00 / 8.00
7594	2	016-409-399B	K1029806-NEW	HTC6W	45.00	60.00	8.00
5623	2	016-409-399B	31119	HTCW	45.00	60.00	8.00
1123	2			SB2	45.00	60.00	8.00
1151	3			SC/LSC	45.00	60.00	8.00
1089	1			TC	45.00	60.00	8.00
1467	3	MH034052		TC	45.00	60.00	9.00
5733	3			LTC	45.00	60.00	10.00
6121	2			LTCW	45.00	60.00	10.00
7531	4	TWO COLOR		RTCBW	45.00	60.00	10.00
0331	1	N-224520		SC	45.00	60.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1575	1			TC	45.00	60.00	10.00
6596	1	N-2440		RTB2Y	45.00	60.00	10.80
7492	2			RTCW	45.00	61.00	10.00
2171	2	N-494122		KB2	45.00	62.00	6.00
5400	4	087-409-529B	CF-31118	HSBCY	45.00	62.00	6.50 / 7.00
5354	2			KBG2	45.00	62.00	7.00
5674	1			RSB2	45.00	62.00	7.00
5936	1			SC	45.00	62.00	7.00
6080	1			TC	45.00	62.00	7.00
5134	3			VC	45.00	62.00	7.00
2050	4			SC	45.00	62.00	8.00
1175	4	90043-11112	N-1012 / NJ351	TC	45.00	62.00	8.00
2051	4			TC	45.00	62.00	8.00
1530	4	90043-11100		LTC	45.00	62.00	9.00
3597	6	90043-10030		RSC	45.00	62.00	9.00
1450	4	90043-11112	90311-45018	TB2	45.00	62.00	9.00
0523	4	90311-45001	90043/11075/11100	TC	45.00	62.00	9.00
0727	2			TCN	45.00	62.00	9.00
5712	3			LTC	45.00	62.00	10.00
6161	3			LTCW	45.00	62.00	10.00
1090	1			SB2	45.00	62.00	10.00
0322	2			SC	45.00	62.00	10.00
0554	1			TC	45.00	62.00	10.00
5559	3			TCF9	45.00	62.00 / 73.00	10.00
1653	2	90043-16005		DC	45.00	62.00	11.00
CK 0251	0	TCK#2048 MOULD		TCA1	45.00	62.00	11.00
6532	4			RTCW	45.00	62.00	12.00
1161	1	3345-10-504		SC	45.00	62.00	12.00
2442	4	621028080 / 26913	31375-41X03	TC	45.00	62.00	12.00
7677	4			TCM	45.00	63.00	3.00 / 10.00
5317	4	TKQ2901130A		TB2	45.00	63.00	7.00
5552	2			TC	45.00	64.00	7.00
3636	4	N-1938		TB9YC2	45.00	64.00 / 73.00	8.00
1109	1	91250-SAO-0	CR-17789	TCFY	45.00	64.00 / 71.00	8.00 / 20.00
6364	1			TC	45.00	64.00	9.00
5269	1			TC	45.00	64.00	10.00
6742	2			RSB2	45.00	64.00	12.00
1091	4	0603-33-065		RTB2	45.00	65.00	5.00
1698	2	3900-33-065		TC	45.00	65.00	5.00
5675	1			VB2	45.00	65.00	5.00
6602	4			SC	45.00	65.00	7.00
5605	2			TC	45.00	65.00	7.00
5626	2	097-409-400D		LTCWY	45.00	65.00	8.00 / 10.00
5746	1			SC	45.00	65.00	8.00
5687	1			TC	45.00	65.00	8.00
1540	2	MT-141547		SB2	45.00	65.00	9.00
5148	3			RTCFR2	45.00	65.00 / 70.00	10.00
4268	4	HE-186		SB2	45.00	65.00	10.00
CK 0154	2			SC	45.00	65.00	10.00 / 7.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1508	4	N-1884		SC	45.00	65.00	10.00
6716	3			TB2	45.00	65.00	10.00
CK 0220	3			TC	45.00	65.00	10.00
0323	4	40227-T3000	AE2685EO	TC	45.00	65.00	10.00
0311	1			TCS	45.00	65.00	11.00 / 17.00
5676	2			TB2	45.00	65.00	12.00
1789	2			TC	45.00	65.00	12.00
B 7677				TCMA	45.00	65.00	12.00
7084	1			RTCW	45.00	66.00	10.00
6859	1			TC	45.00	67.00	8.00
6533	1			RTCW	45.00	67.00	10.00
5119	4			TBPS	45.00	67.00	12.00
0717	2			SC	45.00	68.00	8.00
6801	1	90311-45006		TC	45.00	68.00	8.00
1495	2	AE2666E		TC	45.00	68.00	9.00
7399	1			SC	45.00	68.00	10.00
5054	2			TC	45.00	68.00	10.00
5197	4			RTC	45.00	68.00	11.50
0411	2	13510-E0700	90311-45026	TB2	45.00	68.00	12.00
6817	2			TB2	45.00	68.00	12.00
0187	3	90311-45069/002/094	13510-E0700	TC	45.00	68.00	12.00
* 5850	1			TCA	45.00	68.00	12.00
5850	1	與#5851組合		TCA	45.00	68.00	12.00
5851	1	與#5850組合		TCA	45.00	68.00	12.00
5070	2	90043-11147	90043-11227	RTC9	45.00	68.00	12.50 / 19.00
7595	2	BE2852E	K4119801	TCY	45.00	68.20	7.00 / 9.00
5178	2			TC	45.00	70.00	5.00
2437	2			TC	45.00	70.00	10.00
5750	4	423-4023	CR-K371	OEAY	45.00	70.00 / 74.00	12.00 / 15.00
0056	3			TC	45.00	70.00	12.00
7796	1			TC	45.00	72.00	7.00
6940	1			SC	45.00	72.00	8.00
CQ 0094	1			TC	45.00	72.00	8.00
0409	1			TC	45.00	72.00	8.00
2052	4			SC	45.00	72.00	10.00
4265	4	HE-E	40/00157/3	TB2	45.00	72.00	10.00
6610	3			TB2	45.00	72.00	10.00
1204	2			TC	45.00	72.00	10.00
1542	2	MT-203648	AH2685F	RTB2	45.00	72.00	12.00
1541	2	MB-160949	90043-11114	RTB9	45.00	72.00	12.00 / 19.50
1700	4	N-224570	NJ739	TC	45.00	72.00	12.00
* 5561		BZ1322E		BZ	45.00	72.00	24.00
1108	1	91251-692-0		KCY	45.00	72.20	7.50
4247	2	PS 386030	28950E	PISTON	45.00	72.50 / 100.50	5.00 / 26.00
6295	1			TC	45.00	74.50	12.50
7479	2			SC	45.00	75.00	8.00
1891	1			TC	45.00	75.00	8.00
6647	1			SC	45.00	75.00	10.00
6941	1			TC	45.00	75.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1662	2	017-27-98		TB2	45.00	75.00	12.00
1790	5	38189-61000	38189-P0101	TC	45.00	75.00	12.00
* 5558		AQ2693E		AQC	45.00	75.00 / 85.00	17.00
* 5569		AQ8136P		AO	45.00	75.00	19.00
0493	2	4371		VBW	45.00	78.00	4.00 / 5.50
1892	2			TC	45.00	78.00	10.00
0571	3			GA	45.00	80.00	7.00 / 10.00
0572	3			OVY	45.00	80.00	7.00 / 9.00
5802	2			TC	45.00	80.00	7.00
6176	1			RSB2	45.00	80.00	8.00
5071	2	90043-11228	90043-11148	LTC9	45.00	80.00	10.00 / 16.50
6162	1			LTCW	45.00	80.00	10.00
CK 0200	3			SC	45.00	80.00	10.00
6767	1			SC	45.00	80.00	10.00
1791	2			TC	45.00	80.00	10.00
4063	2			TC	45.00	80.00	13.00
5619	6	T1822-8P		VBYC	45.00	83.00	16.00
7652	2			TC	45.00	85.00	7.00
6942	1			SC	45.00	85.00	10.00
6436	1			TC	45.00	85.00	10.00
5586	10	T1826S-8		VBYO	45.00	86.00	16.10
5620	4	T18294S-8		VBYO	45.00	86.00	23.50
5579	12	T182S-8		VBYO	45.00	86.00	24.80
0901	2	91P2-5		VBY	45.00	87.50	9.90
6943	1			SC	45.00	90.00	10.00
6455	1			TC	45.00	90.00	10.00
6944	1			TC	45.00	100.00	10.00
0910	6	91P1-18		VBC2	45.21	48.67	3.05
3208	2	CR-17806		TB2	45.23	57.20	7.95
2518	2	0069971247		LTBYP2	45.24	66.70	11.50 / 12.70
3077	5	N-4072	N-8685515	RSBF	45.39	82.02 / 87.00	8.51
3555	6			RSBF	45.39	82.02 / 87.00	8.51
2517	2	003-9970307		RTCFR2	45.64	66.70 / 71.00	11.50
3082	6	2593		VBC2	45.97	49.21	3.17
6503	1			SC	46.00	56.00	8.00
5280	3	BH3687E	13510-40F00/53J10	RTC	46.00	58.00	7.00
5527	2	OSLB017301		SBRV	46.00	59.00	5.00
7085	1			RTCW	46.00	59.00	10.00
1518	2	40232-N7100	CR-17909	KCY	46.00	59.00	12.00 / 13.00
2461	2			TB2	46.00	59.10	12.00
5526	4	OSLB16223X		KBAY	46.00	59.10	16.00 / 26.00
5834	1	N-224660	NJ978	RTC	46.00	60.00	7.00
6163	1			TC	46.00	60.00	10.00
7418	1			LTC	46.00	62.00	7.00
2093	2			SC	46.00	62.00	8.00
7493	2			RSB2	46.00	62.00	9.00
5443	4		CF-26314B	LTC	46.00	63.00	8.00
6810	2	BH2354G / 26910A	31375-51X00 / 69151	RTC	46.00	63.20	7.50
6365	1			TC	46.00	64.00	8.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6618	2			RTCW	46.00	64.00	10.00
5826	1			SC	46.00	65.00	10.00
1975	2			RTB2	46.00	78.00	10.00
5120	3		CF-29611A	TBR9	46.00	90.00	10.50 / 15.70
5662	1		8-94336-315-1	SCUCY	46.00	94.40	8.00 / 10.00
5215	1	43254-WK600	MB308933	SCY	46.00	102.00	10.00 / 16.50
7420	1			LTC	46.00	102.00	10.50
2565	4			HSC	46.02	66.68	9.52
2554	2	N-7186S	CR-18127	EA	46.02	69.14	6.86
3169	2		83504946	TB4F	46.02	69.85 / 78.00	12.00
0635	1	N-450118		SA2	46.02	69.85	12.70
2915	2	83504946R	3208474	TBKC	46.02	69.85	12.70
3610	4	N-3604		RTBF	46.02	70.54 / 79.40	10.72
2070	3	CR-18264		TBKC2	46.02	76.20	9.52
3592	6	CR-18009		KBF	46.04	59.93 / 72.50	9.52
0123	16	CR-18049		TBK	46.05	60.05	7.95
0581	3	CR-18100	N-472070	SBY	46.05	66.62	9.52 / 12.70
3519	1	N-8181NA		RTBF	46.05	66.65 / 74.61	11.51
2885	12	6083B		WREP	46.10	73.03	14.98
2839	3	71-18833/37		RTBF	46.43	76.20 / 74.40	12.70
2923	3	N-3700	CR-18833	RTBF	46.43	76.20 / 84.00	12.70
3612	3	N-7044NA		RTBF	46.43	76.20 / 84.40	12.70
3882	2	68004072AA		LTBF69	46.43	77.85 / 84.55	13.50 / 18.00
3780	1	N-6960	CR-18415	VB21	46.48	65.27	6.35
2875	4	143623-0001		VBC2	46.61	49.28	3.18
3767	1	N-470331		TB2	46.81	69.85	12.70
3007	1	F2593	CR-18444	SBY	46.83	69.85	7.92
6806	2	0734319547		RSCYW	47.00	52.40 / 67.00	4.60 / 7.00
0859	1			TB2	47.00	54.00	6.40
0859	1			TB2	47.00	54.00	6.40
7086	1			TC	47.00	56.00	7.00
1436	2	93105-47007		TC4	47.00	58.00	7.00
1644	2	91251-121-0		TC	47.00	60.00	7.00
6860	1			TC	47.00	60.00	8.00
6805	2	0734319547		LSCYW	47.00	61.00	5.70 / 7.00
7797	2			SC	47.00	62.00	6.00
5020	2			TC	47.00	62.00	8.00
5902	1			TB2	47.00	62.00	9.00
5904	1			TB2	47.00	62.00	10.00
5903	1			TC	47.00	62.00	10.00
6302	1			TC	47.00	62.00	12.00
4233	2	F3AE-6700-AE		RTBC	47.00	63.50	8.50
7774	2	TWO COLOR		RTCBW	47.00	65.00	7.00
6440	1			TC	47.00	65.00	10.00
5955	1	124965200	與#5954組合	SC	47.00	67.00	7.00
6862	1			TC	47.00	67.00	10.00
0693	3	773573		OEA	47.00	70.60	9.80 / 13.70
5954	1		與#5955組合	VCY	47.00	72.00	10.50 / 12.00
7416	1			LTC	47.00	84.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7087	1			TC	47.00	84.00	12.00
5621	6	T188S-8		VBYO	47.00	86.00	23.50
5413	3	BW3793F	CF-27616	DBR9Y	47.00	90.00	11.00 / 16.00
3125	3		CF-31610V	RTCFWV	47.22	69.85 / 81.00	8.50
2748	2	71-18492		TBY	47.23	63.90	8.00
2118	2	AH8002E	CR-18492	RTBF	47.23	63.90 / 70.00	11.90
2749	2	71-18708		RTB5C2	47.23	71.42 / 88.39	12.70
7609	1			EB	47.35	106.15	9.90
3821	2	PS 380030		PISTON	47.35	127.60 / 135.30	30.60
6861	1			TC	47.50	62.00	7.00
0139	9	90311-47001		TC	47.50	70.65	9.00
3870	2			VB21	47.55	63.60	6.35
0982	2	CR-18888		TB5Y	47.57	72.60 / 80.26	6.40 / 14.60
0896	3	91P1-2		VBY	47.60	92.90	13.00
0979	1			WPB	47.62	57.15	4.83
1034	1	1015		SC	47.62	60.33	12.70
0656	2			TC	47.62	60.91	6.35
3148	2		CF-19208M	SC	47.62	63.50	6.35
3553	5	N-2692	CR-18548	RTBF	47.62	65.05 / 80.00	14.80
0374	1			HSC	47.62	65.08	9.52
3085	7		CF-33080N	RSBFPS	47.62	66.67 / 72.80	9.52
3721	1			SC	47.62	66.72	8.30
2835	6	N-9449		LTBF	47.62	68.26	15.87
3559	4		CF-41711	HTB5LP2	47.62	68.58 / 76.00	14.80
3502	10	N-9449	CF-33006	LTBF	47.62	68.58 / 76.00	15.00
3748	2	N-3563	N-3946	TB3Y	47.62	69.85	12.70
2821	9	N-2689A	CR-18710	TBRA	47.62	72.77	12.40 / 14.51
0343	1	N-2689	CR-18731	TBY	47.62	73.02	9.52 / 12.70
3670	5			TC	47.62	73.12	8.00
3768	1	N-472747		TB2	47.63	62.74	11.10
3409	2			WPB	47.63	63.50	6.35
3751	1	N-410071		TA2	47.63	66.62	12.70
0743	9	N-7934S	CR-18543	VBY	47.63	60.98	6.12
2799	2	1V1655		TBRPV	47.63	62.71	7.93
0370	2	66066-3982		SC	47.63	63.50	7.92
1014	1	213744	N-482041N	SBG2	47.63	63.50	9.52
2645	2			SC	47.63	63.50	12.70
3543	5			RTBR	47.63	65.00	11.68 / 12.00
0011	3	N-350936		SC	47.63	65.05	7.92
2925	3	同3553		RTBF	47.63	65.05 / 80.00	14.80
3309	2			SCY	47.63	65.08	7.93 / 11.30
0737	2	62183	N7782N	SBC2	47.63	65.08	11.91
2112	6	62183		TBR	47.63	65.15	9.52
2652	4	CR-18580		SBY	47.63	66.62	7.95
0920	3	CR-18581	N-472439	TBY	47.63	66.62	7.95
3510	10	N-331227H		RSBRCS	47.63	66.67	9.52
2903	2	WRT-48		TC	47.63	66.67	9.53
4030	4			SC	47.63	66.67	11.40
4239	1	PS 318950	49510DCR	RTBCFW	47.63	66.67 / 75.00	11.50

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
2792	1	CR-18640		VBV	47.63	69.11	6.76
2834	10	N-6712NA		RSBFPS	47.63	70.00 / 78.00	10.50
3501	10	CR-18692 / N-6712NA	CF-33001	RSBFCS	47.63	70.10 / 78.00	11.00
2803	2	N-9316		TBFYC2	47.63	71.00 / 80.26	18.28
3562	4	CR-18697	N-3935	KBC2	47.63	71.22	7.60
2897	6	905KS		KBKC2	47.63	71.22	11.10
3453	6			TC	47.63	72.00	9.53
2549	1	6305Q25		TC4Y	47.63	72.01	7.00 / 8.64
3530	1	N-473238		TBKC2	47.63	73.03	7.94
3601	6	CR-18765	N-5697 / N-4051	KBF	47.63	73.74 / 80.00	11.30
2508	2			SB5C2	47.63	74.30 / 82.30	22.20
2890	2	CR-18823		VB21	47.63	76.20	6.35
3787	1	N-7216		TB2	47.63	78.86	12.70
3615	4	CR-18881	N-3195	HTBRY	47.63	80.01	13.00 / 23.80
2564	8	N-6808	90311-38133N	TBFY	47.63	80.26	14.28
0928	1	N-410524		TA2	47.63	85.62	11.89
3560	1			HSBRRS	47.65	66.07	9.52
1357	4	90311-47029		TBG2	47.65	70.60	13.50
2796	2	CR-18890		VBF	47.90	65.05 / 72.36	6.35
6691	1			RTCW	48.00	55.00	10.00
5713	1			TC	48.00	58.00	4.00
6218	2			TB2	48.00	60.00	8.00
6061	4			SB	48.00	60.00	8.50
1792	2			TC	48.00	60.00	10.00
0484	7	40232-A0101	90312-48001 N-1188	KC	48.00	62.00	6.00
CQ 0070	4			TC	48.00	62.00	6.00
1963	2			TC	48.00	62.00	6.00
0194	8	90311-48122	AA2773YO	TA2	48.00	62.00	7.00
1444	2			TC	48.00	62.00	7.00
CK 0199	3			SC	48.00	62.00	8.00
2169	4	40227-08000		SC	48.00	62.00	8.00
1733	4	90311-48003/010/016/122	N-224820 NJ991 09283-48007	TC	48.00	62.00	8.00
1391	3	40227-73000 90313-48005	90311-48005 90213- 48001	KC3Y	48.00	62.00	9.00 / 24.00
1388	4	09283-48007/003	AB2775Q	SB2	48.00	62.00	9.00
0044	4	90311-48027	90311-48001	TB3/TA2	48.00	62.00	9.00
6021	3			TC	48.00	62.00	9.00
6061	4			SAFPG	48.00	62.00 / 69.00	10.00
1793	2			TC	48.00	62.00	10.00
1671	4	40227-M3000		TCY	48.00	62.00 / 63.00	13.00
6619	1			TC	48.00	63.00	10.00
7088	1			TC	48.00	64.00	10.00
6650	5			HTB	48.00	64.00	12.00
3631	4	8-94240-903-0	5-09625-064-0 BG2033E	KCFYR2	48.00	64.00 / 67.60	14.00
1606	4	40227-32201/00		KC3	48.00	65.00	7.00
7217	1			SC	48.00	65.00	8.00
1678	2	MH-034062		TC	48.00	65.00	9.00
1303	2	A55015		SB2	48.00	65.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
2053	4	40227-73000		TC	48.00	65.00	10.00
5235	2			RTCRV	48.00	68.00	7.00
4069	2			TC	48.00	68.00	10.00
5340	3	MD020308 90311-48016	AH2786F	RTC	48.00	68.00	11.00
AZ 0004	2			SC	48.00	68.00	12.00
1304	2	A55016		SB2	48.00	69.00	10.00
6366	1			TC	48.00	69.00	10.00
6242	1			TC	48.00	70.00	8.00
1155	9	0603-26-157	13042-A3500/10/A8600	TC	48.00	70.00	9.00
1679	5	N-473179	9-09724-064-0	TB2	48.00	70.00	9.50
0185	2			RTCW	48.00	70.00	10.00
4064	2			TC	48.00	70.00	10.00
3031	1			TC	48.00	70.00	11.00
6036	4			TB2C	48.00	70.00	12.00
1417	3	90311-48004 0221-10-602B	31311-06100 / N-710313	TC	48.00	70.00	12.00
1690	4	GJ7536P		TC	48.00	70.60	9.00
1741	1			SCY	48.00	72.00	6.50 / 9.00
6433	1			TC	48.00	72.00	7.00
6279	1			SC	48.00	72.00	8.00
6073	2			TC	48.00	72.00	8.00
1192	4	90311-48007	90311-48012	TC	48.00	72.00	9.00
7356	1			SC	48.00	72.00	10.00
5310	2			TC	48.00	72.00	10.00
5115	2	90316-48003	2634	DC	48.00	72.00	11.00
2391	1	8-94318909		TBY4G2	48.00	72.00	12.00
0336	2			TC	48.00	72.00	12.00
7089	1			TC	48.00	73.00	7.00
1358	4	90311-48002		TC	48.00	74.00	10.00
6592	1	90311-48009	26312	TC9	48.00	74.00	10.00 / 15.00
5714	1			TC	48.00	75.00	10.00
1132	1	SV430059A		SBY	48.00	77.80	4.50 / 11.00
7090	1			RTCW	48.00	78.00	10.00
2998	2	27210		RTBR	48.00	79.50	17.80
5801	1			SC	48.00	80.00	10.00
1794	2			TC	48.00	80.00	10.00
5905	1			TC	48.00	80.00	12.00
1795	2			TC	48.00	80.00	13.00
1680	1	MT321319		TBR	48.00	80.00	14.00
2284	4			TBY	48.00	82.00	8.00
1471	4	90311-48135		RTBC	48.00	82.00	12.00
6029	2			TC	48.00	82.00	12.00
7091	1			TC	48.00	85.00	10.00
2289	4			TB2	48.00	90.00	8.00
7812	1			SC	48.00	90.00	10.00
5008	1			TC	48.00	90.00	10.00
5518	2	N-20821GRX		PVO3	48.00	107.00	15.00
5531	1	N-208516RD		PVO3	48.00	107.00	17.50
1184	2			TB5Y	48.00	108.00	9.50

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1063	2	N-8704S		SBR	48.08	61.82	6.35
0630	2			SBKC2	48.10	71.20	7.50
3051	12			KB2	48.26	60.96	5.08
2955	2			TBY	48.26	63.00	8.00
2866	9	6072B		WREP	48.26	67.69 / 68.20	8.76
2764	4			WREP	48.39	69.49 / 74.90	10.00
0966	2			RSC	48.42	65.10	9.52
3728	3			VCY	48.50	70.50	10.30
3774	1	N-7020	N-5573(+OR72*1.8)	SBC	48.64	64.31	6.35
2532	4			VBY	48.82	51.95	6.25
3070	2	BGK-5B-04		UPB4	48.97	67.31	10.12
1692	4	770-308-707		VC9	49.00	58.00	6.00 / 9.00
5072	4			OVC	49.00	60.00	6.00
3729	2	NOK-BH6709E	AW55-50SN	HTC	49.00	61.20	8.50
0061	2	40227-32201		KC3	49.00	65.00	7.00
CQ 0168	2			SC	49.00	65.00	8.00
1133	1	9-09724-019		SCY	49.00	66.00 / 99.80	7.00
6562	2	K8139805		LTC9	49.00	68.00	9.00 / 15.50
7458	2	855-222-0151	S-13362 / C-1340	DCW	49.00	71.00	11.60
7459	2	855-222-8611	S-13400 / C-1345	HSCYW	49.00	71.00	11.60
1403	2			WPCR	49.00	82.00	6.50
5661	1	8-94433-718-0	N-710081 / 8-94336-317-2	SCUBY	49.00	100.00	8.00 / 10.50
5918	1			TC	49.00	100.00	8.00
6863	1			TC	49.00	102.00	10.00
0567	1	43232-01G00		HTBR	49.02	70.20	12.70
3661	1			TCBA	49.10	64.25	5.50
3350	1			TC	49.19	66.55	6.35
3737	2	N-480138H		RSB2	49.19	68.22	12.70
3263	1			TC	49.20	63.50	9.52
3492	2			TCV	49.20	66.68	6.35
3782	1	N-6988		SBR	49.20	68.22	12.70
2959	6	SE-30-1		VBY	49.20	90.00	11.91
0341	6	N-6815	CR-19221	KB5	49.21	63.50 / 69.00	7.00
3549	3	CR-19219	F2297	KBF	49.21	63.50 / 69.20	7.00
3604	6	N-6815(342)	CR-19221	KBF	49.21	63.50 / 69.00	7.00
2588	12	N-6815		KBF	49.21	63.50 / 70.00	7.40
3550	12	N-6815		KBF	49.21	63.50 / 70.00	7.40
2067	10	CR-19219		VBKC2	49.21	63.65	7.14
2791	2	CR-19211		SBY	49.21	65.10	7.95
2706	1	N-450455		SA2	49.21	66.62	12.70
3605	18	N-5121		KBNKC2	49.21	66.68	6.35
2680	1			SBGEP	49.21	66.68	6.35
3386	1			TC	49.21	67.85	9.53
2474	3	15382		DBR	49.21	68.22	12.70
4275	3	HE191	D9NNC729BA	RSCW	49.21	79.38	12.50
0565	9			KC5	49.23	63.50 / 70.50	8.00
2884	10	19253TB		TBY	49.23	63.55	7.62
0192	1			TC	49.23	66.67	7.90
2614	6	N-2043	CR-19273	RTB2	49.23	70.10	12.70

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
2916	4	CR-19236(19244)	N-3173 / J5359457	SB2	49.25	68.22	7.62
3688	1	N-3896		RTBF	49.27	73.89 / 91.00	9.50 / 13.20
0342	10	CR-19500	N-5121	KBY	49.28	66.60	6.35 / 15.87
3603	9			KCF	49.28	63.50 / 70.50	8.00
3595	6			RTBYC2	49.28	70.10	12.70
3533	2			RTBF	49.28	70.25 / 77.00	11.00
3786	1	N-710281		TBF	49.28	73.66 / 78.70	10.16
0831	1	N-472394		TBY	49.28	76.20	7.95
3574	2	N-415130	SE-146	TA2	49.28	89.99	12.70
0797	9	N-200371		EA	49.40	73.43	7.37
3671	2			PY	49.50	63.50	3.20 / 4.20
6415	2	BH6347E		LTC9	49.50	80.00	11.00 / 17.00
4251	4	PS 358950	70254	RTCFW	49.60	69.90 / 76.50	8.90
3827	9			VAY	49.80	77.77	11.12 / 13.66
1292	4	AQ8270R		SL	50.00	53.50 / 64.00	17.50
2109	6			GA	50.00	56.00	5.00 / 7.00
0596	12	F2161		VB2	50.00	58.00	4.00
1025	2			VB2	50.00	58.00	4.00
7321	2			VCW	50.00	58.00	4.00
0428	2	F2077-50		OS	50.00	59.00	4.00
6387	2			VAY	50.00	60.00	4.00
7804	1			GA	50.00	60.00	5.00 / 8.00
7626	2			GC	50.00	60.00	5.00 / 7.00
0810	12			GA	50.00	60.00	7.00 / 10.00
7247	2			GC	50.00	60.00	7.00 / 10.00
7092	1			RTCW	50.00	60.00	7.00
5009	1			TC	50.00	60.00	8.00
6758	3			VCY	50.00	61.00	6.10 / 9.00
7322	2			VCW	50.00	62.00	5.00
5982	1			SC	50.00	62.00	6.00
1579	2			DKB	50.00	62.00	7.00 / 10.00
2139	6			SBG2	50.00	62.00	7.00
2054	1	N-225005		SC	50.00	62.00	7.00
0381	1			SCH	50.00	62.00	7.00
0337	2	93105-50010		TC	50.00	62.00	7.00
5937	1			SC	50.00	62.00	9.00
2096	2			TC	50.00	62.00	10.00
7094	1			RTCW	50.00	63.00	6.00
7093	1			RTCW	50.00	63.00	10.00
3641	4	N-1936		KCYC2	50.00	64.00	6.00 / 12.50
6097	1			SC	50.00	64.00	10.00
5919	1			TC	50.00	64.00	12.00
5827	1			SC	50.00	65.00	6.00
0489	2			VB2	50.00	65.00	6.00
7338	1			TC	50.00	65.00	7.00
0269	5	N-225010		SC	50.00	65.00	8.00
2055	4			SC	50.00	65.00	8.00
0091	3	CR-19605/ N-225010	MB092437 / NJ539	TBY	50.00	65.00	8.00
0057	4	MT-141132		TC	50.00	65.00	8.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
2179	2	AD2638F	MT141132	TB2	50.00	65.00	9.00
4065	2	AD2838F		TB2	50.00	65.00	9.00
0679	2	MT-141132		TC	50.00	65.00	9.00
3619	4	N-3743	9-09924-303-0	TB9	50.00	65.00	9.50 / 14.00
5078	8		CF-31168	HTCW	50.00	65.00	10.00
2056	1	MB-092437		SC	50.00	65.00	10.00
7357	1			TC	50.00	65.00	10.00
7095	1			RTCW	50.00	66.00	13.00
6263	1	51713-21100	N-474134	TB2	50.00	66.50	9.52
5663	2	MB176746	NJ538	TC9	50.00	66.50	13.00 / 16.50
0600	5	N-5125	CR-19776	KBY	50.00	67.00 / 77.00	6.60 / 17.50
5660	1			TB2	50.00	67.00	9.00
7096	1			RTCW	50.00	67.00	10.00
0189	2	43232-B5000	N-1974	KC3	50.00	67.00	11.00
5788	1			TC	50.00	67.00	11.00
5062	2			TC	50.00	68.00	7.00
7532	2	TWO COLOR		RTCBW	50.00	68.00	8.00
5063	3	N-225020	90311-50136/50005	SC	50.00	68.00	8.00
6491	1			TC	50.00	68.00	8.00
1387	6	90311-50136	9099242960	TA2	50.00	68.00	9.00
0182	4	9-0994-296-0	AH2847S 5-09625-079-0	TC	50.00	68.00	9.00
5740	3			RTC	50.00	68.00	10.00
7382	2			SC	50.00	68.00	10.00
0058	2			TC	50.00	68.00	10.00
2369	2	71-19630		SB2	50.00	70.00	8.00
6456	2			TC	50.00	70.00	8.00
1385	7	90310-50032	90310-50039	SB2	50.00	70.00	9.00
5659	6			TB2	50.00	70.00	9.00
0158	6	90311-50030		TC	50.00	70.00	9.00
3628	6	90310-50001/32/39	N-1960	TC	50.00	70.00	9.00
5472	2	90311-50014		RTC9	50.00	70.00	10.00 / 16.00
6147	3			RTCW	50.00	70.00	10.00
CK 0157	2			SC	50.00	70.00	10.00
5791	1			SC	50.00	70.00	10.00
1927	4	90311-50080		TB2	50.00	70.00	10.00
0678	4			TC	50.00	70.00	10.00
6750	4			TC3	50.00	70.00	11.00
5806	1			TC	50.00	70.00	12.00
6864	1			TC	50.00	71.00	10.00
7807	2			DKB	50.00	72.00	8.00 / 11.00
0562	2			SC	50.00	72.00	8.00
0494	1			TC	50.00	72.00	8.00
5561	2			TC9	50.00	72.00	8.50 / 12.50
6397	1	90311-50013	AH2861J	RTC9	50.00	72.00	9.00 / 14.00
1527	2	90043-11079	90043-11082	TC	50.00	72.00	9.00
6146	3			RTCW	50.00	72.00	10.00
6585	1			SC	50.00	72.00	10.00
0524	2	13043-43700	N-225035	TC	50.00	72.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1166	1	13043-43700		SC	50.00	72.00	12.00
0184	3	90311-50002/6/7	90311-50049/13	TC	50.00	72.00	12.00
* 5846	1			TCA	50.00	72.00	12.00
5846	1	與#5847組合	AP2864I	TCA	50.00	72.00	12.00
5847	1	與#5846組合		TCA	50.00	72.00	12.00
0236	2	90311-50003		TB2	50.00	73.00	9.00
1100	4	38189-44000		DCY	50.00	73.00	15.50 / 20.00
1129	1	2910E-1246A		SC	50.00	74.00	8.00
7097	1			TC	50.00	74.00	10.00
5010	1			TC	50.00	75.00	8.00
7610	1			KCY	50.00	75.00	9.50 / 14.50
6945	1			SC	50.00	75.00	10.00
5242	2			TC	50.00	75.00	10.00
1920	1			TC	50.00	75.00	12.00
CK 0179	2			HTC	50.00	76.00	9.00
1701	1			TC	50.00	76.00	10.00
5211	2			TC	50.00	76.00	12.00
1576	1			TC	50.00	78.00	12.00
7266	1			TC	50.00	80.00	6.00
1142	3			SC	50.00	80.00	8.00
5803	1			TC	50.00	80.00	8.00
6164	2			RTCW	50.00	80.00	10.00
2288	1			SB2	50.00	80.00	10.00
2149	3			SC	50.00	80.00	10.00
2421	4			TC	50.00	80.00	10.00
6771	1			TCW	50.00	80.00	10.00
1201	5			TC	50.00	80.00	12.00
4066	2			TC	50.00	80.00	13.00
6416	1	90311-50011	24011	HTC9	50.00	80.00	16.50 / 23.00
7098	1			TC	50.00	81.00	10.00
5580	4	T1910-8		YB1	50.00	81.00	15.00
5011	1			TC	50.00	82.00	10.00
0844	1			RTC	50.00	82.00	12.00
2494				RTC	50.00	82.00	12.00
1759	2	90043-11059		TC	50.00	82.00	12.00
5012	1			TC	50.00	85.00	9.00
6457	1			TC	50.00	85.00	10.00
5581	4	T1910-4		VCO	50.00	85.00	10.60
5920	1			TB2	50.00	85.00	13.00
1796	2			TC	50.00	85.00	13.00
5013	2			TC	50.00	90.00	8.00
5741	3			RTC	50.00	90.00	10.00
5987	1			SC	50.00	90.00	10.00
0338	3			TC	50.00	90.00	10.00
5517	10	T194S-8		VBYO	50.00	97.00	28.00
6477	1			TC	50.00	100.00	10.00
7471	1			TC	50.00	110.00	10.00
3068	4	GA10A-0232	N4189H	RSBFPS	50.01	79.00 / 87.00	9.60
7811	3			VCYA	50.20	58.00	5.00 / 5.45

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
3531	1	3784		KB2	50.40	67.47	9.50
3076	6			RSBRFC	50.40	69.75 / 76.60	9.52
2116	1	62189		TBY	50.40	69.75	9.52
4237	4	PS 358951	70034V	RSBCF	50.40	69.85 / 77.00	9.20
5302	2	91251-HB3-003	CF-19179M	KC	50.50	62.50	9.00
3171	4			B/C	50.60	60.00	1.17
0204	2			TBR	50.67	84.96	9.53
3301	2			TBR	50.67	84.96	9.53
3634	6	N-3404		RSBRF	50.68	69.65 / 76.60	9.52
0945	4			VBY	50.80	53.98	3.05
5345	2			VBF	50.80	58.74 / 64.50	4.78
0889	4	AR2905-FO		WPB	50.80	60.32	4.78
0775	3			VB	50.80	60.33	6.35
2600	3			SA2	50.80	63.50	6.35
3346	2			WPB	50.80	63.50	6.35
2899	4	911685		DBYGJ	50.80	63.50	7.92 / 13.70
0782	1			WPB	50.80	63.50	7.92
2929	4	ME940002	同 2899	DBY	50.80	63.50	7.95 / 14.28
3843	2			DB2	50.80	63.50	8.25
0599	17	N-8871		KB5	50.80	65.00 / 70.00	6.80
3692	1	4739		KB2	50.80	65.05	6.35
2775	2	N-9015S		VBYG2	50.80	65.05	13.94
3516	16	CR-19753		VA2	50.80	65.07	5.58
3293	2			RSCW	50.80	65.08	6.35
0986	2			DAC2	50.80	65.10	9.52
0473	2	CR-19762		TB2	50.80	66.55	7.90
1061	6	N-492702	CR-19768	KB2	50.80	66.62	6.35
2509	4	AR2912-FO		WPB	50.80	66.62	6.35
2563	6	N-4148	CR-19743	KB5	50.80	66.65 / 71.80	7.35
3794	1	N-9406S		VB2Y	50.80	66.67	7.23
3551	8			KBF	50.80	66.67 / 76.00	8.00
3307	4	8675517	CF-41713	SCRV	50.80	66.72	7.14
2755	4	CR-19783		VBY	50.80	68.22	6.35
0873	2			SA2	50.80	68.22	12.70
3357	1			SC	50.80	68.26	7.93
2692	3			SC	50.80	68.26	12.70
3106	4	CR-19799	N-472341	RSB18	50.80	69.65	9.53
2837	10	N-331107N		RSBR	50.80	69.75	9.53
3673	1	CR-19831		SB2	50.80	69.85	7.95
0655	1			TC	50.80	69.85	7.95
3640	9	N-5113		VAEIC2	50.80	69.85	7.95
3509	10	N-331107	CF-33041N	RSBR	50.80	69.85	9.52
2787	1	AP2920EO		TBR	50.80	69.85	9.52
3360	1			SC	50.80	69.85	9.53
3665	1			RSCJ	50.80	69.85	11.00
0688	1			SC	50.80	69.85	12.70
2873	4			SA2	50.80	70.10	11.91
2987	4	GA10A-0092	CR-19844	OER2	50.80	71.17	6.35
0827	2	T3003862		KBC2	50.80	72.26	9.60

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
3472	2			WPB	50.80	73.02	11.90
3044	1			TC	50.80	73.03	7.92
0333	1			TBY	50.80	73.03	7.95
3149	3		CF-41712	RSB5P	50.80	73.03 / 80.50	9.50
3144	3	N-4598	KOK-K137	RSBFP	50.80	73.03 / 80.50	9.50
3558	2			RTBKP2	50.80	73.10	9.52
2605	1	N-472924	CR-19887	TBY	50.80	73.40	7.92
2651	4	CR-19970		TA2	50.80	76.10	9.52
0653	1			TC	50.80	76.10	9.52
1381	2			TC	50.80	76.20	7.92
3288	4			SC	50.80	76.20	7.93
3412	1			SB2	50.80	76.20	7.95
3459	2	20303TB		TB2	50.80	76.20	7.95
1032	1			SC	50.80	76.20	12.70
1050	1	N-410085	N-450085	TBY	50.80	76.20	12.70
2717	4			TC	50.80	76.20	12.70
2905	2	CR-20044	N-204508	VA2	50.80	77.75	6.35
3259	6			KB	50.80	77.75	12.70
6649	4			TB2	50.80	77.75	12.70
2559	6			VB18	50.80	77.75	12.70
2580	2	N-473763		TBY	50.80	77.77	9.53
3819	9			VAY	50.80	77.77	11.12 / 13.66
2931	3	CR-20078	SE29	VB2	50.80	79.96	6.35
3758	1	N-450095		SA2	50.80	81.00	11.10
2606	1	CR-20125		TA2	50.80	85.62	11.13
2911	2	N-410102	CR-20125	TA2	50.80	85.62	11.89
2754	6			VBY	50.80	89.99	11.90
1554	4	CR-20140	CML-30	SA2	50.80	90.00	11.13
2927	2	71-20148	204506	VAP2	50.80	92.02	6.35
1408	5	CR-20148	CML-16	VB21	50.80	92.02	6.35
2697	2	CR-20144		SA2	50.80	92.02	11.13
0897	1	91P2-4		VBY	50.80	97.60	10.00
3435	3			TC	50.80	126.87	11.10
5351	4			KCB	51.00	60.00	6.00
5437	1			SCWY	51.00	61.65	3.50 / 6.00
7099	1			TC	51.00	62.00	7.00
1131	2	B001-33-067	N-494123 KK150-33067	KB2	51.00	63.00	6.00
5252	4	B092-33-067		KBRC2	51.00	63.00	8.00
5126	4			RSBR	51.00	65.00	7.00
* 5343	6			TCXN	51.00	65.00	8.30 / 9.00
5438	1			VCY	51.00	65.00	8.30 / 9.00
1515	2			TB2	51.00	65.00	9.00
6148	1			TC	51.00	68.00	8.00
7100	1			RTCW	51.00	70.00	11.00
2304	1			SC	51.00	72.00	10.00
5231	1			TC	51.00	76.00	10.00
3046	12		SE1706X	BERP	51.31	62.99	2.92
3172	3			B/C	51.61	58.62	1.69
0908	2			VBC2	51.69	53.87	3.30

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6441	1	MB808444		TB9	51.90	66.00	8.00 / 10.00
3433	1			SC	51.93	69.85	12.70
5570	3			SL	52.00	57.00 / 69.00	18.00
5572	4			SL	52.00	57.00 / 79.00	19.00
5510	6	GN-250	09289-52002	VCF	52.00	62.00	4.85
1994	4			SC	52.00	62.00	6.00
2263	4			GA	52.00	62.00	7.00 / 10.00
7101	1			TC	52.00	62.00	9.00
1699	2	H001-33-065		TC	52.00	63.00	8.00
7102	1			TC	52.00	64.00	9.00
0203	2			SC	52.00	65.00	8.00
6406	2			SC	52.00	65.00	8.00
2463	2			TB2	52.00	65.00	8.00
1386	10	90311-52059	MA181498 90043-11250-000	SBY	52.00	65.00	9.00
6037	3			TB2C	52.00	65.00	9.00
0190	6			TC	52.00	65.00	9.00
6417	3	NJ867	640205023-1	TB9	52.00	66.00	7.50 / 12.00
5921	1			TC	52.00	66.00	12.70
3630	4	N-1883		OTCYR2	52.00	67.00	7.00 / 8.00
0748	2	40232-M5650	40232-M5600	OTY	52.00	67.00	7.00 / 8.50
1673	4	B001-33-065 / N-4990	KK150-33065	KBY	52.00	68.00	7.00 / 13.00
6419	1		640505023-1	TB9	52.00	68.00	7.50 / 12.00
5256	4			KB9RC2	52.00	68.00	8.00 / 14.00
5160	4	31812C	0734319404	LTCW	52.00	68.00	8.00
5598	2	K8079801		LTCW	52.00	68.00	8.00
7364	1			SC	52.00	68.00	8.00
0339	1	3629		TC	52.00	68.00	8.00
3629	4			TC	52.00	68.00	8.00
7798	1			SC	52.00	68.00	10.00
0093	1			TC	52.00	68.00	10.00
4217	2	06012V-W		RTCW	52.00	68.00	11.00
6534	1			LTC	52.00	68.00	12.00
6620	3			RSB2	52.00	68.00	12.00
5577	6	OS-5070		KCY	52.00	70.00	7.00 / 15.50
5986	1			SC	52.00	70.00	7.00
1672	4	40232-D0101		OTC	52.00	70.00	7.50
7103	1			RTCW	52.00	70.00	8.00
CK 0178	2			HTC	52.00	70.00	9.00
1605	2	9958-55-270	90311-52013	TBR	52.00	70.00	9.00
0059	4			TC	52.00	70.00	9.00
2184	3	MB808444/303875	N-225230	SC	52.00	72.00	8.00
5798	3	CR-20345	000M9584	TB2	52.00	72.00	8.00
6946	1			TC	52.00	72.00	8.00
5429	4		CF-27614	SC	52.00	72.00	9.00
1546	2			TC	52.00	72.00	9.00
4068	2			SC	52.00	72.00	10.00
1850	1			TC	52.00	72.00	10.00
6226	2			TC	52.00	72.00	12.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7104	1			RTCW	52.00	73.00	10.00
6947	1			SC	52.00	75.00	8.00
6756	1			TC	52.00	75.00	8.00
6692	1			RTCW	52.00	75.00	10.00
1525	2	90043-16004		DC	52.00	75.00	12.00
5742	6			LTC	52.00	75.00	12.00
7105	1			RSB2	52.00	75.00	12.00
7324	2			TB2	52.00	75.00	12.00
1528	4	90043-10079		TC	52.00	75.00	12.00
5569	2			TC6	52.00	75.00	13.00
2350	2	90043-11164		DCY	52.00	75.00	14.00 / 20.00
5558	2			TC9F	52.00	75.00 / 85.00	14.00
* 5571		AQ2967E		AO	52.00	75.00	18.00
5161	3	12044A	72-36-19017	TC	52.00	76.00	8.00
1686	4	NOK-BE3441E		OKC	52.00	78.00	9.00
5512	3			TC	52.00	78.00	12.00
2458	3	39252-52A10		OKC	52.00	78.40	9.50
7106	1			TC	52.00	80.00	8.00
5014	1			TC	52.00	80.00	10.00
1392	3	MB005157	BH4868E	TB2	52.00	84.00	14.00
5922	1			TC	52.00	84.00	14.00
7358	1			SC	52.00	85.00	10.00
0589	1			TC	52.00	85.00	10.00
* 5573		AQ7747E		AO	52.00	85.00	19.00
5622	4	T208SR-8		VBYO	52.00	97.00	28.00
5923	1			TB2	52.00	105.00	13.00
3853	3			VB2	52.02	62.20	4.82
2804	2	N-3087	CR-20425	KBNRC2	52.02	69.29	6.35 / 15.00
3317	2	N-200110		EA	52.27	79.88	6.86
0818	3			TC	52.37	73.38	14.27
2773	1	N-6954S	CR-20608	VB2	52.37	76.20	7.87
2949	4			RTB9	52.37	76.20	9.52 / 15.00
2924	3	CR-20758	N-455260	SA2	52.37	92.02	11.89
0649	1			SA2	52.40	69.85	12.70
2684	1	CR-20560	EONN-1190AA	OE	52.40	74.63	8.01
2567	4	450-096		SA2	52.40	80.98	11.10
6149	1			LTCW	53.00	63.00	13.00
2318	1			SC	53.00	68.00	10.00
5924	1			TB2	53.00	68.00	10.00
6662	2			TC	53.00	68.00	10.00
6367	1			TC	53.00	68.00	13.00
CK 0250	3			TC	53.00	68.20	7.00
6265	2	09283-53001	N-710175	TC	53.00	68.20	7.00
6648	1			HTB2	53.00	71.00	11.50
6368	1			TC	53.00	72.00	10.00
7107	1			TC	53.00	73.00	10.00
6022	3			HSCY	53.00	79.00	2.00 / 10.00
7108	1			TC	53.00	80.00	10.00
0911	1	91P1-21		VBC2	53.09	63.50	4.75

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
2661	4	CR-20952		VB18	53.19	69.03	9.12
3282	1	75614	BR6677E	PVF6	53.20	126.20 / 142.90	19.80
3052	3	24574155		VBXRS	53.21	90.00	3.68
1293	4	AQ8270P		DCFY	53.50	68.00 / 75.00	17.50
2853	2	CR-521860		VBV	53.78	85.73	7.93
3332	2			TC	53.84	76.20	9.39
3428	1			TC	53.97	69.85	7.93
3446	2			VA2	53.97	73.02	7.95
3400	2			TB2	53.97	73.02	11.10
3213	2	N-8430S		KB2	53.97	76.20	7.93
3769	1	N-473468		TB2	53.97	77.75	9.52
3649	2	21325TB		TB2	53.97	82.90	12.70
3166	6	21334		TB2	53.97	85.65	11.10
3480	1			TC	53.97	89.03	12.70
3227	2	N-412015V	S-D471	TA2	53.98	76.20	9.53
2818	2			WPB	53.98	63.50	4.76
0884	3	CR-21101	N-6626S	VBV	53.98	73.02	6.40
0076	2	CR-21098		SB	53.98	73.02	11.12
3130	6		CF-41714	LTBF	53.98	73.10 / 81.00	15.00
3414	6			SB2	53.98	73.12	12.70
0652	2	CR-21171		SA2	53.98	76.10	11.11
2595	4	CR-21159		VB2IP2	53.98	76.20	6.35
2520	4	N-410308	N-470308	TA2	53.98	77.75	12.70
3580	4			TBKG2	53.98	77.79	19.05
2820	1			TBY	53.98	79.38	9.53
2992	8	90311-47001-N		HTBR	53.98	79.90	11.00 / 14.00
0078	1	N-473243		TBK	53.98	82.55	9.52
0606	1	607-1		OVV	53.98	83.34	11.60
2734	6	N-413470	CR-21352	TBY	53.98	85.62	9.53
3157	3	21337TB		TB2	53.98	85.65	7.92
3146	3	21333TB		TB2	53.98	85.65	8.38
2069	7			VBKC2	53.98	85.66	8.26
3278	2	3L8P-7F401AA		RSBFY	53.98	88.50 / 95.00	8.90 / 15.50
4235	2	3L8P-7F401-AA		RTBFY	53.98	88.50 / 95.00	8.90 / 15.50
1593	2			TBY	54.00	64.00	9.00
5015	1			TC	54.00	65.00	10.00
2460	2			TBY	54.00	65.00	12.00
1002	3	40232-B9500		TB2	54.00	65.00	13.00
7109	1			TC	54.00	67.00	7.00
7494	2			RTCW	54.00	68.00	8.00
7110	1			TC	54.00	68.00	10.00
1519	2	8-942270481		TBY	54.00	70.00	7.00 / 9.50
6150	1			TC	54.00	70.00	10.00
7405	1			RTCW	54.00	72.00	9.00
6535	2			RTCW	54.00	72.00	10.00
6964	1			TC	54.00	72.00	10.00
6865	1			TC	54.00	72.50	9.00
7111	1			TC	54.00	73.00	8.00
1797	2			TC	54.00	73.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6052	2	40232-01G00		TC9FN	54.00	75.30	12.00 / 18.00
6442	1	NK162	MB-808443 / N-710203	TB9	54.00	76.00	8.00 / 10.00
5293	4			TC	54.00	76.00	8.00
6536	1			RTC	54.00	76.00	9.00
6165	1			TC	54.00	78.00	10.00
6166	1			LTCW	54.00	80.00	10.00
6546	3			TC	54.00	80.00	10.00
6023	4			TC	54.00	81.00	10.00
6262	1	MB573309		TC	54.00	82.00	10.00
2135	2			SCRS	54.00	82.00	11.40
6621	1			TC	54.00	85.00	10.00
5532	1	68095F	4431612	PVF3	54.00	125.00	47.00
2523	2			RTC	54.10	73.00	9.52
2742	4			TC	54.15	76.20	9.53
3267	1	79644		OVX	54.25	120.65	4.87
6759	3			RSCYW	54.50	72.00	6.50
3143	8		521411	WEP	54.76	79.20	9.40
1668	4			LSC	54.77	70.10	9.90
2114	1	63084		SAY	54.77	80.96	12.70 / 17.30
1305	2	A55045		TCY	54.80	70.00	9.00 / 9.50
3654	7	SP852145		B/C	54.90	79.50	2.10
7752	2			VC	55.00	63.00	5.00
2108	4			GA	55.00	63.00	7.00 / 10.00
7248	2			GC	55.00	65.00	5.00 / 7.00
2107	4			GA	55.00	65.00	7.00 / 10.00
7249	2			GC	55.00	65.00	7.00 / 10.00
7112	1			TC	55.00	65.00	10.00
7113	1			TC	55.00	67.00	10.00
6388	2			VAY	55.00	68.00	4.00
5198	3	BE3344E		VBG4	55.00	68.00	6.00
6470	2	AH3032E		HTC	55.00	68.00	7.00
7464	1			SC	55.00	68.00	8.00
6458	2			TC	55.00	68.00	8.00
6866	1			TC	55.00	68.00	8.50
2236	3	W14N12		DKB	55.00	69.00	8.00 / 11.00
5925	1			TC	55.00	70.00	3.00
2809	2	N-3723		TB9	55.00	70.00	6.00 / 10.00
7706	1			GA	55.00	70.00	7.00 / 10.00
6474	1			TC	55.00	70.00	7.00
5067	2			RTCPAV	55.00	70.00	8.00
0686	2			SC	55.00	70.00	8.00
1861	1			TB2	55.00	70.00	8.00
0618	1			TC	55.00	70.00	8.00
0207	1			TC	55.00	70.00	9.00
6151	1			LTCW	55.00	70.00	10.00
6948	1			SC	55.00	70.00	10.00
CK 0049	3			TC	55.00	70.00	10.00
CQ 0049	4			TC	55.00	70.00	10.00 / 12.50
0352	1			TC	55.00	70.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
5789	1			LSC	55.00	72.00	7.00
6510	2			TCV	55.00	72.00	7.00
0561	4			SC	55.00	72.00	8.00
1146	1			TC	55.00	72.00	8.00
1604	2	9958-55-572		TB2	55.00	72.00	9.00
0186	3	MH-034036		TC	55.00	72.00	9.00
1491	2			SA2	55.00	72.00	10.00
2057	4			SC	55.00	72.00	10.00
CK 0233	2			TC	55.00	72.00	10.00
2058	4			TC	55.00	72.00	10.00
6459	2			TC	55.00	72.00	12.00
4214	1			TC4YTF	55.00	72.00	12.00
6418	3		640205023-2	TB9	55.00	73.00	8.00 / 12.00
6622	1			RSB2	55.00	73.00	10.00
6296	1			TC	55.00	73.00	10.00
6693	1			RTCW	55.00	75.00	7.00
2464	4			TB2	55.00	75.00	8.00
CQ 0196	6			TC	55.00	75.00	8.00
0353	4	CR-21756		TC	55.00	75.00	8.00
5809	1			SC	55.00	75.00	9.00
2333	2			TC	55.00	75.00	9.00
3022	3			SC	55.00	75.00	10.00
CQ 0091	2			TC	55.00	75.00	10.00
0156	1			TC	55.00	75.00	10.00
1798	2			TC	55.00	75.00	12.00
5906	1			TB2	55.00	76.00	12.00
1637	1			KB2	55.00	76.32	13.00
7331	1			TC	55.00	78.00	8.00
7725	1			TC	55.00	78.00	10.00
6949	1			SC	55.00	78.00	12.00
6062	3			TBR	55.00	78.00	12.00
1414	2	90043-11080	MH034027/ME024156	TC	55.00	78.00	12.00
* 5848	1			TCA	55.00	78.00	12.00
5848	1	與#5849組合		TCA	55.00	78.00	12.00
5849	1	與#5848組合		TCA	55.00	78.00	12.00
2538	2			SBG2	55.00	80.00	8.00
5747	1			SC	55.00	80.00	8.00
2405	2		CF-28810	TC	55.00	80.00	8.00
2142	4			SC	55.00	80.00	10.00
1732	2			TC	55.00	80.00	10.00
CK 0177	3			TAC1	55.00	80.00	11.20
CK 0211	3			SA2	55.00	80.00	12.00
2347	2			TC	55.00	80.00	12.00
1799	2			TC	55.00	80.00	13.00
1929	3			TB2	55.00	82.00	10.00
1474	3	90312-55010		VBC2	55.00	82.00	10.00
7114	1			TC	55.00	82.00	12.00
2127	2			SC	55.00	85.00	8.00
7264	1			TC	55.00	85.00	8.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7813	1			SC	55.00	85.00	10.00
2286	2	CR-10655		TB2	55.00	85.00	10.00
CK 0235	2			TC	55.00	85.00	10.00
6460	1			TC	55.00	85.00	10.00
6547	3			TC	55.00	85.00	12.00
5907	1			TC	55.00	86.00	13.00
0603	1			TC	55.00	90.00	8.00
6511	2			TCV	55.00	90.00	8.00
CK 0156	2			SC	55.00	90.00	10.00
2143	2			SC	55.00	90.00	10.00
CK 0238	2			TC	55.00	90.00	10.00
5016	3			TC	55.00	90.00	10.00
5066	2			TC	55.00	90.00	10.00
6461	1			TC	55.00	90.00	12.00
6381	1			SC	55.00	100.00	10.00
6493	1			TC	55.00	100.00	10.00
6950	1			TC	55.00	100.00	12.00
4213	2			TCW	55.00	110.00	10.00
2790				VA2	55.17	61.62	12.32
2840	3			VBY	55.17	76.20	12.70
3652	1	CR-21756	N-4740	KB22	55.37	76.17	6.35
3613	3	N-8974S	CR-21771	KBY	55.37	76.20	12.70
0075	3	N-3103	N-713103	HTB2Y	55.37	81.03	15.75
3440	2		TRE52346	TB2	55.37	84.07	9.39
3708	2	N-473471		TB2	55.55	77.77	9.53
3667	1	213253TB		TB2	55.55	82.57	9.53
3563	8	CR-21592	N-5604	KBF	55.56	69.70 / 77.79	11.10
0607	1			SBY	55.56	85.00	12.70
0631	2	CR-21771	N-8974	SKB	55.57	76.20	12.70
2557	4			VBYX	55.58	60.33	9.53
0929	1			SA2	55.58	73.02	11.13
5491	2	G111207078		OVL	55.80	77.00	5.00
3804	2	N-3948(無内殻)	N-5604(有内殻)	KBF	55.90	69.47 / 77.70	5.00 / 11.00
3696	1	N-2286		RTBF	55.90	89.38 / 101.00	14.98
2301	2			GA	56.00	65.00	7.00 / 10.00
2371	2			GA	56.00	65.00	7.00 / 10.00
7708	1			GC	56.00	66.00	5.00 / 7.00
1615	3	90310-56044	N-710382 / NJ515	SC5Y	56.00	66.00	11.00 / 17.50
6593	1	N-1932		VB2	56.00	68.00	10.00
6152	1			TC	56.00	69.00	10.00
1738	1			TC	56.00	70.00	9.00
5988	1			SC	56.00	72.00	8.00
7115	1			TC	56.00	72.00	10.00
7116	1			RTCW	56.00	72.00	12.50
7447	3			TC9	56.00	72.30	8.00 / 12.00
4071	5			RTBYG2	56.00	73.15	9.53
3632	4	CR-22030		SBKC2	56.00	75.00	8.00
5296	2	N-4899	NK054	TB9	56.00	75.00	8.00 / 13.00
6951	1			SC	56.00	80.00	8.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1681	1	MT327029		TB2	56.00	81.00	8.00
7697	1			SC	56.00	85.00	8.00
1390	3	MT42027	30211RS-3B	OV	56.00	98.50	7.00
0668	2	30211RS-2A/3B	MB161134MT420207	Y	56.00	99.40	8.00
7590	2			SCUCY	56.00	112.00	8.00 / 10.00
6597	4	09625-0440-0	1-09625-331-0	SCUBY	56.00	122.00	8.00
0807	1	M3034		KB5Y	56.50	69.85 / 74.50	6.00 / 9.50
5344	2			VBF	57.00	65.00 / 71.00	4.00
2779	2	6230.02020		TC	57.00	67.00	7.00
6537	1			TC	57.00	71.00	8.00
6017	2			TBR	57.00	72.00	9.00
5442	4		CF-31811V	LTCWV	57.00	73.00	8.00
6694	1			RTCW	57.00	74.00	12.00
5571	3			TC6	57.00	75.00	12.00
5821	2			SC	57.00	75.00	16.00
7117	1			RTCW	57.00	80.00	12.00
7343	1			TC	57.00	81.35	12.00
6816	2			TB2Y	57.00	85.00	12.00
0354	2			TC	57.00	85.00	12.00
5573	4			TC6	57.00	85.00	16.50
7419	1			LTC	57.00	103.00	12.00
5290	1	430066		TC3Y	57.00	124.00	12.50 / 14.00
3035	2	PO-5139		角RING	57.10	67.80	7.80
3374	1			SL12	57.15	61.52 / 75.80	12.30
3347	2			WPB	57.15	66.68	4.75
2743	2	AR3116-EO		WPB	57.15	66.68	6.35
2744	2			WPB	57.15	69.85	6.35
3491	3			VBR	57.15	70.43	6.27
3153	2			SCWY	57.15	70.50	3.80 / 6.80
3404	2			WPB	57.15	72.89	6.35
* 3404	2			WPB	57.15	73.03	6.35
3860	2	22282VH		VB21	57.15	73.03	6.35
3410				WPB	57.15	73.03	6.35
* 3155	0		S-A872-2	TCAXN	57.15	74.61	8.30 / 9.10
3154	2			VCWY	57.15	74.61	8.30 / 9.10
3834	2			TC4N	57.15	74.61	8.80 / 9.40
3275	1			SC	57.15	76.20	9.53
2503	2	N-481272	CR-22353	SB	57.15	76.20	9.53
3439	3	N-712250	TAR67942	TB2	57.15	76.20	9.53
2575	1	AD7153F	CR-22354	TBY	57.15	76.20	9.53
2589	2	N-471341		TA2	57.15	76.20	11.13
0621	2	N-450-441		SA2	57.15	76.20	12.70
2705	4			TC	57.15	76.20	12.70
0768	1	T3003865		VB2Y	57.15	76.20	14.48
3337	4			RTCB	57.15	76.27	12.70 / 9.00
3303	3			RTCRV	57.15	76.27	12.70
2859	2	CR-22392		VB21	57.15	77.75	6.35
2910	2	N-473473	CR-22392	TB2	57.15	77.75	9.53
3608	4			TBR	57.15	77.78	12.70

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
0767	1	T3003712		VBV	57.15	79.37	14.00
0733	2	CR-22425	N-470737 / N-3095	RTBKC2	57.15	80.96	11.10
1033	1	300970		SC	57.15	80.96	11.10
3750	1	N-410737		TA2	57.15	81.00	11.10
0795	2	N-200763	CR-22430	OEA	57.15	82.55	7.24
3188	2	12374		TA2	57.15	82.55	12.70
1125	1			TC	57.15	82.55	19.05
3525	1	CR-22484		SBY	57.15	85.09	9.52
2934	9			KB2	57.15	85.62	9.52
2889	4	22333TBN	AD3135E1	TBY	57.15	85.62	9.52
2858	3	CR-22532	22534	TA2	57.15	85.62	11.13
2936	3			TA2	57.15	85.62	11.13
* 3374		N-370219A		TSL37	57.15	85.64	12.06
2846	1			KBY	57.15	85.73	6.35
0488	8			PB	57.15	87.31	12.70
3753	1	N-415234		TA2	57.15	92.02	11.88
0770	1	T3003856		VBKC2	57.15	95.25	16.00
4120	2		F6315	TC	57.20	85.72	6.35
0881	1	N-8754S		OV	57.20	100.00	7.00
3756	1	N-44052		VAY	57.28	84.12	9.65
6369	1			TC	57.50	71.00	8.00
CK 0223	9			FAN	57.80	68.00	6.00
3529	2	N-493291		KB2	57.98	80.14	9.52
3833	2			KBC3	58.00	70.00	6.00
7411	1			TB2	58.00	70.00	7.00
2168	1			SB2	58.00	72.00	8.00
6590	1			SC	58.00	72.00	8.00
6085	1			TC	58.00	72.00	8.00
5271	1			TC	58.00	72.00	9.00
0007	4	90043-11095/11222	AH7953E	LTC	58.00	74.00	10.00
4101	2	AH7953E		LTC	58.00	74.00	10.00
5018	2			TC	58.00	74.00	12.00
0062	3	ME624964	ME502488	TC	58.00	75.00	9.00
6297	1	N-225875		TC	58.00	75.00	10.00
6298	1			TC	58.00	75.00	15.00
5473	2	90311-58008		RTC9	58.00	78.00	10.00 / 14.00
5646	2	10342-76200	13510-43G00	SC	58.00	80.00	8.00
7698	1			SC	58.00	80.00	10.00
2181	2			TB2	58.00	80.00	10.00
1800	2			TC	58.00	80.00	10.00
1413	3			SC	58.00	80.00	12.00
7221	2	F3016-05823		TB2	58.00	80.00	12.00
6492	1			TC	58.00	80.00	12.00
1731	1			TC	58.00	80.00	13.00
5017	2			TC	58.00	82.00	8.00
5908	1			TC	58.00	82.00	12.00
7118	1			TC	58.00	83.00	10.00
5229	3			TC	58.00	84.00	12.00
7119	1			TC	58.00	85.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1730	1			TC	58.00	85.00	12.00
0383	1			OC	58.00	87.00	7.00
7457	1			SC	58.00	90.00	10.00
6462	1			TC	58.00	90.00	10.00
5493	1	12385		SC	58.00	90.00	11.00
1419	2			SCY	58.00	90.00 / 95.00	11.00
6463	1			TA2	58.00	90.00	13.00
5335	1			HTA9G2	58.00	102.00	8.00 / 21.50
6273	1	90311-58010	BH6215E	HTC9	58.00	102.00	11.00 / 19.00
5496	2	90311-58002		RTB2	58.00	102.00	12.00
6307	1			TC	58.00	102.00	12.00
3064	2	N-442874	CR-23035	VBKC2	58.72	76.20	6.35
0959	1			HTCR3	58.72	76.20	10.80
0942	1	2415344		TC	58.72	76.20	10.80
3486	2	INC45535A		HTC	58.72	79.37	9.53
0604	1			SA2	58.72	82.55	12.70
0738	2			HSC	58.74	79.38	9.52
6430	1	N-710168	8-94407-711-0	TB2	59.00	75.00	10.00
6538	1			LTC	59.00	80.00	10.00
7120	1			RTCW	59.00	85.00	12.70
7422	1			LTC	59.00	95.00	12.00
2526	1			SB2	59.13	76.21	10.00
4246	4	PS 345030	46087E	PISTON	59.15	65.60 / 68.80	27.50
2805	2	N-493637		KB2	59.18	76.12	7.92
2122	2	N-332271N	CR-23300	SBR	59.18	76.20	10.16
* 3372		N-370199A		TSL37	59.91	100.02	14.60
3796	2	234-27-31730		VBY	60.00	65.00	4.00
3372	1			SL11	60.00	65.00 / 86.50	14.00
7729	1			GA	60.00	70.00	5.00 / 8.00
7251	2			GC	60.00	70.00	5.00 / 7.00
6339	2			RSB2	60.00	70.00	5.50
6644	2			VB9Y	60.00	70.00	5.60 / 9.00
2106	4			GA	60.00	70.00	7.00 / 10.00
7250	2			GC	60.00	70.00	7.00 / 10.00
6952	2			SC	60.00	70.00	7.00
5644	2			TC	60.00	70.00	8.00
1103	2	38212-90006	21N-01090	TB2	60.00	72.00	7.50
7452	1			SC	60.00	72.00	8.00
6478	1			TC	60.00	72.00	8.00
2423	1			TC	60.00	72.00	10.00
1639	2	MH034079		TB3	60.00	72.00	12.00
0474	3	F2077-60		OS	60.00	73.00	5.60
6116	1			TC	60.00	73.00	8.00
1580	2			DKB	60.00	74.00	8.00 / 11.00
6178	1			TC	60.00	74.00	8.00
7122	1			TC	60.00	74.00	10.00
6258	1			VAY	60.00	75.00	4.00
6391	1			SC	60.00	75.00	7.00
2156	4			SC	60.00	75.00	8.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
0355	1			TC	60.00	75.00	8.00
0617	1	32136-60759		TC	60.00	75.00	9.00
0356	2			TC	60.00	75.00	10.00
5909	1			TC	60.00	76.00	7.00
5596	2			TB2	60.00	76.00	10.00
0595	1	1-09625-173-0		TC	60.00	77.00	12.00
7691	2			TCM	60.00	78.00	3.00 / 10.00
1475	1			VBC2	60.00	78.00	7.00
0730	1			SC	60.00	78.00	7.30
2424	3			TCF	60.00	78.00 / 83.00	9.00
5230	1			TC	60.00	78.00	10.00
7123	1			TC	60.00	79.00	11.00
6288	1			SC	60.00	80.00	7.00
6079	1			TC	60.00	80.00	7.00
6428	3	0734-319-419		LTCW	60.00	80.00	7.50
0741	2	09283-60004		LTC	60.00	80.00	8.00
4089	4	AH3210G		LTC	60.00	80.00	8.00
4099	4	09283-60005		LTC	60.00	80.00	8.00
1153	3			SC	60.00	80.00	8.00
4001	4			SC	60.00	80.00	8.00
2406	4			TC	60.00	80.00	8.00
5155	3	FRC8221	OS-090	KC9	60.00	80.00	10.00 / 13.00
5392	4	FTC4785	LR676BK-01S0	KC9	60.00	80.00	10.00 / 15.50
5743	3			LTC	60.00	80.00	10.00
6167	3			RTCW	60.00	80.00	10.00
CK 0234	2			SC	60.00	80.00	10.00
2537	6			SC	60.00	80.00	10.00
1176	4			TC	60.00	80.00	10.00
0619	1			TC	60.00	80.00	12.00
B 7691				TCMA	60.00	80.00	12.00
5727	2			RTCW	60.00	80.00	13.00
3023	3			SA2	60.00	80.00	13.00
4067	2			TC	60.00	80.00	13.00
1521	2	40227-30100		KC	60.00	82.00	7.00
0330	4	12279-H1000/2300	8-94373-765	TC/RTC	60.00	82.00	12.00
0729	1			TCN	60.00	82.00	12.00
1727				MG	60.00	85.00	8.00
1145	1			SC	60.00	85.00	8.00
0051	1			TC	60.00	85.00	8.00
6179	1			RTCW	60.00	85.00	10.00
0357	1			SC	60.00	85.00	10.00
1726	3			TC	60.00	85.00	10.00
CK 0097	3			TCA1	60.00	85.00	10.00
5324	3			TC	60.00	85.00	13.00
6953	1			SC	60.00	90.00	8.00
0697	3			TC	60.00	90.00	8.00
2140	2			SC	60.00	90.00	10.00
6434	1			TC	60.00	90.00	10.00
1418	2			TC	60.00	90.00	11.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6038	4			TC	60.00	90.00	12.00
6695	1			LTCW	60.00	90.00	13.00
7423	1			LTC	60.00	91.50	10.00
1725	1			TC	60.00	92.00	10.00
CK 0239	2			SC	60.00	95.00	10.00
6954	1			SC	60.00	95.00	10.00
7333	1			TC	60.00	95.00	10.00
7275	1			TC	60.00	95.00	12.00
CK 0212	2			SA2	60.00	100.00	10.00
6239	1			TC	60.00	100.00	10.00
5363	2			TC	60.00	100.00	12.00
7121	1			RTCW	60.00	110.00	10.00
7751	1			SC	60.00	110.00	12.00
CK 0184	3			TC	60.00	110.00	12.00
6464	1			TC	60.00	110.00	12.00
CK 0150	2			SA2	60.00	110.00	13.00
4215	2			SA2	60.00	110.00	13.00
7480	1			SC	60.00	120.00	12.00
3078	6	N-4359		RSBFPS	60.12	85.60 / 93.50	7.00
3264	1	79643		OVFY	60.19	115.60 / 131.60	20.40
0692	1	N-200855		OEA	60.20	90.50	7.50
3465	2			SAY	60.32	49.37	11.90 / 15.40
0157	1			SC	60.32	73.02	7.93
3050	12	920-494X		KB2	60.32	76.20	6.35
2900	10	920-494		TB2	60.32	76.20	7.62
3747	1	N-3393		TC	60.32	76.20	10.16
1462	2			LSCR2	60.32	76.53	11.10
2601	1			TBY	60.32	77.77	9.53
3246	2	6488		SB2	60.32	77.79	12.70
3415	4			TB2	60.32	79.37	9.53
3885	1			TA2	60.32	79.37	11.12
2712	1			SBY	60.32	79.50	11.10
2971	8	961-OS		TBKG2	60.32	82.55	7.62
0122	3			TB2	60.32	82.55	11.11
2128	4	D5NN6700		SBG2	60.32	82.55	11.43
3487	3	C5NN6700A		SBC	60.32	82.57	11.90
2590	3	N-412119		TA2	60.32	85.09	9.53
3552	6	N-4539H	CF-33042	RSBF	60.32	85.60 / 93.50	7.00
2688	2	748561		TA2	60.32	88.39	17.48
2849	2	CR-23756	N-195557	TA2	60.32	88.42	11.12
3674	3	N-23353		SA2	60.32	88.90	9.52
2592	3	N-416271	100944	TA2	60.32	88.90	9.53
3312	1			TC	60.32	88.90	15.88
3054	4	983-OS-1		TBY	60.32	91.00	7.50
3038	4	983-OS		TBFK2	60.32	91.10	5.00 / 9.50
2502	3			TA2	60.32	91.52	11.89
0950	1	454706-C1		TB5Y	60.32	114.26 / 124.00	27.00
0735	2	62454	CR-23685	SB2	60.33	82.57	11.50
3354	3			RTC	60.33	79.35	9.35

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
2727	4	AR-26480		OE	60.33	88.16	7.47
0315	3	CR-23841		TA2	60.35	92.02	11.20
5715	8			RTCW	60.50	78.00	9.00
6868	1			TC	60.50	79.00	10.00
2767	8	1800016		WRP	60.58	96.14	8.26
2768	4	1800007		WRP	60.96	87.25	12.19
2294	4			RAY	61.00	7.00	11.50
1697	3			TC	61.00	85.00	8.00
3441	2	N-3501V	TAR49025	TB2	61.40	85.07	9.52
3594	6	CR-24003	N-4160	KBY	61.47	76.20	7.14 / 9.70
3709	2	5698	N-4185	VB9Y	61.47	90.22	7.00 / 8.53
3602	6			KBY	61.47	90.25	7.10
0806	1	M3033		KB5Y	61.50	90.70 / 96.00	5.70 / 7.70
3375	1			TS37	61.52	85.65	12.07
2961	4	N-4019		TB2	61.77	77.98	5.77
3752	1	N-411500		TA2	61.90	85.09	9.53
3759	1	N-450374		SA2	61.90	85.09	11.89
3700	2	N-3210		KB2	61.90	92.05	9.53
7124	1			TC	62.00	75.00	10.00
5154	3	FRC8222		TCWY	62.00	78.00	11.50 / 13.50
1520	2			TB2	62.00	80.00	8.00
5318	3			TC	62.00	80.00	10.00
2433	1			TC	62.00	80.00	10.80
6168	1			RTCW	62.00	80.00	12.00
CK 0082	2			KC9F	62.00	82.00 / 86.50	5.00 / 10.00
6169	1			LTCW	62.00	82.00	12.00
7125	1			TC	62.00	83.00	9.00
0369	7	90311-62001/02	N-226285	TAY	62.00	85.00	8.00 / 10.00
1547	2	90311-62147		TB2	62.00	85.00	8.00
5625	2			SC	62.00	85.00	10.00
1359	2			TC	62.00	85.00	10.00
6196	1			LTCW	62.00	85.00	12.00
2232	2	AE3297A	SE-304	TC	62.00	85.00	12.00
7495	1			RTCW	62.00	88.00	8.00
6955	1			SC	62.00	90.00	10.00
5376	2			TC	62.00	90.00	10.00
6696	1			LTCW	62.00	90.00	12.00
6039	3			TA2	62.00	90.00	12.00
7576	1			TC	62.00	92.00	13.00
5226	1			TC	62.00	93.00	12.00
7126	1			RTCW	62.00	93.00	13.00
6197	1			LTCW	62.00	95.00	13.00
6717	1			TC	62.00	110.00	10.00
6718	1			TC	62.00	120.00	10.00
3458	4			B/C	62.20	82.40	1.35
0967	2			SC	62.31	90.10	11.51
0788	4	N-6575S		EA	62.84	90.00	7.24
7805	1			GC	63.00	73.00	5.00 / 7.00
5446	4		CF-26211A	TCRV	63.00	74.00	8.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
5019	1			TC	63.00	78.00	8.00
7421	1			LTC	63.00	80.00	8.00
5766	1			SC	63.00	80.00	9.00
5634	2			TB2	63.00	80.00	9.00
0090	3	90043-11060		TC	63.00	80.00	9.00
5722	4			SB2	63.00	80.00	12.00
7270	1			TC	63.00	85.00	10.00
7128	1			RTCW	63.00	85.00	12.00
7699	1			SC	63.00	88.00	10.00
7799	1			SC	63.00	90.00	10.00
6956	1			TC	63.00	90.00	10.00
5910	1			TC	63.00	92.00	12.00
6957	1			TC	63.00	100.00	10.00
7127	1			RTCW	63.00	100.00	12.00
2402	1		CF-31182	OVF	63.00	108.00 / 119.00	16.00
3823	2	PS 380032		PISTON	63.10	107.00 / 108.70	10.80 / 25.50
2687	2			SBCV	63.50	73.03	6.35
1041	1	PC1319		VBG3	63.50	76.20	4.76
2930	2			WPB	63.50	76.20	6.35
3065		3900709		VACTF	63.50	79.37	7.95
2962	4			KB9FC2	63.50	81.94 / 86.50	4.83 / 9.52
3637	4	N-3942		KBF9	63.50	81.94 / 86.50	4.83
3364	1			SC	63.50	82.55	9.53
3611	3			TBY	63.50	82.55	9.53
2752	2			TC	63.50	82.55	9.53
3620	10			SBRCs	63.50	82.55	9.78
1045	1			TBY	63.50	82.55	11.10
1060	6	N-471271	CR-24898	TB2	63.50	82.57	9.53
3757	1	N-442380		VB2	63.50	82.58	7.92
0980	2	N-450519	CR-24910	SA2	63.50	82.58	11.11
0980	2	N-450519	CR-24910	SA2	63.50	82.58	12.70
3427	1			TC	63.50	83.33	9.52
2841	4	N-4250		HTB5Y	63.50	83.89 / 91.44	8.10
1274	1			TC	63.50	86.60	10.00
2980	4	CR-25007		VB21	63.50	88.90	6.35
2597	2	N-415449	N-24971	TA2	63.50	88.90	9.53
1380	2			TA2	63.50	88.90	10.92
3297	2			SC	63.50	88.90	11.12
0070	2			SA2	63.50	88.90	12.70
2593	2			SA2	63.50	88.90	12.70
1446	2	N-415147		TA2	63.50	88.90	12.70
1311	2	63M-552-B		TB3	63.50	88.90	12.70
0680	4			TC	63.50	88.90	12.70
3276	1			SC	63.50	89.91	12.70
3565	4	CR-25043		SA2	63.50	90.00	11.12
2679	1			SC	63.50	90.00	11.12
3762	2	N-4525V		TB9F	63.50	90.40 / 102.49	6.5/10.8 / 16.10
3564	4	CR-24917	N-2385	HTB5Y	63.50	93.74 / 91.44	9.70
3736	9			VAY	63.50	95.25	11.12 / 13.66

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
2845	1	CR-25091		SA2	63.50	95.28	11.12
3173	3			VB16G2	63.50	95.28	11.13
1409	2	CR-25100	CML-17	SA2	63.50	98.43	11.10
2855	4			TBY	63.50	98.43	11.90
3451	4	01J-331-261L		LSCWY	63.50	99.00	6.50 / 8.50
0628	1			TC	63.50	100.00	12.00
3450	4	01J-331-261L		RSCW	63.50	102.00	9.50
2610	2	29940-2136		VBXC2	63.50	107.95	9.53 / 12.00
3436	2			TC	63.50	126.87	11.10
4243	1	PS 348033	46391B	PISTON	63.50	146.85	9.00
3411	2	N-4624V		TB4F	63.57	92.17 / 105.00	14.00
3793	1	N-8975S		KB2	63.80	89.05	7.36
0861	1			TC	63.98	85.22	11.88
6064	3			LTB2	64.00	80.00	8.00
5658	4			RSB2	64.00	80.00	8.00
5828	2			SC	64.00	80.00	8.00
1724	2			TC	64.00	80.00	8.00
7129	1			TC	64.00	82.00	8.00
6465	1			TC	64.00	85.00	10.00
1894	2	32136-53000		TC	64.00	85.00	12.00
6180	1			LTCW	64.00	85.00	16.00
6867	1			TC	64.00	88.00	6.00
7775	3	TWO COLOR		RTCBW	64.00	88.00	8.00
5911	1			TC	64.00	90.00	13.00
2351	1	09924-1351		TCY	64.00	133.00	13.00
3669	2	6211		B/C	64.50	90.10	1.78 / 2.78
3281	1	75612	BR6670E	PVF6	64.50	132.40 / 134.80	15.50
0976	2			SBR	64.93	47.60	7.92
5574	3			SL	65.00	71.00 / 94.00	19.00
5055	2			TC	65.00	72.00	10.00
7627	1			GC	65.00	75.00	5.00 / 7.00
2105	4	W12090		GA	65.00	75.00	7.00 / 10.00
6958	1			TC	65.00	75.00	8.00
1581	2			DKB	65.00	79.00	8.00 / 11.00
5785	2			VA2	65.00	80.00	4.00
2357	2			SC	65.00	80.00	8.00
2325	2			TC	65.00	80.00	8.00
4070	2			LTC	65.00	80.00	10.00
6965	1			TC	65.00	80.00	10.00
6082	1			SC	65.00	85.00	8.00
6658	1			TC	65.00	85.00	8.00
6181	2			LTCW	65.00	85.00	10.00
2092	1	09924-023		SC	65.00	85.00	10.00
0360	1			TC	65.00	85.00	10.00
5529	1			TCRV	65.00	85.00	12.00
5723	3			SB2	65.00	85.00	13.00
1723	1			TC	65.00	85.00	13.00
7131	1			RTCW	65.00	85.00	16.00
7132	1			TC	65.00	86.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7133	1			TC	65.00	88.00	10.00
1993	4	40227-44001		KC3	65.00	88.00	11.50
7432	2			OSC	65.00	88.00	12.00
1420	2			SC	65.00	88.00	12.00
6569	1			TC	65.00	88.00	12.00
1477	2	90311-65032		TBC2	65.00	88.00	13.00
6182	1			LTCW	65.00	90.00	10.00
4002	2	N-226530	NJ395	SC	65.00	90.00	10.00
5064	2			TB2	65.00	90.00	10.00
CK 0163	3			TC	65.00	90.00	10.00
1893	1			TC	65.00	90.00	10.00
1966	4			TC	65.00	90.00	12.00
1882	1			TC	65.00	90.00	13.00
5272	3	5-09625-052		TC	65.00	92.00	12.00
6791	1			SC	65.00	95.00	10.00
6959	1			TC	65.00	95.00	10.00
6069	2			TC	65.00	95.00	12.00
1544	1	90311-65033	9828-65111	RTB9	65.00	95.00	14.00 / 21.00
5856	1	AD3414I		TB	65.00	95.00	14.00
1478	1			TC	65.00	95.00	14.00
6623	1			TC	65.00	100.00	6.00
6551	1			TC	65.00	100.00	8.00
CK 0242	2			SC	65.00	100.00	10.00
6747	4			SC	65.00	100.00	10.00
1722	3			TC	65.00	100.00	10.00
7454	1			SC	65.00	100.00	12.00
1886	1			TC	65.00	100.00	12.00
6697	1			RTCW	65.00	100.00	13.00
3373	1			TS37	65.00	100.00	14.60
* 5575		AQ7984P		AO	65.00	100.00	19.00
7130	1			TC	65.00	102.00	12.00
6272	1	90033-11039	BH6757E	RTBR9	65.00	105.00	9.00 / 25.00
5513	1			TC	65.00	105.00	10.00
7700	1			SC	65.00	110.00	10.00
6960	1			TC	65.00	110.00	10.00
5214	1			TAY	65.00	114.00	10.00 / 25.50
5481	1	CR-25465		SBP2	65.00	120.00	8.00
5312	1			SC	65.00	120.00	8.00
6228	1			TC	65.00	120.00	12.00
7481	1			TC	65.00	120.00	13.00
2906	2	CR-25748	N-455280	SA2	65.07	98.45	11.89
0622	1	N-486857		OB	65.08	94.45	12.70
2044	2			SC	65.10	85.73	9.53
3526	1	542321		TBKC2	65.88	92.08	11.90
3658	2	N-477069		TB2	65.98	101.60	12.70
2794	2	CR-25970	N-411330N	TAY	65.99	88.42	11.12
2771	1	N-712598		TBFP2	65.99	101.57 / 117.00	19.81
0434	1			OVY	66.00	80.00	6.00
7135	1			TC	66.00	80.00	9.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6330	2	N-710092	90311-66001	TA2	66.00	85.00	10.00
3248	2	3697		SA2	66.28	92.08	12.70
2763	6			WREP	66.49	90.62 / 93.62	9.60
7134	1			RSB2	66.60	91.95	13.00
0169	6	CR-26299		TA2	66.67	95.25	11.10
2591	3	N-411143N		TA2	66.68	82.55	11.13 / 11.80
6698	1			RTCW	66.68	88.90	9.53
3765	1	N-455368		SA2	66.68	88.90	12.70
3802	1	EATON 127720	N-415458 / S-B648	LTBF9Y	66.68	92.00 / 97.80	13.00 / 17.20
2725	1	CR-26220	N-475458	TBY	66.68	92.08	9.53
2667	2	N-455003		SA2	66.68	92.08	11.89
3305	4	CR-26310		EAY	66.68	96.85	7.50 / 10.54
0796	4	N-200392		EA	66.68	96.85	10.54
2534	4			SA2	66.68	112.73	11.13
0924	1			TBKP2	66.68	115.90	18.24
2772	3	N-9773		TBF	66.68	115.93 / 125.00	18.24
7136	1			TC	67.00	80.00	10.00
7137	1			TC	67.00	89.00	10.00
3621	4			SBR	67.07	84.93	10.72
3045	3	GA10A0265	27810	RSC	67.47	88.10	7.94
3457	3			B/C	67.75	90.15	1.85
6299	1			TC	68.00	80.00	8.00
0398	1	09061-0001P		LTC3	68.00	82.00	7.00
5021	1			TC	68.00	85.00	8.00
7139	1			RTCW	68.00	85.00	10.00
5839	8	BH2304F/N-710334	09283-68002 N-710334	LTC	68.00	86.00	8.00
2472	3	62526	BH2820E	RSC	68.00	88.00	8.00
5384	3	90043-11102		TA2	68.00	88.00	9.50
4250	3	PS 363951	70312/27810N	RTCFW	68.00	88.00 / 93.00	11.00
2233	1	CR-26650	SE-305	SB2	68.00	90.00	8.00
7277	1			TC	68.00	90.00	8.00
6183	1			LTCW	68.00	90.00	10.00
2130	2			SC	68.00	90.00	10.00
1522	2	90311-68001		TA2	68.00	90.00	10.00
5947	2			TC	68.00	90.00	10.00
0669	2	MT119305	09924-338	TB2	68.00	90.00	12.00
7276	1			TC	68.00	90.00	12.00
2287	1	90311-68002(TA)		TBY/TA2	68.00	92.00	10.00
5912	1			TC	68.00	92.00	12.00
7140	1			TC	68.00	95.00	10.00
0985	2			LTC	68.00	95.00	13.00
6961	1			SC	68.00	100.00	10.00
7138	1			RTCW	68.00	100.00	13.00
1030	1	300947		SC	68.26	95.25	12.70
0623	1	N-486857		SBY	68.26	96.84	12.70
6645	1			VB9Y	69.00	80.00	4.60 / 8.50
6208	3			RSB2	69.00	85.00	10.00
6305	1			TC	69.00	85.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
cq 0059	1			OAY	69.00	100.00	13.00
2952	5			VBV	69.09	95.26	11.13
3359	1			SC	69.85	88.90	9.53
0813	1			TBY	69.85	88.90	9.53
3481	1			TC	69.85	88.90	9.53
2561	2			SA2	69.85	88.90	11.13
0983	2	N-475322		TA2	69.85	89.99	11.13
2757	1	N-416664	N-417484N	TA2	69.85	90.00	9.53
1514	3			LSC	69.85	90.00	9.90
3230	2		S-D545	HTB	69.85	90.00	12.70
2848	2	CR-27334	N-195677	SA2	69.85	92.02	11.12
3413	4			TB	69.85	92.08	14.50
3735	9			VAY	69.85	95.25	11.12 / 13.66
2951	6			VB18	69.85	95.27	11.13
2698	2	CR-27394		VB21	69.85	95.28	6.35
2619	4	CR-27368		SB2/SA2	69.85	95.28	11.13
3318	2	CR-27370		TA2/TB2	69.85	95.31	11.13
0746	2	N-2222		KBF	69.85	96.03 / 102.00	9.50 / 11.10
2568	2		N-475009N	TB/TA2	69.85	98.45	11.88
3466	2			SA2	69.85	98.45	12.70
3231	2		S-8063	TA2	69.85	101.67	11.88
2701	1			SBY	69.85	108.00	7.80
2702		92089		TBFPTF	69.85	110.01	12.70
3225	1			TCF	69.85	139.70 / 154.00	17.40
* 3225		N-4876N	S-D449 / A1205P1914	HTC5A	69.85	139.70 / 151.00	19.00
3226	1			VBF	69.85	148.35	5.85
ck 0117	1			SL6	70.00	74.00 / 93.00	14.50
7323	2			VCW	70.00	78.00	5.00
7666	2			GC	70.00	80.00	5.00 / 7.00
2104	4			GA	70.00	80.00	7.00 / 10.00
7253	1			GC	70.00	80.00	7.00 / 10.00
6170	1			LTCW	70.00	80.00	10.00
7141	1			TC	70.00	82.00	12.00
1582	2			DKB	70.00	84.00	8.00 / 11.00
3247	2	7870		VAG	70.00	85.00	4.00
2166	1			SC	70.00	85.00	7.00
6209	1			RSB2	70.00	85.00	8.00
0280	2			SC	70.00	85.00	8.00
1895	1			TC	70.00	85.00	8.00
5739	3			RTC	70.00	85.00	10.00
5135	3	J5 3346-16		TB2	70.00	85.00	10.00
1896	2			TC	70.00	85.00	10.00
5753	1	與#5754組合	A-1205-A-1925	VBF	70.00	86.00 / 97.50	6.00
6625	1			TC	70.00	86.00	7.00
7142	1			RTCW	70.00	86.00	8.00
2120	1	8067-70011		TC	70.00	87.00	8.50
0435	1	CY-HM803110		OVY	70.00	88.00	5.87
6212	1			RSB2	70.00	88.00	8.00
6626	1			TC	70.00	88.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
0004	2	0559-33-065/AH3505Q	0370-11-399	LTC	70.00	88.00	12.00
6278	3			LSC	70.00	90.00	5.00
5779	1			SC	70.00	90.00	7.00
6663	1			TC	70.00	90.00	7.00
1677	2			KB3	70.00	90.00	10.00
1317	2			LSB2	70.00	90.00	10.00
2481	1			RTBC	70.00	90.00	10.00
CK 0132	4	TOSK.225.Z		RTCW	70.00	90.00	10.00
5726	3			RTCW	70.00	90.00	10.00
AZ 0001	4			SC	70.00	90.00	10.00
1180	1			SC	70.00	90.00	10.00
2145	3	770-308-710/703	113-105-245F	SC	70.00	90.00	10.00
2151	2	98454051		TC	70.00	90.00	10.00
6184	1			LTCW	70.00	90.00	12.00
7463	1			SC	70.00	90.00	12.00
2087	1			TA2	70.00	90.00	12.00
1150	1			TC	70.00	90.00	12.00
7654	1			SC	70.00	90.00	13.00
* 5753	1			LTCFA	70.00	90.00 / 100.00	19.00
5754	1	與#5753組合	A-1205-A-1925	LTCFA	70.00	90.00 / 100.00	19.00
0008	3	90311-70075/105/120	09311-70001/4/7	TC	70.00	92.00	12.00
1763	2	09924-327	44414-59700	TC	70.00	92.00	12.00
2422	1			TC	70.00	92.00	13.00
5795	1			LSC	70.00	95.00	7.00
6185	1			LTCW	70.00	95.00	10.00
6466	1			TC	70.00	95.00	10.00
1415	1			TC	70.00	95.00	12.00
1509	2			SC	70.00	95.00	13.00
2486	1			TA2	70.00	95.00	13.00
1937	2			TC	70.00	95.00	13.00
CK 0118	A			OAB	70.00	95.00	14.50
0590	1	MD431137	MD010324	LTCFYS	70.00	96.00 / 103.00	11.00
5325	2			TC	70.00	98.50	10.00
CK 0182	1				70.00	100.00 / 102.00	5.00
5738	3			RTC	70.00	100.00	10.00
CK 0183	3			SC	70.00	100.00	10.00 / 7.00
6578	1			SC	70.00	100.00	10.00
CK 0158	2			TC	70.00	100.00	10.00
2332	2			TC	70.00	100.00	10.00
7800	1			SC	70.00	100.00	12.00
7672	2			TC	70.00	100.00	12.00
6198	1			RTCW	70.00	100.00	13.00
5915	1			TB2	70.00	100.00	13.00
1660	1	MH034065	AE8520E	TC	70.00	100.00	13.00
2189	4	ENE4		OTXR	70.00	100.00	15.00
5916	1			TC	70.00	100.00	15.00
5022	1			TC	70.00	105.00	10.00
7278	1			TC	70.00	105.00	13.00
7638	1			SC	70.00	110.00	8.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7267	1			TC	70.00	110.00	8.00
CK 0108	1			TC	70.00	110.00	9.00
6966	1			TC	70.00	110.00	10.00
2185	2			SC	70.00	110.00	12.00
0376	1			TC	70.00	110.00	12.00
7620	1			TC	70.00	110.00	13.00
0667	8	MB161152	MT100138	TB9	70.00	112.00	10.00 / 18.00
1630	3	90043-11053-000	N-710339	HTB9	70.00	112.00	14.00 / 20.00
7279	1			TC	70.00	115.00	12.00
7730	1			TC	70.00	120.00	10.00
7496	1			RTCW	70.00	120.00	12.00
1675	2	12020-29600		TBF9	70.00	122.00	12.00 / 30.00
7482	1			TC	70.00	125.00	12.00
0475	1	F2077-71		OS	71.00	83.00	5.60
6211	1			RSB2	71.00	88.00	8.00
5023	2			TC	71.00	88.00	8.00
6186	1			RTCW	71.00	88.00	10.00
5575	3			TC6	71.00	100.00	17.00
3755	1	N-417485		TA2	71.42	98.45	11.10
0067	1	T3040272		VBC2	71.44	98.43	4.76
6869	2			HTB9Y	72.00	84.00 / 85.50	18.00 ± 20.50
3672	2			VCF	72.00	85.00 / 104.50	10.00
6813	0			VAFE	72.00	87.00	10.50
5657	1			TB2	72.00	90.00	8.00
0423	1			SC	72.00	90.00	10.00
7143	1			RTCW	72.00	92.00	12.00
5227	1			TC	72.00	94.00	10.00
1676	2	ME031051		TC	72.00	94.00	12.00
6967	1			SC	72.00	95.00	10.00
6199	1			RTCW	72.00	95.00	12.00
7577	1			TC	72.00	95.00	12.00
1641	2	MD00885/117643 21443-21010	AH3560EO / N-227235	LTC	72.00	96.00	9.00
0825	1			VBR	72.00	98.52	4.78
6494	1			TC	72.00	100.00	10.00
6699	1			RTCW	72.00	100.00	12.00
0430	1			TC	72.00	105.00	10.00
CK 0127	3	TOSK.101.Z		HSA2	72.00	105.00	13.00
6024	1			RTAG	72.00	105.00	13.00
6719	1			TC	72.00	140.00	10.00
1064	4	N-2081	CR-28425	HTA2/TB2	72.63	100.01	12.70
3488	3			SC	72.64	100.00	8.30
4241	1	PS 348034	46393B	PISTON	72.95	103.50 / 137.60	4.20 / 25.20
3738	2			SL	73.00	77.60 / 96.60	14.50
6216	1			RSB2	73.00	90.00	8.00
0747	2	N-9864		TA5Y	73.00	98.55 / 106.50	11.10 / 13.00
3685	1	N-2674		SBFA	73.02	97.00 / 106.04	9.70 / 20.62
3754	1	N-417158		TA2	73.03	98.45	9.53
2960	4	53000239		TB2	73.03	87.00	7.50

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
2718	3			HSC	73.03	92.08	9.52
3029	4	3164	F3419	SC	73.03	92.08	9.52
2603	1			TA2	73.03	92.08	9.52
2741	8			TC	73.03	92.08	9.52
0781	1	CR-28697		SA2	73.03	95.25	11.12
3775	1	N-6780		SAY	73.03	98.15 / 104.77	9.50 / 20.62
2842	4		N-9864(old)	HTB5Y	73.03	98.43 / 107.00	11.10 / 13.60
2646	1			SC	73.03	98.43	12.70
3568	9	N-9864(new)	CR-28720	HTAF	73.03	98.45 / 105.40	9.27 / 15.49
2681	1	N-455144		SA2	73.03	114.27	11.89
2948	2	CR-28848		SA2	73.03	114.30	11.12
3878	6	DSP266015000		B/C	73.10	82.64	0.86 / 1.25
3707	2	N-4122	470547	TB2	73.20	87.15	7.39
3740	2			FC	73.50	101.70	15.00
6213	1			RSB2	74.00	88.00	8.00
7145	1			RTCW	74.00	88.00	12.00
7146	1			TC	74.00	90.00	8.00
6210	1			RSB2	74.00	90.00	10.00
5151	9	A004M1214		VC9	74.00	90.50	4.60 / 11.00
7147	1			TC	74.00	94.00	10.00
5716	1			TC	74.00	95.00	7.00
1378	2	43223-30100		VC	74.00	95.00	7.00
CK 0118	1			TBRX	74.00	95.00	16.00
1157	1			RTCW	74.00	98.00	12.00
7144	1			RTCW	74.00	102.00	13.00
3349	9			VAY	74.63	100.00	11.13 / 13.66
2620	2	CR-29273		TBYC	74.63	100.00	11.13
2797	1	CR-29275		TA2	74.63	100.00	15.09
2678	1	EAR 119432		HTBFPV	74.63	125.50	31.75
3656	1			OVY	74.80	102.00	11.00 / 23.00
5477	1	SS3-VBD		SL	75.00	79.00 / 98.50	14.00
2217	4			GA	75.00	85.00	7.00 / 10.00
7806	1			GC	75.00	85.00	7.00 / 10.00
6802	1			TC	75.00	85.00	10.00
5106	4			OS	75.00	88.00	5.60
2237	3	W14N16		DKB	75.00	89.00	8.00 / 11.00
6389	2			VAY	75.00	90.00	4.00
6429	3	0734-310-342		RTCW	75.00	90.00	8.00
0281	1			SC	75.00	90.00	8.00
6104	2			SCX	75.00	90.00	8.00
6467	1			TC	75.00	90.00	8.00
6187	1			LTCW	75.00	90.00	10.00
2241	4			OER2	75.00	90.00	10.00
2154	2			SB2	75.00	90.00	10.00
6994	1			SC	75.00	90.00	10.00
1721	2			TC	75.00	90.00	10.00
2240	4			OER2	75.00	90.00	12.00
2476	3	S2600002		VBXC2	75.00	94.00	5.50
5545	1	N-5680	1-09625-006-0	SAY	75.00	94.00 / 112.00	10.00 / 18.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6754	2			SC	75.00	95.00	7.00
5385	3	33004143		LTCWX	75.00	95.00	8.00
7533	4	TWO COLOR		RTCBW	75.00	95.00	8.00
6586	1			HSCW	75.00	95.00	10.00
5725	3			LTCW	75.00	95.00	10.00
5748	1			SC	75.00	95.00	10.00
5228	1			TC	75.00	95.00	10.00
1364	2			RTCW	75.00	95.00	12.00
6968	1			SC	75.00	95.00	12.00
6402	1			TC	75.00	95.00	12.00
0732	1			SC	75.00	96.00	8.30
7689	2			TCM	75.00	100.00	3.00 / 12.00
6303	1			TC	75.00	100.00	7.00
6826	1			RTBCW	75.00	100.00	10.00
CK 0126	3	TOSK.66.Z		SC	75.00	100.00	10.00
CK 0240	2			SC	75.00	100.00	10.00
1280	1			SC	75.00	100.00	10.00
CK 0241	2			TC	75.00	100.00	10.00
2331	2			TC	75.00	100.00	10.00
6814	0			VAFE	75.00	100.00	10.00
1466	1			HTC3	75.00	100.00	11.00
1720	1			TC	75.00	100.00	12.00
0226	4	90311-75113		RTC	75.00	100.00	13.00
1930	4			TA2	75.00	100.00	13.00
0478	2	90311-75039	42404-36010	TBG2	75.00	100.00	13.00
0731	1	732-1		TCN	75.00	100.00	13.00
7332	1			RTBCW	75.00	100.00	17.00
5246	2			TA2	75.00	101.60	15.00
B 7689				TCMA	75.00	102.00	14.00
5245	2			TC	75.00	102.00	15.00
2860	2	271794R91	501369	SPLIT	75.00	102.16	8.70
0845	1			TC	75.00	105.00	10.00
5917	1			TC	75.00	105.00	11.00
6200	1			LTCW	75.00	105.00	12.00
2482	1			SA2 / TA2	75.00	105.00	12.00
7640	1			SC	75.00	105.00	12.00
7660	1			TC	75.00	105.00	12.00
1632	2			KC	75.00	105.00	15.00
6870	1			TC	75.00	106.00	13.00
6201	1			LTCW	75.00	108.00	10.00
5336	1	BA2708E	90311-75003	TA9Y	75.00	108.00	10.00 / 19.50
1400	1	90311-75003		TAWYG	75.00	108.00	10.00 / 19.50
7578	1			TC	75.00	110.00	10.00
6969	1			SC	75.00	110.00	12.00
1718	1			TC	75.00	110.00	12.00
5717	3			RTC	75.00	110.00	13.00
5949	1			SC	75.00	115.00	10.00
6280	1			TC	75.00	115.00	10.00
6700	1			RTCW	75.00	115.00	13.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6115	1			TC	75.00	116.00	13.00
5180	9	CR-29590	N-200322	EA	75.00	120.00	8.00
7686	1			TC	75.00	120.00	10.00
7801	1			SC	75.00	120.00	12.00
6970	1			TC	75.00	120.00	12.00
7148	1			RTCW	75.00	120.00	13.00
6215	1			RSB2	75.00	121.00	12.50
6971	1			TC	75.00	130.00	10.00
7639	1			TC	75.00	130.00	12.00
3803	1	S=16400		HTC9FY	75.00	146.00 / 154.00	12.00 / 28.30
3810	1			SA2	75.77	104.78	9.53
2693	3			LSC	75.80	95.25	9.52
4229	2	USA-10065600		LTCW	76.00	92.00	9.50
5541	2	N-4307V		TC	76.00	92.00	9.50
2778	1	8067-76011		LTC	76.00	93.00	10.00
5765	1			SC	76.00	95.00	10.00
5635	2			TB2	76.00	95.00	10.00
2777	1	91214-PB2-0		TC	76.00	98.00	12.00
5656	4	400512	5-09625-030-0	TA3Y	76.00	102.00	9.50 / 20.00
5500	1		CF-34183	PKF2	76.00	108.00	11.00
3422	2			SC	76.02	96.24	9.10
3163	3	S-B031		SL	76.20	81.10	22.50
3444	2			WPB	76.20	88.90	6.35
2973	3	B-372		LTBPV	76.20	95.25	9.52
3284	1			SC	76.20	95.25	9.52
2569	2	N-415281N		TA2	76.20	95.25	12.70
1029	1			SC	76.20	101.60	9.53
0597	4	N-455013N	CR-29951	SA2	76.20	101.60	11.90
1215	2			SC	76.20	101.60	12.70
2607	4	N-415836	CR-29952	TA2	76.20	101.67	11.10
2507	2	N-502518	CR-30000	SA2	76.20	104.78	11.13
0787	3	N-455145	155-805	SA2	76.20	104.78	14.28
0828	1	T3003941		KCAC2	76.20	105.00	15.60
2683	3	N-455086	CR-30033	SA2	76.20	107.92	11.12
0940	4	N-415086N		TA2	76.20	107.92	11.13
2862	1	G13822		TA2	76.20	109.98	12.70
2901	3	CR-30095		TA2	76.20	114.30	11.13
2770	1	N-455088	CR-30087	SAPV	76.20	114.30	11.89
2596	4	N-415088		TA2	76.20	114.30	11.89
3456	1			HTC9F	76.20	114.30 / 120.65	12.03 / 19.05
3801	1	UH0986E	S-A750	HTBF9Y	76.20	115.88 / 126.90	10.00 / 24.20
3187				HTASR	76.20	146.05 / 164.00	17.00
2618	1			TBFP	76.20	158.75	19.05
3655	1			TCWY	76.80	113.11	21.00
7150	1			TC	77.00	98.00	10.00
7149	1			RTCW	77.00	100.00	11.50
6070	3			TA3Y	77.00	102.00	9.50 / 21.50
0064	4	T3042204		VAG2	77.79	95.25	6.35
4244	1	PS 348032	46390B	PISTON	77.80	140.00 / 142.50	18.70 / 27.60

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
3877	6	DSP266014000		B/C	77.95	96.12	0.90 / 1.35
4242	1	PS 348031	46392B	PISTON	77.95	118.00 / 120.50	8.50
5825	1			SC	78.00	90.00	9.00
5780	1			LSC	78.00	92.00	9.00
6815	2			BO2	78.00	94.00	11.00
6202	1			RTCW	78.00	100.00	10.00
6972	1			SC	78.00	100.00	10.00
6074	2			TC	78.00	100.00	10.00
5718	1			TC	78.00	100.00	13.00
5831	1	90311-78001	AA3695E	TA9	78.00	115.00	10.00 / 19.00
CK 0161	1	TOSK.227.Z		RTB9C	78.00	115.00	13.00 / 17.00
7151	1			TC	78.00	120.00	7.00
3186	1			HTBF9	78.00	146.05 / 155.50	15.90
3174	4	DG-3010457	39809	RTFA	78.50	104.78	11.10
0802	3	31390		SBY	78.97	113.00	11.00
3109	6	S-A565		SBF	78.97	146.70 / 209.60	11.10
0830	2	T 3003940		OTCR2	79.00	96.00	8.00
3739	2			TCY	79.00	96.40	7.60 / 9.60
7152	1			TC	79.00	99.00	8.00
5478	1	SS3-VBD		TCW	79.00	100.00	10.00
1134	1	9-09724-018-0	N-710080	TB5Y	79.00	113.00	20.00 / 22.00
5114	4			OS	79.27	88.00	5.60
3881	4	DSP246014A00		B/C	79.36	10.27	1.05 / 1.45
0176	1	70HM6701A3A		HSC	79.37	95.25	11.11
0965	1			TA2	79.37	114.30	12.70
3423	2			RTCW	79.38	95.25	11.00
3108	3	N-8976S		KB2	79.38	106.00	7.37
0883	2	N-416297		TA2	79.38	117.50	11.10
5797	2	與#5796組合	000M9583	SL	80.00	85.00 / 113.00	15.00
7683	1			GC	80.00	88.00	7.00 / 10.00
2218	4			GA	80.00	90.00	7.00 / 10.00
7254	1			GC	80.00	90.00	7.00 / 10.00
7497	1			RTCW	80.00	93.00	13.00
1583	2			DKB	80.00	94.00	8.00 / 11.00
2311	4	W1417		GA	80.00	94.00	8.00 / 12.00
6725	2			TL	80.00	94.50	9.20
6304	1			LTCW	80.00	95.00	8.00
6468	1			TC	80.00	95.00	8.00
6701	1			LTCW	80.00	95.00	10.00
0188	2	MD069947 21321-42041	AH3724H / N-228005	LTC	80.00	96.00	9.00
6555	3	961011489	N-228008	TC	80.00	98.00	10.00
5466	4	VS3-SB5		VCWIFY	80.00	98.50 / 103.00	7.50 / 18.00
0053	2			TC	80.00	100.00	7.00
2407	2			TC	80.00	100.00	7.00
2119	2	90311-80003/AH3730E	90043-11230	TC	80.00	100.00	8.50
5471	1	SS2-BIB		HTBPV	80.00	100.00	10.00
5655	1			LSCF	80.00	100.00 / 105.00	10.00
7534	2	TWO COLOR		RTCBW	80.00	100.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6910	1			RTCW	80.00	100.00	10.00
6235	3			SB2	80.00	100.00	10.00
CK 0243	2			SC	80.00	100.00	10.00
2307	1	12279-42L00	90311-80007	SC	80.00	100.00	10.00
2462	2			TB2	80.00	100.00	10.00
4216	1			TC	80.00	100.00	10.00
0052	8	12279-01M00 /58S00/75T00	13043-T7200 PC6-003 91214-	TC/RTC/LTC	80.00	100.00	10.00
6726	2			TL37	80.00	100.00	11.50 / 15.00
0125	4	90311-80139	90311-80068	LTC	80.00	100.00	12.00
6421	1			SC	80.00	100.00	12.00
5445	2	12357		TA2	80.00	100.00	12.00
CK 0131	3	TOSK.145.Z		TB2	80.00	100.00	12.00
5721	5			RTC	80.00	100.00	13.00
7535	4	TWO COLOR		RTCBW	80.00	100.00	13.00
1494	6	7703087080	90311-80001/4/68/139	SC	80.00	100.00	13.00
0486	2	12279-21000	AH3734EO	TC / LTC	80.00	100.00	13.00
0819	1			TBY	80.00	101.67	9.53
6539	3			RTCW	80.00	105.00	12.00
2419	2			TC	80.00	105.00	12.00
1511	1	0453-11-399		LTC	80.00	105.00	13.00
0005	3	0453-11-399		TC / TC3	80.00	105.00	13.00
6370	1			KCY	80.00	105.00	14.00
1717	1			TC	80.00	105.00	14.00
6798	1			TC	80.00	108.00	13.00
2443	1			SC	80.00	110.00	10.00
1716	1			TC	80.00	110.00	10.00
CK 0125	3	TOSK.27.Z		LTB2	80.00	110.00	12.00 / 8.00
5470	1	VDI-BIB		LTBPV	80.00	110.00	12.00
6247	2			SA2	80.00	110.00	12.00
7661	1			SC	80.00	110.00	12.00
4264	3	HE-C		TB2	80.00	110.00	12.00
6609	2			TB2	80.00	110.00	12.00
2416	1			TC	80.00	110.00	12.00
6203	4			RTCW	80.00	110.00	13.00
0591	1			TA2	80.00	110.00	13.00
6025	4	N-710080		TAY	80.00	113.00	12.00 / 22.00
7153	1			TC	80.00	115.00	13.00
1623	1			TC	80.00	115.00	15.00
* 5796					80.00	117.00	15.00
5838	2			SC	80.00	120.00	10.00
6973	1			SC	80.00	120.00	12.00
7726	1			SC	80.00	120.00	13.00
6171	1			TC	80.00	120.00	13.00
5213	1			TAY	80.00	124.00	10.00 / 26.00
7439	1			TC	80.00	125.00	10.00
CK 0245	2			SC	80.00	125.00	12.00
6793	1			TC	80.00	125.00	12.00
6172	1			TC	80.00	125.00	13.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7154	1			TC	80.00	130.00	12.00
5337	1	AE7943E	2402N-058	TC9Y	80.00	135.00	12.00 / 26.00
7220	2	64333-71500		OB	80.00	141.00	10.00
5291	1	402521S		SRTBYG	80.00	143.00	10.00 / 37.00
3211	1	N-6358	CR-31870	SA2	80.95	117.47	11.22
3447	3			SL	80.96	81.00 / 91.50	22.00
5617	2			VA2	80.96	94.85	4.00
3448	3			HTAF	80.96	95.25	17.50
1011	1			LTC	81.00	100.00	8.50
7723	1			TC3	81.00	108.00	12.00
3164	2	B002B2183		HTAFP2	81.00	125.48	19.50
3814	2			U-CUP	81.50	100.50 / 102.00	7.50 / 9.20
7155	1			RTCW	82.00	100.00	9.00
7498	1			RTCW	82.00	102.00	13.00
7746	1			TC	82.00	105.00	10.00
1897	1	5-09625-036-0		LTC	82.00	105.00	12.00
1464	1	9-09924-449		TC35	82.00	105.00 / 113.00	12.00
6026	3	9-09924-449-0		LTCF	82.00	105.00 / 110.00	13.00
7156	1			TC	82.00	110.00	10.00
7157	1			TC	82.00	110.00	13.00
5678	1	UH0924E		LTBR9F	82.00	113.00 / 118.00	12.50 / 20.50
6720	1			TC	82.00	120.00	10.00
3826	2	PS 358032		PISTON	82.00	125.00 / 166.60	9.80 / 22.10
6721	1			TC	82.00	160.00	10.00
3527	1	CR-32330		SBKC2	82.55	98.43	9.52
2963	1			SBRCV	82.55	100.00	6.50
3324	1	N-32424TA		TA2	82.55	107.95	10.92
3156	1			SC	82.55	107.97	12.70
3298	2			SC	82.55	114.30	12.70
2504	1	N-417352		TA2	82.55	114.30	12.70
3133	3		S-A700-2	SL	83.00	87.50 / 101.00	24.50
7158	1			RTCW	83.00	100.00	8.00
6790	1			LTC	83.00	100.00	9.00
6595	1	N-228250		TC	83.00	100.00	9.00
7159	1			TC	84.00	100.00	10.00
6702	1			LTCW	84.00	102.00	13.00
7160	1			TC	84.00	104.00	10.00
0065	1	T3041870		SB2	84.14	100.00	8.70
5480	1	SS2-BM2		SLRB	85.00	86.50 / 103.00	18.00
2219	2			GA	85.00	95.00	7.00 / 10.00
5997	2			VA2	85.00	100.00	4.00
7483	1			SC	85.00	100.00	7.00
7484	1			SC	85.00	100.00	9.00
2483	1			TB2	85.00	100.00	9.00
6469	1			TC	85.00	100.00	10.00
5530	1			RTCW	85.00	100.00	12.00
6306	1			RTCW	85.00	100.00	12.00
6799	1			TC	85.00	102.00	12.00
6783	3			LTCB	85.00	102.00	13.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
3880	4	DSP246014000		B/C	85.00	102.70	1.12 / 1.55
5633	1			LTC	85.00	103.00	8.00
CQ 0165	1			HSCW	85.00	105.00	8.00
6627	1			RTCW	85.00	105.00	8.00
CQ 0164	1			TC	85.00	105.00	8.00
1898	4	90311-85003/04/06	90311-85106	LTC	85.00	105.00	10.00
5749	1			SC	85.00	105.00	10.00
5654	1			TB2	85.00	105.00	10.00
6495	1			TC	85.00	105.00	10.00
5204	6	049-103-051	NB620B	LTCW	85.00	105.00	11.00
2427	1			OC	85.00	105.00	12.00
1921	4			RTCW	85.00	105.00	12.00
5764	1			SC	85.00	105.00	12.00
7727	1			SC	85.00	105.00	13.00
1369	2			TA2	85.00	105.00	13.00
1512	3	90311-85001		TC / RTC	85.00	105.00	13.00
7367	1			SL	85.00	105.00	16.50
6871	1			TC	85.00	110.00	6.00
6086	1			SC	85.00	110.00	8.00
1899	1			TC	85.00	110.00	10.00
5311	3			SC	85.00	110.00	12.00
2324	8			TC	85.00	110.00	12.00
7768	3	TWO COLOR		RTCBW	85.00	110.00	13.00
6204	3			RTCW	85.00	110.00	13.00
1306	2			SA2	85.00	110.00	13.00
6830	2			TB2	85.00	110.00	13.00
2388	3			TBGS	85.00	110.00	13.00
1505	5			TC	85.00	110.00	13.00
6227	1			TC	85.00	110.00	15.00
7161	1			TC	85.00	114.00	13.00
7558	1	TWO COLOR		RTCBW	85.00	115.00	12.00
5273	1			TC	85.00	115.00	13.00
5796	2	與#5797組合	CR-70083	ECF	85.00	117.00 / 129.00	13.00
7662	1			SC	85.00	120.00	12.00
2392	2			TC	85.00	120.00	12.00
6072	1			SC	85.00	120.00	13.00
7162	1			TC	85.00	125.00	14.00
7334	1			TC	85.00	130.00	10.00
CK 0246	2			SC	85.00	130.00	12.00
7602	1			SC	85.00	130.00	12.00
6974	1			TC	85.00	130.00	12.00
6308	1			TC	85.00	130.00	13.00
6540	1			RTC	85.00	130.00	15.00
7780	1			RSB2	85.00	130.00	22.00
5719	1			TC	85.00	135.00	13.00
7280	1			TC	85.00	140.00	12.00
6252	1			TC	85.00	150.00	12.00
7368	1			TB9	85.00	150.00	16.35 / 23.50
3314	1			SBW	85.60	106.38	11.68

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1312	2	52TM1585		TA2	85.72	114.30	15.87
2977	1	CR-33772		SA2	85.72	117.50	11.13
3690	1	N-455249		SA2	85.72	119.07	12.70
3467	1			SB2	85.72	120.80	15.47
2659	2			SC	85.73	111.13	12.70
3657	1	S-D648		RTCBF9	85.75	111.13 / 119.50	11.50 / 20.50
5182	4	026-103-051		LTCWS	85.90	104.00	11.00
5332	1	1-096253230		TB9	86.00	127.00	16.00 / 24.00
5479	1	SS2-BM2		LTC9W	86.50	105.00	12.00
6872	1			TC	87.00	100.00	8.50
3016	2	F 1922	MS5191015-2	OBC2	87.17	117.45	12.29
0933	2			TA2	87.30	117.50	12.70
3219	2	N-370047A		TS3706	87.30	120.78	15.37
2891	2			SC	87.33	107.95	9.53
3132	2		S-A770-1	HTAFP2	87.50	108.00	19.00
3134	2		S-A769-1	HTAFP2	87.50	139.70	19.00
5236	2	90311-88001	N-710188 / NK055	LTBCV	88.00	106.00	8.70
7163	1			RTCW	88.00	108.00	11.00
7701	1			SC	88.00	110.00	12.00
3249	2	4697		SA2	88.10	111.13	12.70
3718	1	XPRB167	3C3P-7F254-AC	PV	88.64	154.50 / 156.00	17.50
3734	1			SAY	88.87	114.33	12.00
0862	4			TC	88.90	101.60	7.95
2062	1			TA2	88.90	111.13	12.70
2602	1			TA2	88.90	111.13	12.70
3117	2	N-370001A	CR-35066	SL11	88.90	111.40	15.00
2989	1			SB2	88.90	114.30	9.53
3306	1			TA2	88.90	114.30	11.12
0805	1	N-415991N	CR-38491	TA2	88.90	114.30	11.90
3299	2			SC	88.90	114.30	12.70
3699	1	N-370132A		TS37	88.90	115.39	20.01
0309	1			TA2	88.90	117.63	17.86
4054	2			VB21	88.90	120.65	6.35
3528	1	CR-35040		TBKC2	88.90	120.65	9.52
0951	1			SA2	88.90	120.65	15.87
3114	3	N-6638S		SAY	88.90	122.96	22.22
2833	1	CR-35062	N-370001A	TBFYP2	88.90	123.00	19.00 / 22.81
7414	1			LTC	89.00	105.00	10.00
2348	4			VC	90.00	100.00	4.00
2079	4			GA	90.00	100.00	7.00 / 10.00
7255	1			GC	90.00	100.00	7.00 / 10.00
7406	1			RTCW	90.00	100.00	10.00
2326	3			TC	90.00	100.00	12.00
7164	1			RTCW	90.00	100.00	13.00
2238	2	W14N19		DKB	90.00	104.00	8.00 / 11.00
7165	1			TC	90.00	104.00	10.00
5523	4	90298408		LTBR	90.00	104.00	11.00
5998	2			VA2	90.00	105.00	4.00
6770	1			RTBWF	90.00	105.00	11.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6703	1			RTCW	90.00	105.00	13.00
6311	2			LTCW	90.00	110.00	7.00
0054	2	90311-90003	90311-92003	TC	90.00	110.00	7.50
7440	1			TC	90.00	110.00	8.00
5156	3	F801-11-399	90311-90002/05	LTC	90.00	110.00	9.00
6309	2			LTCW	90.00	110.00	10.00
7337	1			SB2	90.00	110.00	10.00
7679	1			SC	90.00	110.00	10.00
1307	2	A55042		TA2	90.00	110.00	10.00
5720	1			TC	90.00	110.00	10.00
7776	2	TWO COLOR		RTCBW	90.00	110.00	11.00
2091	2			SC	90.00	110.00	12.00
5685	1			TC	90.00	110.00	12.00
6811	1	TE005588		TCW	90.00	110.00	12.00
6310	2			LTCW	90.00	110.00	13.00
7559	1	TWO COLOR		RTCBW	90.00	110.00	13.00
1308	2	A55041		TA2	90.00	110.00	13.00
1900	1			TC	90.00	110.00	13.00
6205	1			TC	90.00	110.00	15.00
7166	1			TC	90.00	112.00	12.00
2299	2	M/B 608		TA2	90.00	112.70	13.00
1715	1			TC	90.00	115.00	9.00
2379	2			SC	90.00	115.00	13.00
5852	1	AD3932I		TB	90.00	115.00	13.00
6040	1			TC	90.00	115.00	13.00
2298	1	196479		SAFYC2	90.00	118.00	7.50 / 16.70
1624	1			TC	90.00	118.00	12.00
0847	1			TA2	90.00	118.00	12.20
7392	1			SA2	90.00	120.00	12.00
5329	3			SC	90.00	120.00	12.00
2323	8			TC	90.00	120.00	12.00
1714	1	AE3938E		TC	90.00	120.00	13.00
6975	1			SC	90.00	125.00	12.00
7330	1			TC	90.00	125.00	12.00
1919	1			TC	90.00	125.00	13.00
5855	1	AD3945F		TB2	90.00	125.00	17.00
5469	1	VDI-BIM		RTBRV	90.00	125.30	16.00
6820	1			SC	90.00	130.00	12.00
6041	1			TC	90.00	130.00	13.00
5244	1			TB2	90.00	135.00	13.00
5913	1			TC	90.00	135.00	15.00
7268	1			TC	90.00	140.00	10.00
6253	1			TC	90.00	140.00	12.00
7693	1			SC	90.00	140.00	13.00
7448	1			TC	90.00	140.00	13.00
4240	1	PS 348030	46396C	PISTON	90.10	115.00 / 146.00	6.50 / 23.60
3393	3	N-5649 (1307)	N-9584	TBFP	90.47	120.77 / 130.17	13.97 / 22.22
3468	1			TBF	90.78	120.78 / 127.50	12.70
3784	1	N-710056		TB2	91.00	111.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7167	1			TC	92.00	110.00	10.00
4260	2	FTP-52034		LTCY	92.00	111.10	10.80 / 13.00
5423	3	U247-3N		VBXY	92.00	118.00	7.00
6976	1			TC	92.00	120.00	12.00
7777	2	TWO COLOR		RTCBW	92.00	125.00	12.00
4234	2	F4AE-6701-AA		LSBC	92.07	107.70	9.90
2978	2	CR-36182		SB2	92.08	117.48	12.70
0837	2	N-3909		LTC	92.76	107.95	10.00
3250	2	0697		SA2	92.87	114.30	12.70
2516	2	0089972647		HTBP2	92.87	116.70	11.51
6628	1			TC	93.00	108.00	7.00
7168	1			TC	93.00	113.00	13.00
6207	1			TC	93.00	114.00	13.00
5914	1			TC	93.00	136.00	11.00
2536	2	160HH101		VBXY	93.27	100.00	12.70
3251	2	2869		SB2	93.27	117.48	12.70
1468	1			SC	93.34	114.94	9.52
2117	1	46802		SA2	93.66	120.65	12.70
3118	2	N-370001A		TS37	94.20	123.00	23.50
2083	1			GA	95.00	105.00	7.00 / 10.00
2446	3	I36450		OV	95.00	105.00	16.00
2212	1	AM95 106710		GA	95.00	106.00	7.00 / 10.00
6507	1			DKB	95.00	109.00	8.00 / 11.00
6233	1			VAY	95.00	110.00	4.00
1631	3	90043-11076	XNJ098B	LTC	95.00	110.00	11.00
6977	1			TC	95.00	110.00	12.00
6704	1			RTCW	95.00	110.00	13.00
6206	1			TC	95.00	112.00	12.50
5333	1	1-096255690 / N-710085	1-09625-043-0 / NJ468	TAY	95.00	113.50 / 132.00	12.00 / 21.50
3025	2	F2077-95		VCY	95.00	114.00	6.30
7499	1			RTCW	95.00	114.00	12.00
5786	1	90311-95008	BH4375G	LTC9	95.00	115.00	9.50 / 12.00
5763	1			SC	95.00	115.00	12.00
0006	2	90311-95091	90311-95001	TC3	95.00	115.00	12.00
5521	1	61500-01-0040	N-4359V	TCW	95.00	115.00	12.00
2380	1			OC	95.00	115.00	13.00
7223	1			OSC	95.00	115.00	13.00
6834	1			RTCW	95.00	115.00	13.00
6103	2			TBC	95.00	115.00	13.00
1713	1			TC	95.00	115.00	13.00
3773	2	N-5274		KAT	95.00	115.31	12.50
6173	1			TC	95.00	117.00	12.00
5546	3	8-97071-561(vi) N-710060(sil)	8-94214-913-0 235-3690	LTC	95.00	118.00	10.00
6174	1			TC	95.00	118.00	14.00
3135	2		S-A768-2	SL	95.00	118.00	16.50
5813	1			SC	95.00	120.00	8.00
7485	1			TC	95.00	120.00	8.00
CK 0244	2			TC	95.00	120.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7272	1			TC	95.00	120.00	10.00
2131	1			SC	95.00	120.00	12.00
6768	2			TA2	95.00	120.00	12.00
6496	1			TC	95.00	120.00	12.00
6833	1			RTCW	95.00	120.00	13.00
7442	1			SC	95.00	120.00	13.00
1629	1	352-581-22-		TC	95.00	120.00	13.00
7655	1			SC	95.00	125.00	12.00
6497	1			TC	95.00	125.00	12.00
6042	1			TA2	95.00	125.00	13.00
6800	1			TC	95.00	127.00	13.00
6281	1			TC	95.00	130.00	10.00
6792	1			SC	95.00	130.00	12.00
7592	1			TAY	95.00	130.00	12.00 / 22.00
6089	1			TC	95.00	130.00	12.00
1901	1			TC	95.00	130.00	13.00
1687	1	43090-58000		VC	95.00	135.00	13.00
3800	1	N-713750	UH0238H / S-5363	HTB2Y	95.25	114.30	11.88
7778	2	TWO COLOR		RTCBW	95.25	114.30	12.25
2570	1			TB2	95.25	114.32	9.30
2570	1	N-415983N	CR-37330	TA2	95.25	114.32	11.91
0898	4	CR-37340	N-2377	TCW	95.25	114.33	9.19
3255	1	14007		TA2	95.25	114.69	11.10 / 12.70
3228	2	CR-542498	S-D472	SA2	95.25	120.65	10.45
0739	1			LTACS	95.25	120.78	12.70
2728	1			TC6	95.25	136.50	19.50
1674	1	31307-16504		LTBF	96.00	113.00 / 146.00	15.50
5364	2			RTC9	96.00	124.00	14.00 / 20.50
7273	1			TC	97.00	115.00	12.00
3136	2		S-A768-1	LTBF	97.00	119.80	21.00
3217	2			SL	97.90	104.30 / 126.00	15.50
2484	1			TB2	98.00	114.00	12.00
6873	1			TC	98.00	116.00	10.00
6646	1	TWO COLOR		LTCBW	98.00	120.00	7.00
7779	2	TWO COLOR		RTCBW	98.00	120.00	13.00
6978	1			SC	98.00	120.00	13.00
7344	1			TC	98.00	133.35	14.00
2774	1	15030		VB21	98.43	120.57	6.35
2621	1	CR-38730		SA2	98.43	133.38	11.13
0952	1			SA2	98.43	136.55	12.70
3687	1	N-370024A		TS37	98.43	139.73	16.10 / 22.23
* 3217		N-370023A		SL11	98.43	144.53	22.23
0490	1			SA2	98.55	144.46	12.70
2993	3	90311-99006		LTC	99.00	119.00	9.50
2477	3	S2600001		VBXC2	99.00	119.00	9.50
3092	3			VAYG2	99.00	133.37	10.92
3704	1	N-370009A		TS37	99.99	131.00 / 139.72	23.80
2080	2			GA	100.00	110.00	7.00 / 10.00
7256	1			GC	100.00	110.00	7.00 / 10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
2239	2	W14N21		DKB	100.00	114.00	8.00 / 11.00
5999	2			VA2	100.00	115.00	4.00
7473	1			TC	100.00	115.00	9.00
7169	1			TC	100.00	115.00	10.00
6766	1			TC	100.00	120.00	7.00
CQ 0190	2			SB2	100.00	120.00	9.00
6705	1			RTCW	100.00	120.00	10.00
7680	1			SC	100.00	120.00	10.00
2283	3	90311-99065		TC	100.00	120.00	11.00
CQ 0195				TFM	100.00	120.00	11.00
1758	2			SC	100.00	120.00	12.00
2330	3			TC	100.00	120.00	12.00
6836	1			RTCW	100.00	120.00	13.00
1394	2			SA2	100.00	120.00	13.00
5836	2			SC	100.00	120.00	13.00
0364	1			TB6	100.00	120.00	13.00
4072	2	9828-00105		TC	100.00	120.00	13.00
6706	1			RTCW	100.00	120.00	15.00
1594	1	ME011754	AH8307P	LTBFR2	100.00	120.00 / 157.50	15.60
7219	1			TC	100.00	124.00	13.00
7663	1			SC	100.00	125.00	12.00
1712	1			TC	100.00	125.00	12.00
1640	1	MD031548		LTCF	100.00	125.00 / 134.00	12.50
2485	1			OC	100.00	125.00	13.00
6312	1			RTCW	100.00	125.00	13.00
5612	1			SC	100.00	125.00	13.00
6234	1			TB2	100.00	125.00	13.00
2146	2			TC	100.00	125.00	13.00
6498	1			TC	100.00	125.00	14.00
6774	1			RTBWF	100.00	130.00	12.00
CK 0133	1			SB	100.00	130.00	12.00
7629	1			SC	100.00	130.00	12.00
2147	1			TC	100.00	130.00	12.00
2389	1			LSC	100.00	130.00	13.00
1370	2			TBR	100.00	130.00	13.00
CK 0130	3	TOSK.106.Z		TC	100.00	130.00	13.00
1902	1			TC	100.00	130.00	13.00
6008	1			TC	100.00	130.00	15.00
1635	2			SC	100.00	131.50	10.80
2336	1	09625-320-0	5-09625-014-0	TC	100.00	135.00	10.00
1903	1			TC	100.00	135.00	12.00
6065	1	5-09625-014-1	N-710391	LTCF	100.00	135.00 / 140.00	15.00
1625	1			TC	100.00	135.00	15.00
CK 0083	2			TC	100.00	140.00	12.00
6838	1			SC	100.00	140.00	13.00
2436	1			TC	100.00	140.00	13.00
7623	1			TC	100.00	140.00	15.00
7170	1			TC	100.00	145.00	13.00
0128	1			TC	100.00	145.00	14.80

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7566	1			TC	100.00	150.00	10.00
6254	1			TC	100.00	150.00	12.00
7171	1			RTCW	100.00	150.00	13.00
7269	1			TC	100.00	150.00	13.00
6979	1			TC	100.00	150.00	15.00
1634	2	90311-99011		SATG2	100.00	154.00	12.20 / 34.00
7172	1			TC	100.00	160.00	13.00
5225	1	9828-01137		TB2	101.00	114.00	10.00
5274	1			LTCR	101.57	125.00	13.00
3648	1			TCV	101.60	120.65	9.53
3799	2	40486TA-H		TA2	101.60	123.82	15.88
3258	2	CR-39961		VB21	101.60	126.97	6.35
0843	1			DAPS	101.60	127.00	11.43
2505	1			TBY	101.60	127.00	12.70
0069	1			TC	101.60	127.00	12.70
0171	3	N-370015A		TASL	101.60	131.60 / 136.70	25.40
3358	1			SC	101.60	133.35	12.70
0887	2			TA2	101.60	136.55	12.70
0988	5	CR-40078		SA2	101.60	142.88	11.13
3394	2	N-5667 (1308)		TBFP	101.60	144.67 / 155.00	21.59 / 24.76
5221	1			TB2	102.00	116.00	11.00
6561	2	AH8165F		LSCJ	102.00	125.00	13.00
5871	1			TC	102.00	125.00	13.00
5112	1	1480-283068		OCY	103.00	130.00	25.00
5428	2	U-255-3E3		VBEY	104.00	135.60	7.00
0063	1	T-3040918		TAY	104.78	160.34	11.00 / 31.00
2081	3			DKB	105.00	115.00	7.00 / 10.00
0178	3	90311-99005		TC	105.00	120.00	11.00
0786	1	ME011755(vi)		LTFB2	105.00	124.00 / 158.00	15.00
7388	1			TC	105.00	125.00	10.00
1532	1	ME023491		LTCR2	105.00	125.00	11.70
7261	1			SC	105.00	125.00	13.00
1904	1			TC	105.00	125.00	13.00
2445	1	I54866		OV	105.00	125.00	17.00
CQ 0207	1			RTBWF	105.00	130.00	12.00
7615	1			SC	105.00	130.00	12.00
CK 0129	3	TOSK.105.Z		TC	105.00	130.00	12.00
1711	1			TC	105.00	130.00	12.00
5751	1			SC	105.00	130.00	13.00
1710	1			TC	105.00	130.00	13.00
6707	1			LTCW	105.00	130.00	15.00
2337	1	09625-321-0		TC	105.00	135.00	10.00
5365	1			TC	105.00	135.00	13.00
5853	1	AD4153A		TB2	105.00	135.00	14.00
5157	2	1Z044BKDS20	1-09625-439-1 / N-710349	LTBRXV	105.00	135.00	15.00
6292	1			TC	105.00	135.00	15.00
7500	1			RTCW	105.00	136.00	13.00
7664	1			SC	105.00	140.00	12.00
6088	1			TC	105.00	140.00	12.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6188	1			TC	105.00	140.00	12.00
6708	1			LTCW	105.00	140.00	13.00
2417	1			TC	105.00	140.00	15.00
6629	1			TC	105.00	140.00	16.00
3218	2			TL37	105.00	144.85	22.40
CK 0160	1	TOSK.209.Z		RTB9W	105.00	150.00	12.00 / 16.00
7717	1			TC	105.00	160.00	12.00
3215	2	N-9128S		SA2	105.81	139.73	15.24
5419	1	9828-01206		TB2R2	106.00	123.00	11.00
7501	1			RTCW	106.00	154.00	14.00
2945	1			TA2	106.38	139.73	12.70
3181	1	FMC3108689		VBR4	106.76	127.00	11.50
7173	1			RTCW	107.00	130.00	13.00
5630	1			SC	107.95	127.00	12.70
1035	1	301002		SC	107.95	133.35	11.10
3705	1	376590A		LS37	107.95	135.00	14.50
0838	1			SBY/SA2	107.95	136.53	12.70
1101	1	W57842350RS		OC	107.95	146.05	12.70
3706	1	376590A		TS37	107.95	153.62	17.27
3221	1	N-370031A		TS3703	107.95	158.75	34.93
7562	1			TB	108.00	130.00	15.00
7502	1			RSB2	108.00	135.00	15.00
5854	1	AW4215G		DB	108.00	140.00	22.00
2729	1			TC6	109.50	152.58	19.05
2103	1			GA	110.00	120.00	7.00 / 10.00
7257	1			GC	110.00	120.00	7.00 / 10.00
7174	1			TC	110.00	120.00	12.00
6000	2			VA2	110.00	125.00	4.00
5870	1			TC	110.00	125.00	13.00
5814	1			LSC	110.00	130.00	8.00
7802	1			SC	110.00	130.00	8.00
7451	1			SC	110.00	130.00	10.00
2132	1			SC	110.00	130.00	12.00
2148	5			TC	110.00	130.00	12.00
6550	1			TCV	110.00	130.00	12.00
2390	1			LSORS	110.00	130.00	13.00
4104	3			LTCWY	110.00	130.00	13.00 / 14.50
1709	2			RTC	110.00	130.00	13.00
5613	1			SC	110.00	130.00	13.00
1396	2			SC	110.00	131.50	10.80
7611	1			KCY	110.00	135.00	9.50 / 14.50
5968	3			LTB2	110.00	135.00	13.00
6189	1			TC	110.00	135.00	13.00
2418	1			TC	110.00	135.00	14.00
7175	1			RTCW	110.00	135.00	15.00
0433	1	T-5987C		UVBV	110.00	136.20	4.45
6221	1			KB2	110.00	140.00	8.00
CK 0247	1			SC	110.00	140.00	12.00
6818	1			SC	110.00	140.00	12.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1708	1			TC	110.00	140.00	12.00
1393	4			SA2	110.00	140.00	13.00
2329	1			TC	110.00	140.00	13.00
6222	1			TB	110.00	140.00	14.00
2412	1			TC	110.00	140.00	14.00
1905	1			TC	110.00	140.00	15.00
4003	1			LTC	110.00	145.00	12.00
7747	1			SC	110.00	150.00	13.00
6743	1			TC	110.00	150.00	13.00
5587	1			TC	110.00	150.00	15.00
6874	1			TC	110.00	152.00	15.00
1395	2	90311-99042	90310-99042	SAY	110.00	154.00	12.20 / 34.00
7465	1			SC	110.00	160.00	12.00
6722	1			TC	110.00	170.00	10.00
7579	1			TC	110.00	172.00	15.00
3403	1			TAC	110.70	133.35	11.10
CQ 0056	1			OAY	111.00	146.00	14.50
2939	2			OAC2	111.13	136.47	14.48
0654	1			TC	111.13	139.70	12.70
3053	2	CR-43771		SA2	111.13	152.40	12.70
2784	3			TC	111.13	152.40	12.70
3764	1	N-455060		SA2	111.13	158.75	14.27
2366	2			TC	112.00	140.00	13.00
5869	1			TC	112.00	145.00	13.00
3576	3	N-457295		SA2	112.73	139.70	14.27
6313	1			TC	114.00	135.00	12.00
5969	3			LTB2	114.00	135.00	13.00
7783	1			TC	114.00	135.00	13.00
6541	1			RTC	114.00	140.00	13.00
7176	1			TC	114.00	145.00	13.00
7177	1			TC	114.00	146.00	13.00
2490	2	N-25024		OC	114.00	165.00	13.00
3376	1			SL07	114.30	115.89 / 129.00	12.10
3378	1			SL11	114.30	119.50 / 135.75	15.00
3697	1	370022A		SL37	114.30	136.20	14.00
* 3376		N-370124A		TSL37	114.30	136.49	24.99
3862	2	45555TA		TA2	114.30	139.70	12.70
2781	3			TC	114.30	139.70	12.70
3698	1	370022A		TS37	114.30	146.05	24.38
3851	1	CR-45069		SA2	114.30	146.07	11.12
* 3378		N-370131A		TSL37	114.30	149.25	24.99
0365	1			TC	114.30	150.00	13.00
2703	1	CR-45111		TA2	114.30	152.40	12.70
3365	1			SC	114.30	152.40	14.28
2958	1			SBC2	114.30	158.75	14.27
1275	1			TC	114.30	158.80	13.00
2125	1	W12108		GA	115.00	125.00	7.00 / 10.00
6980	1			SC	115.00	130.00	12.00
5868	1			TC	115.00	130.00	13.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6275	1	90311-11038	AE4299E	TC3	115.00	132.00	12.00
7178	1			TC	115.00	135.00	13.00
7803	1			SC	115.00	140.00	10.00
6775	1			LTBWF	115.00	140.00	12.00
7222	1			OSC	115.00	140.00	12.00
7400	1			SC	115.00	140.00	12.00
1906	1			TC	115.00	140.00	12.00
5522	1	61500-01-0047		TCW	115.00	140.00	12.00
6630	1			RSB2	115.00	140.00	13.00
5950	1			SC	115.00	140.00	13.00
6190	1			TC	115.00	140.00	13.00
6338	1			RSB2	115.00	140.00	15.00
6659	1			TC	115.00	140.00	15.00
5222	1			TC	115.00	145.00	13.00
2468	1			TC	115.00	145.00	20.00
7179	1			RTCW	115.00	146.00	16.00
6542	1			RTC	115.00	150.00	13.00
CK 0114	1	TASK-9-Z-1		SA2	115.00	150.00	13.00
2435	1			TA2	115.00	150.00	13.00
5607	2			TC	115.00	150.00	15.00
6631	1			TC	115.00	155.00	10.00
5218	1	09924-500-0		TAY	115.00	156.00	15.00 / 26.00
6981	1			TC	115.00	160.00	12.00
6709	1			LTCW	115.00	160.00	13.00
3377	1			TS37	115.89	136.53	25.00
6875	1			TC	116.00	160.00	13.00
5217	1		09625-3500	TAY	117.00	174.00	15.00 / 28.00
2581	1			SAPS	117.48	139.73	14.27
2861	2			TA2	117.48	142.88	12.70
0992	1			SAF	117.48	152.40	15.11
2938	3	CR-46305	N-370025A	OTAQP3	117.73	152.43	27.00
5499	1		CF-34182	PVF1	118.00	125.00 / 147.00	13.00
6632	1			TC	118.00	148.00	15.00
0432	1			VBP	119.40	152.48	13.50
3379	1			TS37	119.50	149.23	25.00
2082	2			GA	120.00	130.00	7.00 / 10.00
7258	1			GC	120.00	130.00	7.00 / 10.00
6390	2			VAY	120.00	135.00	4.00
5220	1	09625-041-0		TB2	120.00	140.00	10.50
5815	1			LSC	120.00	140.00	12.00
CQ 0208	1			LTBWF	120.00	140.00	12.00
5313	1	9828-01149		TC	120.00	140.00	12.00
6776	1			LTBWF	120.00	140.00	13.00
7218	1			SC	120.00	140.00	13.00
5588	1	12279-95000		TC	120.00	140.00	13.00
5867	1			TC	120.00	140.00	14.00
5938	1			SC	120.00	140.00	15.00
6012	1			TC	120.00	140.00	15.00
7607	1			KCY	120.00	145.00	9.50 / 14.50

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1907	1			SC	120.00	145.00	12.00
1707	1			TC	120.00	145.00	12.00
6876	1			RTCW	120.00	145.00	13.00
CK 0116	1	TASK-11-Z-1		SA2	120.00	145.00	15.00
5589	1			TC	120.00	145.00	15.00
2403	1		CF-31184	OVX	120.00	148.00 / 160.00	6.00 / 15.00
2404	1		CF-31181	OVY	120.00	148.00 / 160.00	16.00
6399	1			SC	120.00	150.00	10.00
5645	1			TC	120.00	150.00	10.00
6982	1			SC	120.00	150.00	12.00
2393	3			TC	120.00	150.00	12.00
2328	1			TC	120.00	150.00	13.00
1479	1	90311-99020		TC	120.00	150.00	14.00
6191	1			TC	120.00	150.00	15.00
5113	1	1480-284051		OCY	120.00	150.00	27.00
6336	1			RSB2	120.00	152.00	13.00
6333	1			TC	120.00	152.00	13.00
5857	1	BW4680E		DB	120.00	152.00	21.00
6337	1			RSB2	120.00	152.50	21.00
5724	1			TC	120.00	152.50	21.00
2413	1			TC	120.00	155.00	16.00
5808	1			SC	120.00	160.00	12.00
6819	1			SC	120.00	160.00	13.00
6051	1			HTCY	120.00	160.00	15.00 / 16.00
7560	1	TWO COLOR		RTCBW	120.00	160.00	15.00
6010	1			TC	120.00	160.00	15.00
7274	1			TC	120.00	180.00	13.00
5366	1	N-415138	CR-47395	TA2	120.65	146.05	12.70
3279				TB2	120.65	146.05	12.70
1102	1	21020663		TBG3	120.65	152.40	22.23
2988	3	CR-47660	N-6663S	TBYX4	120.65	168.35	14.00 / 30.00
3115	2	N-370003A	CR-47697	SL11	121.00	126.20 / 144.00	15.00
3702	1	370005A		LS37	121.03	144.00	14.00
3703	1	370005A		TS37	121.03	158.77	15.36
3686	1	370006A		TS37	121.03	160.70 / 177.77	20.00 / 31.75
6778	1			UL	121.80	148.00	10.80 / 12.00
5199	1			OVY	121.80	148.00	12.00
6777	1			HSBLA	121.80	150.00	13.00
6394	2			HTC	122.00	140.75	11.50
0525	1	E2NN-6701BA		SC	122.00	140.75	11.50
0863	1	65060S		TBY	123.00	142.50 / 152.40	10.72 / 24.00
6385	3			LVATF	123.00	146.00	13.50
5216	1			TAY	123.00	184.00	15.00 / 28.00
3366	1			SC	123.83	149.23	12.70
1004	1			TC	123.83	152.40	9.52
0009	1	43090-9000		OC	124.00	170.00	14.50
1489	3			TA2	124.22	150.02	15.08
7601	1			VAY	125.00	140.00	4.00
5866	1			TC	125.00	140.00	14.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
7180	1			RTCW	125.00	140.00	15.00
6877	1			TC	125.00	143.00	13.00
7181	1			TC	125.00	145.00	12.00
6543	1			RTC	125.00	146.00	10.00
7365	1			HTBC3Y	125.00	148.00	9.70
7366	1			TBFCA	125.00	148.30 / 156.00	8.10 / 9.30
7748	1			SC	125.00	150.00	12.00
6009	1			TC	125.00	150.00	12.00
7182	1			RTCW	125.00	150.00	13.00
2327	1			TC	125.00	150.00	13.00
1588	1	MH034086		TB2	125.00	150.00	14.00
1703	1			TC	125.00	150.00	14.00
CK 0115	1	TASK-10-Z-1		HTBRC	125.00	150.00	15.00
CK 0151	2	TOSK.214.Z		LTBCW	125.00	150.00	15.00
1524	2	90043-18001		MGY	125.00	152.00	9.30
7183	1			RTCW	125.00	155.00	13.00
6219	1			LTB2	125.00	155.00	14.00
5361	1			LTC9	125.00	155.00	14.00 / 23.00
5859	1			SC	125.00	155.00	14.00
7749	1			SC	125.00	160.00	12.00
6983	1			TC	125.00	160.00	12.00
7184	1			RTCW	125.00	160.00	13.00
2399	1			TC	125.00	160.00	14.00
CK 0113	1	TOSK-80-Z		TCW	125.00	160.00	15.00
5476	1	SS3-BSS		TCW	125.00	160.00	15.00
5424	3	U263-3N		VBXY	125.00	163.60	7.00
6808	1			KCBFW	125.00	180.00 / 186.50	12.00 / 36.00
6332	1			TC	126.00	146.00	10.00
6192	1			TC	126.00	146.00	13.00
5338	1	12279-96000		LTC5RS	126.00	150.00 / 156.00	14.00
5200	1			TBKG2	126.00	150.00	15.00
3116	2	N-370003A	CR-47697	TS37	126.00	160.30	27.50
7185	1			TC	127.00	146.00	10.00
5224	1			TB2	127.00	147.00	11.50
2447	2	I39482		OV	127.00	150.00	16.00
2782	2			TC	127.00	152.40	12.70
3333	1			SC	127.00	152.40	14.29
0129	1			TC	127.00	152.55	14.20
0605	1			SA2	127.00	158.75	14.27
2574	1			SA2	127.00	158.75	14.37
0934	1	N-417278		TA2	127.00	161.93	12.70
0936	1			TA2	127.00	171.42	12.70
3442	2	CR-50185		TA2	127.00	177.80	12.70
3724	1	CR-50186		SB	127.00	180.97	12.70
6386	3			LVATF	128.50	146.30	7.70
2121	1			GA	130.00	145.00	9.00 / 12.00
5498	1		CF-34184AN	P9F1	130.00	145.00	13.00
1591	1	43090-25000		SA2	130.00	150.00	10.00
6081	1			TC	130.00	150.00	10.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6765	1			TC	130.00	150.00	12.00
6084	1			SC	130.00	150.00	13.00
6193	1			TC	130.00	150.00	13.00
5326	2		MH034092	TB2	130.00	150.00	14.00
2414	1			TC	130.00	150.00	15.00
0368	1			TC	130.00	152.50	12.70
7503	1			RSB2	130.00	154.00	11.00
7504	1			RTCW	130.00	154.00	12.00
6566	1			KCY	130.00	155.00	9.50
6504	1			SC	130.00	155.00	10.00
2499	2			TBG3	130.00	155.00	10.00
5865	1			TC	130.00	155.00	12.00
5689	1			SC	130.00	160.00	10.00
2308	1			SC	130.00	160.00	12.00
5684	1			TC	130.00	160.00	12.00
7227	1			OSC	130.00	160.00	13.00
5783	1			SC	130.00	160.00	13.00
0431	1	MH034004		TCR3	130.00	160.00	14.00
5652	1			TB2	130.00	160.00	15.00
2394	2			TC	130.00	160.00	15.00
6599	1			SC	130.00	160.00	17.00
6544	1			RTC	130.00	165.00	13.00
6984	1			SC	130.00	170.00	12.00
6282	1			TC	130.00	170.00	12.00
7186	1			RTCW	130.00	170.00	13.00
6240	1			TC	130.00	180.00	15.00
6283	1			TC	130.00	180.00	15.00
1009	1			SC	130.17	161.92	14.29
2807	4	3904090		TFNRS	130.18	150.42	15.09
5611	1		CF-29083C	P9F1	132.00	145.00	15.00
5991	1			TC	132.00	160.00	12.00
5992	1			TC	132.00	160.00	15.00
7600	1	RM-05811	81.96503.0333 MAN	HSCAY	132.00	172.00	12.00
3437	4	TWO COLOR		LTCWB	133.30	158.70	12.40 / 14.50
3815	2	TWO COLOR		LTCWB	133.30	158.70	12.40 / 14.50
0132	1			TC	133.30	159.05	12.70
3733	3			HTCLY	133.35	158.75	11.00 / 13.20
4273	3			HTCLY	133.35	158.75	11.00 / 13.20
4259	2			LDCW	133.35	158.75	11.00
3236	3			HTCLY	133.35	158.75	12.40 / 14.60
3237	3			HSCL	133.35	158.75	12.70
0734	1	4H159133		LSC	133.35	158.75	12.70
3220	1	N-370069A		TS3703	133.35	187.33	25.40
5756	1			SAY	134.00	190.00	14.00 / 28.00
0958	1			HTCY	134.92	158.75	11.10 / 12.70
0941	1	248F475		TC	134.92	158.75	14.43
3252	1	1586		HTCYL	134.94	158.75	11.00 / 14.30
CK 0109	1			SLY	135.00	140.00	18.00
7187	1			TC	135.00	155.00	13.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
CK 0112	1	TOSK-272-Z		OKC	135.00	156.70	8.00 / 14.00
5864	1			TC	135.00	159.00	13.00
6710	1			RTCW	135.00	160.00	12.00
7383	1			SC	135.00	160.00	12.00
7702	1			TC	135.00	160.00	12.00
5816	1			LSC	135.00	160.00	13.00
7402	1			TC	135.00	160.00	13.00
5863	1			TA2	135.00	165.00	13.00
6744	1			TC	135.00	165.00	13.00
5360	1	NJ725		LTC9	135.00	165.00	14.00 / 20.50
5951	1			SC	135.00	165.00	15.00
6665	1			TC	135.00	165.00	15.00
7335	1			TC	135.00	170.00	12.00
7669	1			SC	135.00	170.00	15.00
5862	1			TC	135.00	175.00	15.00
CK 0110	A	TOSK-113-Z			135.00	175.00 / 205.00	18.00
CK 0162	1	TOSK.79.Z		HSB9	137.00	161.92	15.00 / 20.00
5058	3	40579-44002		MG	138.00	148.00	10.00
5223	1	9828-01112/00125	9828-01165/N-710368	TB2	138.00	152.00	12.00
5328	1			LTC	138.00	160.00	15.00
6812	1	TE005589		HTCW9Y	138.00	165.00	13.50 / 14.50
3119	2	N-5481	N6872S	TA2	139.70	160.32	31.75
0994	1			DBPS	139.70	168.28	17.00
0995	1			TAPS	139.70	168.28	17.00
3577	1	N-3054V		TA2	139.70	168.28	17.02
2579	1	53X3182	N-416107	TA2	139.70	171.45	14.60
7188	1			TC	140.00	152.00	13.00
2302	1			GA	140.00	155.00	9.00 / 12.00
7259	1			GC	140.00	155.00	9.00 / 12.00
6711	1			RTCW	140.00	160.00	12.00
2365	2			SB2	140.00	160.00	13.00
5683	1			TC	140.00	160.00	13.00
1592	1	9828-01120	9828-01106	TB2	140.00	160.00	14.00
6745	1			RSB2	140.00	160.00	15.00
6194	1			TC	140.00	160.00	15.00
7281	1			TC	140.00	165.00	13.00
6334	1			RSB2	140.00	165.00	15.00
7189	1			TC	140.00	168.00	13.00
7450	1			SC	140.00	170.00	12.00
7630	1			TC	140.00	170.00	12.00
5817	1			LSC	140.00	170.00	13.00
1704	1			TC	140.00	170.00	13.00
5614	1			SC	140.00	170.00	15.00
5861	1			TA2	140.00	170.00	15.00
6011	1			TC	140.00	170.00	15.00
1908	1			TC	140.00	175.00	12.00
CK 0110	1			TC9BF	140.00	175.00 / 205.00	18.00
6985	1			SC	140.00	180.00	12.00
6105	1			TC	140.00	180.00	14.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH	
6712	1			RTCW	140.00	180.00	15.00	
6255	1			TC	140.00	190.00	15.00	
5995	1			TC	140.00	200.00	12.00	
7271	1			TC	140.00	210.00	15.00	
5467	1	SS3-S45		SL4	142.00	147.00	16.00	
5212	3			TC	142.00	168.00	16.00	
0930	1			TA2	142.87	180.98	12.70	
3371	2			TA37	142.88	182.52	23.00	
1003	3			SC	143.00	160.00	12.00	
2303	1			GA	145.00	160.00	9.00 / 12.00	
1683	1	9828-01204	N-710369	TB3	145.00	164.00	14.00	
7190	1			TC	145.00	165.00	13.00	
7191	1			TC	145.00	167.00	13.00	
6405	1			SC	145.00	168.00	11.00	
CK 0111	1			OC9	145.00	170.00	8.00	
5590	1			TC	145.00	170.00	13.00	
CK 0248	1			SC	145.00	170.00	15.00	
6986	1			SC	145.00	170.00	15.00	
6624	1			TC	145.00	170.00	15.00	
4231	1	RB-03802		TBCFY	145.00	175.00 / 205.00	9.00 / 14.00	
CQ 0194	1			SBC	145.00	175.00	12.50	
1372	1			SA2	145.00	175.00	13.00	
6633	1			TC	145.00	175.00	13.00	
6713	1			LTCW	145.00	175.00	14.00	
CQ 0193	1			TB2	145.00	175.00	14.00	
7428	1			TBC	145.00	175.00	14.00	
6987	1			SC	145.00	175.00	15.00	
CK 0111	A	TOSK-53-Z			145.00	175.00	17.00	
3367	1			SC	145.03	177.80	12.70	
2352	1	9-828-0112-	9828-01107	TB3	146.00	170.00	18.00	
3798	1	D063-375-015		PF	146.30	194.00 / 210.00	5.00	
5468	1	SS3-S45		TAR	147.00	172.00	16.00	
6329	1			TC	148.00	170.00	13.00	
6746	1			TC	148.00	170.00	15.00	
7192	1			TC	148.00	200.00	18.00	
7346	1			TC	149.20	180.97	20.70	
3807	1			SC	149.23	171.45	15.88	
7417	1			LTC	149.90	176.00	16.00	
2213	1	888-124	AM1501668/1	GA	150.00	166.00	8.00 / 12.00	
7193	1			TC	150.00	167.00	13.00	
5690	1			SC	150.00	168.00	12.00	
6328	1			TC	150.00	168.00	13.00	
6714	1			LTCW	150.00	168.00	14.00	
7703	1			SC	150.00	170.00	12.00	
7194	1			RTCW	150.00	170.00	13.00	
6056	1			TA2	150.00	170.00	15.00	
6055	1			TC	150.00	170.00	15.00	
6545	1			RTCW	150.00	172.00	12.00	
6878	1			TC	150.00	172.00	13.00	

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH	
6715	1			LTCW	150.00	172.00	15.00	
6327	1			TC	150.00	172.00	17.00	
6054	1			TC	150.00	172.00	18.00	
5249	1			SC	150.00	175.00	12.50	
5193	1			SCRV	150.00	175.00	12.50	
6443	1			SC	150.00	180.00	12.00	
6108	1			TC	150.00	180.00	12.00	
5784	1			SC	150.00	180.00	13.00	
1320	1			TC	150.00	180.00	14.00	
6112	1			SC	150.00	180.00	15.00	
1705	1			TC	150.00	180.00	15.00	
CK 0145	1			HTBY	150.00	180.00	16.00 / 18.00	
6403	1			TC	150.00	190.00	15.00	
7345	1			TC	152.00	174.62	14.00	
1706	1			TC	152.00	182.00	15.00	
3099	1	N-2297		TBKGS	152.40	171.60	12.70	
5219	1		MC807438	TB2	154.00	172.00	15.00	
5250	2	9828-01193	43090-90014	TB3	154.00	175.00	13.00	
6879	1			TC	154.00	180.00	15.00	
7195	1			TC	154.00	180.00	17.00	
0372	1			TC	154.00	180.50	12.70	
7196	1			TC	155.00	165.00	13.00	
7199	1			RSB2	155.00	172.00	14.00	
6326	1			TC	155.00	175.00	13.00	
6582	1			SC	155.00	180.00	12.00	
6583	1			TC	155.00	180.00	12.00	
5465	1	VSB-B23		LTBRC	155.00	180.00	15.00	
0348	1	MH034081		TB3	155.00	180.00	17.00	
2415	1			TA2	155.00	185.00	14.00	
7197	1			TC	155.00	190.00	15.00	
1319	1			SC	155.58	180.98	12.70	
7678	1			VCP1	156.00	174.00	9.00 / 14.30	
3253	1	2900		SA2	156.33	181.37	11.10	
2957	1			TA2	157.15	184.21	18.64	
3234	1	N-1805		SAPS	157.16	186.20	14.29	
2783	2			TC	158.75	184.15	12.70	
3182	1	3-1852-00	A004M1612	OTCA	158.75	190.50	15.87	
3824	1	PS 321030(M)		PISTON	159.00	163.85 / 191.30	4.00 / 17.40	
2322	1			GA	160.00	175.00	9.00 / 12.00	
5945	1			SC	160.00	180.00	10.00	
5653	1			TB2	160.00	180.00	10.00	
CQ 0191	1			SBC	160.00	180.00	11.00	
CQ 0192	1			TB2	160.00	180.00	11.00	
6880	1			TC	160.00	180.00	13.00	
7198	1			TC	160.00	180.00	15.00	
5591	1			TC	160.00	182.00	18.00	
7536	1			KCY	160.00	185.00	9.50 / 14.50	
6552	1			LTC	160.00	185.00	13.00	
5860	1			TC	160.00	185.00	15.00	

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
1309	2	A55062		SB2	160.00	190.00	13.00
6660	1			TC	160.00	190.00	13.00
6095	1			SC	160.00	190.00	15.00
1321	2			TC	160.00	190.00	15.00
6729	1			TBR	160.00	190.00	16.00
7200	1			TC	160.00	200.00	15.00
0833	1			SA2	160.73	186.18	12.70
6661	1			TC	161.00	190.00	15.00
0932	1			TA2	161.93	200.03	12.70
3722	1	5643-9000-05-04		TA2	161.93	200.03	19.00
CQ 0060	1			SC	162.00	190.00	12.00 / 21.00
3825	1	PS 358030		PISTON	162.80	189.30 / 207.60	21.50 / 33.50
6404	2			SC	165.00	180.00	8.00
7201	1			TC	165.00	180.00	13.00
7202	1			TC	165.00	185.00	13.00
7505	1			TC	165.00	186.00	12.00
1374	1			SC	165.00	190.00	13.00
6612	1			TC	165.00	190.00	15.00
3362	1			TC	165.10	190.50	12.70
6634	1			BYI	168.00	188.00	32.00
1375	1			HTB	169.28	194.47	30.96
6677	1			SL	170.00	175.40	24.00
6752	1			SL	170.00	175.90 / 196.00	22.50
1373	1			TCY	170.00	190.00	8.50 / 9.50
5194	1			SCRV	170.00	195.00	12.50
6246	1			TC	170.00	200.00	12.00
2410	1			TC	170.00	200.00	13.00
5781	2			SC	170.00	200.00	15.00
2319	1			TC	170.00	200.00	15.00
7203	1			TC	170.00	200.00	18.00
* 6752		235-25-11310		TCFLA	170.00	205.00 / 213.00	15.50 / 22.50
6505	1			TC	170.00	210.00	16.00
2739	1			SCX	171.45	190.50	9.53
3254	1	6498		SBKV	173.04	195.26	9.90
6557	1			SC	175.00	200.00	12.00
6556	1			TC	175.00	200.00	12.00
7204	1			RTCW	175.00	200.00	13.00
5944	1			TC	175.00	200.00	15.00
6678	1			SBYA	175.40	210.00	22.00 / 24.50
6753	1			TCF	176.00	205.00 / 213.00	15.50
2577	1			TA2	177.80	215.90	15.87
5592	1			TC	180.00	200.00	13.00
CK 0148	2			SC	180.00	200.00	15.00
6044	1			TA2	180.00	200.00	15.00
6043	1			TB2	180.00	200.00	15.00
6195	1			TC	180.00	200.00	16.00
6881	1			TC	180.00	200.00	17.00
7453	1			SC	180.00	210.00	12.00
7205	1			RTCW	180.00	210.00	15.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
5782	1			SC	180.00	210.00	15.00
7474	1			TC	180.00	210.00	15.00
6553	1			TC	180.00	215.00	13.00
6772	1			LTB2	180.00	215.00	15.00
6773	1			RTB2	180.00	215.00	15.00
7206	1			TC	180.00	220.00	15.00
2576	1	N-416077		TA2	180.98	219.08	14.27
2214	1	888-125		GA	185.00	201.00	8.00 / 12.00
1318	2			SC	185.00	210.00	13.00
6831	1			TC	185.00	210.00	13.00
7207	1			TC	185.00	210.00	15.00
6579	1			SC	185.00	215.00	15.00
AZ 0011	1				185.00	225.00	15.00
CK 0209	1			OKC	188.00	200.00	5.00
3243	1			SA2	188.90	215.90	20.65
7674	1			SC	190.00	215.00	16.00
CQ 0166	1			SB2	190.00	220.00	15.00
7468	1			SC	190.00	220.00	15.00
CQ 0167	1			TB2	190.00	220.00	15.00
6013	1			TC	190.00	220.00	15.00
AZ 0010	1			TX	190.00	225.00	13.00
2578	1			SA2	193.68	219.08	14.27
7709	1			GC	200.00	220.00	12.00 / 16.00
5195	1			SCRV	200.00	225.00	12.50
7466	1			SC	200.00	230.00	15.00
6107	1			TC	200.00	230.00	15.00
6502	1			SC	200.00	230.00	16.00
7208	1			TC	200.00	235.00	15.00
0937	1			SA2	209.55	235.00	12.70
6679	1			SL	210.00	213.00	24.00
6110	1			TC	210.00	240.00	15.00
7209	1			TC	210.00	250.00	15.00
6680	1			SBYA	213.00	250.00	23.50 / 24.50
6325	1			TC	215.00	240.00	15.00
7760	1			TC	215.00	250.00	15.00
5757	1			SC	220.00	250.00	15.00
5775	1			TC	220.00	250.00	15.00
7210	1			RTCW	220.00	250.00	18.00
AZ 0006	1				220.00	260.00	15.00
7211	1			TC	220.00	260.00	18.00
2979	2	CR-402502		V-R	225.00	238.20	0.00
AZ 0005	1			TCBY	225.00	260.00	13.00
3434	1			PS	228.80	237.70	11.10
AZ 0002	1			OC	230.00	254.00	10.00
6092	1			TC	230.00	260.00	15.00
7212	1			TC	230.00	270.00	15.00
7506	1			TC	230.00	280.00	15.00
3013	1			SA2	239.70	270.30	19.05
7676	1			SC	240.00	270.00	15.00

TCK OIL SEAL SIZE LIST

2012-AUGUST

TCK NO		P/N 1	P/N 2	TYPE	SHAFT	BORE	WIDTH
6230	1			TC	240.00	270.00	15.00
7213	1			TC	240.00	280.00	15.00
5752	1			SC	250.00	280.00	15.00
7214	1			TC	250.00	290.00	16.00
6567	1			KCY	255.00	280.00	9.50
6787	1			TC	260.00	290.00	16.00
6231	1			TC	260.00	300.00	20.00
6554	1			TC	265.00	290.00	16.00
6093	1			TC	270.00	300.00	15.00
6564	1			KCY	270.00	305.00	9.50
7215	1			TC	270.00	310.00	18.00
7216	1			TC	280.00	320.00	18.00
AZ 0009	1			OC	295.00	320.00	10.00
AZ 0008	1				300.00	340.00	15.00
7507	1			TC	300.00	340.00	18.00
7508	1			TC	300.00	340.00	20.00
AZ 0007	1			TCBY	306.00	340.00	13.00
6094	1			TC	310.00	340.00	15.00
7509	1			TC	310.00	340.00	18.00
7687	1			TC	310.00	355.00	24.00
6256	1			TC	320.00	360.00	16.00
6220	1			TB	330.00	370.00	25.00
7688	1			TC	340.00	380.00	20.00