



Universal Muffler



Tunable Muffler Series(DR) *Ø5" Series*



DR-5001

Tip:SO-89RS Slant



DR-5002

Tip:SO-89R Flat



DR-5021

Tip:SO-89RS Slant



DR-5022

Tip:SO-89R Flat



DR-5031U

Tip:SO-89RS Slant



DR-5032U

Tip:SO-89R Flat



Ø5-1/2" & 7" Series



DR-5501

Tip:SO-102RS Slant



DR-5502

Tip:SO-102R Flat



DR-5531U

Tip:SO-102RS Slant



DR-5532U

Tip:SO-102R Flat



DR-7031U

Tip:SO-115RS Slant



DR-7032U

Tip:SO-115R Flat



Adjustable Muffler Series(CR) *Ø5" Series*




CR-5011

Tip:SO-89RS Slant



CR-5012

Tip:SO-89R Flat



CR-5021

Tip:SO-89RS Slant



CR-5022

Tip:SO-89R Flat



CR-5031U

Tip:SO-89RS Slant



CR-5032U

Tip:SO-89R Flat



Universal Muffler



CR-5001

Tip:SO-89RS Slant



CR-5002

Tip:SO-89R Flat

Ø5-1/2" Series



CR-5501

Tip:SO-102RS Slant



CR-5502

Tip:SO-102R Flat



CR-5501R

Tip:SO-102RS Slant




CR-5502R

Tip:SO-102R Flat



Ø5-1/2" Series



CR-5511

Tip:SO-89RS Slant



CR-5512

Tip:SO-89R Flat



CR-5511R

Tip:SO-89RS Slant



CR-5012R

Tip:SO-89R Flat



CR-5531U

Tip:SO-102RS Slant



CR-5532U

Tip:SO-102R Flat



CR-5531U-BTT

Tip:TO-102RS Slant Ti Tip



CR-5532U-BTT

Tip:TO-102R Flat Ti Tip



Universal Muffler



Ø6" Series




CR-6301

Tip:SO-115RS Slant



CR-6302

Tip:SO-115R Flat



CR-6301-BTT

Tip:TO-115RS Slant Ti Tip



CR-6302-BTT

Tip:TO-115R Flat Ti Tip

Ø7" Series



CR-7031U

Tip:SO-115RS Slant



CR-7032U

Tip:SO-115R Flat



CR-7301

Tip:SO-115RS Slant



CR-7302

Tip:SO-115R Flat



Bullet-Round Muffler Series (BR) Ø6" Series



BR-5042

Ø5" Muffler Flat



BR-6101

Tip:SO-115RS Slant




BR-6102

Tip:SO-115R Flat



BR-6103

Tip:SO-115RS Slant



BR-6201

Tip:SO-115RS Slant



BR-6202

Tip:SO-115R Flat



BR-6204

Tip:SO-115T Trump



BR-6201R

Tip:SO-115RS Slant



BR-6202R

Tip:SO-115R Flat



BR-6204R

Tip:SO-115T Trump



T Type Universal Muffler-CR Series

Ø5"



CR-5031T

Ø63.5m/m(Ø2-1/2")
Tip:SO-89RS

Slant

CR-5031T-B

Ø76.2m/m(Ø3")
Tip:SO-89RS

Slant



CR-5032T


Ø63.5m/m(Ø2-1/2")
Tip:SO-89R

Flat

CR-5032T-B

Ø76.2m/m(Ø3")
Tip:SO-89R

Flat



CR-5032T-BTT

Ø63.5m/m(Ø2-1/2")
Tip:TO-89R

Flat

CR-5032T-BTT-B

Ø76.2m/m(Ø3")
Tip:TO-89R

Flat

Ø5-1/2"



CR-5531T

Ø63.5m/m(Ø2-1/2")
Tip:SO-102RS

Slant

CR-5531T-B

Ø76.2m/m(Ø3")
Tip:SO-102RS

Slant



CR-5532T


Ø63.5m/m(Ø2-1/2")
Tip:SO-102R

Flat

CR-5532T-B

Ø76.2m/m(Ø3")
Tip:SO-102R

Flat



CR-5532T-BTT

Ø63.5m/m(Ø2-1/2")
Tip:TO-102R

Flat

CR-5532T-BTT-B

Ø76.2m/m(Ø3")
Tip:TO-102R

Flat

Universal Muffler

Ø6"




CR-6031T
Ø63.5m/m(Ø2-1/2")
Tip:SO-115RS
Slant

CR-6031T-B
Ø76.2m/m(Ø3")
Tip:SO-115RS
Slant



CR-6032T
Ø63.5m/m(Ø2-1/2")
Tip:SO-115R
Flat

CR-6032T-B
Ø76.2m/m(Ø3")
Tip:SO-115R
Flat



CR-6032T-BTT
Ø63.5m/m(Ø2-1/2")
Tip:TO-115R
Flat

CR-6032T-BTT-B
Ø76.2m/m(Ø3")
Tip:TO-115R
Flat

Ø6-1/2"



CR-6531T
Ø63.5m/m(Ø2-1/2")
Tip:SO-115RS
Slant

CR-6531T-B
Ø76.2m/m(Ø3")
Tip:SO-115RS
Slant



CR-6532T
Ø63.5m/m(Ø2-1/2")
Tip:SO-115R
Flat

CR-6532T-B
Ø76.2m/m(Ø3")
Tip:SO-115R
Flat



CR-6532T-BTT
Ø63.5m/m(Ø2-1/2")
Tip:TO-115R
Flat

CR-6532T-BTT-B
Ø76.2m/m(Ø3")
Tip:TO-115R
Flat

Universal Muffler

Ø7"




CR-7031T
Ø63.5m/m(Ø2-1/2")
Tip:SO-115RS
Slant

CR-7031T-B
Ø76.2m/m(Ø3")
Tip:SO-115RS
Slant



CR-7032T
Ø63.5m/m(Ø2-1/2")
Tip:SO-115R
Flat


CR-7032T-B
Ø76.2m/m(Ø3")
Tip:SO-115R
Flat



CR-7032T-BTT
Ø63.5m/m(Ø2-1/2")
Tip:TO-115R
Flat

CR-7032T-BTT-B
Ø76.2m/m(Ø3")
Tip:TO-115R
Flat

Ø7-1/2"




CR-7531T
Ø63.5m/m(Ø2-1/2")
Tip:SO-115RS
Slant

CR-7531T-B
Ø76.2m/m(Ø3")
Tip:SO-115RS
Slant



CR-7532T
Ø63.5m/m(Ø2-1/2")
Tip:SO-115R
Flat

CR-7532T-B
Ø76.2m/m(Ø3")
Tip:SO-115R
Flat




CR-7532T-BTT
Ø63.5m/m(Ø2-1/2")
Tip:TO-115R
Flat

CR-7532T-BTT-B
Ø76.2m/m(Ø3")
Tip:TO-115R
Flat



T Type Universal Muffler-DR Series

Ø5"



DR-5031T

Ø63.5m/m(Ø2-1/2")
Tip:SO-89RS
Slant

DR-5031T-B

Ø76.2m/m(Ø3")
Tip:SO-89RS
Slant




DR-5032T

Ø63.5m/m(Ø2-1/2")
Tip:SO-89R
Flat

DR-5032T-B

Ø76.2m/m(Ø3")
Tip:SO-89R
Flat




DR-5032T-BTT

Ø63.5m/m(Ø2-1/2")
Tip:TO-89R
Flat

DR-5032T-BTT-B

Ø76.2m/m(Ø3")
Tip:TO-89R
Flat

Ø5-1/2"



DR-5531T

Ø63.5m/m(Ø2-1/2")
Tip:SO-102RS
Slant

DR-5531T-B

Ø76.2m/m(Ø3")
Tip:SO-102RS
Slant




DR-5532T

Ø63.5m/m(Ø2-1/2")
Tip:SO-102R
Flat

DR-5532T-B

Ø76.2m/m(Ø3")
Tip:SO-102R
Flat



DR-5532T-BTT


Ø63.5m/m(Ø2-1/2")
Tip:TO-102R
Flat

DR-5532T-BTT-B

Ø76.2m/m(Ø3")
Tip:TO-102R
Flat

Universal Muffler

Ø6"



DR-6031T

Ø63.5m/m(Ø2-1/2")
Tip:SO-115RS

Slant

DR-6031T-B

Ø76.2m/m(Ø3")

Tip:SO-115RS
Slant



DR-6032T

Ø63.5m/m(Ø2-1/2")

Tip:SO-115R


Flat

DR-6032T-B

Ø76.2m/m(Ø3")

Tip:SO-115R

Flat



DR-6032T-BTT

Ø63.5m/m(Ø2-1/2")

Tip:TO-115R

Flat


DR-6032T-BTT-B

Ø76.2m/m(Ø3")

Tip:TO-115R

Flat

Ø6-1/2"



DR-6531T

Ø63.5m/m(Ø2-1/2")
Tip:SO-115RS

Slant

DR-6531T-B

Ø76.2m/m(Ø3")

Tip:SO-115RS
Slant



DR-6532T

Ø63.5m/m(Ø2-1/2")

Tip:SO-115R


Flat

DR-6532T-B

Ø76.2m/m(Ø3")

Tip:SO-115R

Flat



DR-6532T-BTT

Ø63.5m/m(Ø2-1/2")

Tip:TO-115R

Flat

DR-6532T-BTT-B

Ø76.2m/m(Ø3")

Tip:TO-115R

Flat

Universal Muffler

Ø7"



DR-7031T
Ø63.5m/m(Ø2-1/2")
Tip:SO-115RS
Slant

DR-7031T-B
Ø76.2m/m(Ø3")
Tip:SO-115RS
Slant



DR-7032T
Ø63.5m/m(Ø2-1/2")
Tip:SO-115R
Flat

DR-7032T-B
Ø76.2m/m(Ø3")
Tip:SO-115R
Flat



DR-7032T-BTT
Ø63.5m/m(Ø2-1/2")
Tip:TO-115R
Flat

DR-7032T-BTT-B
Ø76.2m/m(Ø3")
Tip:TO-115R
Flat

Ø7-1/2"



DR-7531T
Ø63.5m/m(Ø2-1/2")
Tip:SO-115RS
Slant

DR-7531T-B
Ø76.2m/m(Ø3")
Tip:SO-115RS
Slant



DR-7532T
Ø63.5m/m(Ø2-1/2")
Tip:SO-115R
Flat

DR-7532T-B
Ø76.2m/m(Ø3")
Tip:SO-115R
Flat



DR-7532T-BTT
Ø63.5m/m(Ø2-1/2")
Tip:TO-115R
Flat

DR-7532T-BTT-B
Ø76.2m/m(Ø3")
Tip:TO-115R
Flat




All Titanium Muffler

Ø5"Series



TIR-5031U-BTT


Tip:TO-89RS Slant



TIR-5032U-BTT


Tip:TO-89R Flat

Ø5-1/2"Series



TIR-5532U-BTT

Tip:TO-102RS Slant



TIR-5532U-BTT


Tip:TO-102R Flat

Ø7"Series



TIR-7031U-BTT

Tip:TO-115RS Slant



TIR-7032U-BTT

Tip:TO-115R Flat

Titanium Muffler

Ø5-1/2"Series



TSR-5501

Tip:TO-102RS Slant



TSR-5502

Tip:TO-102R Flat



TSR-5504

Tip:TO-102T Trump



Universal Sport Silencer

Ø7"Bullet-Round(BR) Series:

	Inlet O.D.	Inner Tube	Length
BR-1001	Ø2 1/2"	60.5m/m	410m/m
BR-1002	Ø3"	76.2m/m	410m/m

Remark: Tip can be changed as customer's wish



BR-1001
BR-1002



BR-7011A
(BR-1001+SO-115RS)
BR-7011B
(BR-1002+SO-115RS)



BR-7015A
(BR-1001+SS-115RS)
BR-7015B
(BR-1002+SS-115RS)



BR-7012A
(BR-1001+SO-115RS1)
BR-7012B
(BR-1002+SO-115RS1)



BR-7016A
(BR-1001+SS-115RS1)
BR-7016B
(BR-1002+SS-115RS1)



BR-7013A
(BR-1001+SS-102RS3)
BR-7013B
(BR-1002+SS-102RS3)



BR-7017A
(BR-1001+SS-119x109VS1)
BR-7017B
(BR-1002+SS-119x109VS1)



BR-7014A
(BR-1001+SC-102RP1)
BR-7014B
(BR-1002+SC-102RP1)



BR-7018A
(BR-1001+SS-100x90QS1)
BR-7018B
(BR-1002+SS-100x90QS1)




Universal Sport Silencer

Ø7 1/2" Bullet-Round (BR) Series:

	Inlet O.D.	Inner Tube	Length
BR-1501	Ø2 1/2"	60.5m/m	410m/m
BR-1502	Ø3"	76.2m/m	410m/m

Remark: Tip can be changed as customer's wish



BR-7511A
(BR-1501+SO-115RS)
BR-7511B
(BR-1502+SO-115RS)



BR-7515A
(BR-1501+SS-115RS)
BR-7515B
(BR-1502+SS-115RS)




BR-7512A
(BR-1501+SO-115RS1)
BR-7512B
(BR-1502+SO-115RS1)



BR-7516A
(BR-1501+SS-115RS1)
BR-7516B
(BR-1502+SS-115RS1)



BR-7513A
(BR-1501+SS-102RS3)
BR-7513B
(BR-1502+SS-102RS3)



BR-7519A
(BR-1501+SS-102R)
BR-7519B
(BR-1502+SS-102R)



BR-7514A
(BR-1501+SC-102RP1)
BR-7514B
(BR-1502+SC-102RP1)



BR-7521A
(BR-1501+SO-102RS)
BR-7521B
(BR-1502+SO-102RS)



BR-7524A
(BR-1501+SC-115RP1)
BR-7524B
(BR-1502+SC-115RP1)




Bullet-Oval (BV) Universal Silencer

Single Tip Series: Remark: Tip can be changed as customer's wish

	Inlet O.D.	Size	Length
BV-1001	Ø2 1/2"	8 1/2"x7"	410m/m
BV-1002	Ø3"	8 1/2"x7"	410m/m



BV-1001
BV-1002



BV-8501A
(BV-1001+SO-115RS)
BV-8501B
(BV-1002+SO-115RS)



BV-8502A
(BV-1001+SO-115RS1)
BV-8502B
(BV-1002+SO-115RS1)




BV-8505A
(BV-1001+SS-119x109VS1)
BV-8505B
(BV-1002+SS-119x109VS1)



BV-8503A
(BV-1001+SC-102RP1)
BV-8503B
(BV-1002+SC-102RP1)



BV-8506A
(BV-1001+SS-100x90QS1)
BV-8506B
(BV-1002+SS-100x90QS1)



BV-8504A
(BV-1001+SS-115RS)
BR-8504B
(BV-1002+SS-115RS)



BV-8516A
(BV-1001+SC-140Q)
BV-8516B
(BV-1002+SC-140Q)



Remark: Tip can be changed as customer's wish

Dual Tips Series:

	Inlet O.D.	Inner Tube	Length
BV-1501	Ø2 1/2"	8 1/2" x 7"	410m/m
BV-1502	Ø3"	8 1/2" x 7"	410m/m



BV-8561A
(BV-1501+SO-76)
BV-8561B
(BV-1502+SO-76)



BV-8560A
(BV-1501+SS-89x79QS2)
BV-8560B
(BV-1502+SS-89x79QS2)



BV-8563A
(BV-1501+SC-89RP2)
BV-8563B
(BV-1502+SC-89RP2)



BV-8562A
(BV-1501+SO-72x64Q)
BV-8562B
(BV-1502+SO-72x64Q)



BV-8564A
(BV-1501+SS-89RS3)
BV-8564B
(BV-1502+SS-89RS3)



Universal Silencer

Bullet-Oval (BW) Universal Silencer



Center / Center

BW-1511	Ø2"xØ2"
BW-1512	Ø2-3/8"xØ2-3/8"
BW-1513	Ø2-1/2"xØ2-1/2"
BW-1514	Ø3"xØ3"



Offset / Center

BW-2511	Ø2"xØ2"
BW-2512	Ø2-3/8"xØ2-3/8"
BW-2513	Ø2-1/2"xØ2-1/2"
BW-2514	Ø3"xØ3"



Offset / Dual

BW-3511	Ø2"xØ2"
BW-3512	Ø2-3/8"xØ2-3/8"
BW-3513	Ø2-1/2"xØ2-1/2"
BW-3514	Ø3"xØ3"



Offset / Dual

BW-4511	Ø2"xØ2"
BW-4512	Ø2-3/8"xØ2-3/8"
BW-4513	Ø2-1/2"xØ2-1/2"
BW-4514	Ø3"xØ3"



Dual / Dual

BW-5511	Ø2"xØ2"
BW-5512	Ø2-3/8"xØ2-3/8"
BW-5513	Ø2-1/2"xØ2-1/2"
BW-5514	Ø3"xØ3"



Universal Silencer

Remark: Tip can be changed as customer's wish



Center/Center
BW-8501A (BW-1513+SO-115RS)
BW-8501B (BW-1514+SO-115RS)



Center/Dual
BW-8560A (BW-3513+SS-89x79QS2)
BW-8560B (BW-3514+SS-89x79QS2)



Center/Center
BW-8502A (BW-1513+SO-115RS1)
BW-8502B (BW-1514+SO-115RS1)



Center/Dual
BW-8561A (BW-3513+SO-76)
BW-8561B (BW-3514+SO-76)



Center/Center
BW-8503A (BW-1513+SC-102RP1)
BW-8503B (BW-1514+SC-102RP1)



Center/Dual
BW-8562A (BW-3513+SO-72x64Q)
BW-8562B (BW-3514+SO-72x64Q)



Center/Center
BW-8504A (BW-1513+SS-115RS)
BW-8504B (BW-1514+SS-115RS)



Center/Dual
BW-8563A (BW-3513+SC-89RP2)
BW-8563B (BW-3514+SC-89RP2)



Center/Center
BW-8516A (BW-1513+SC-140Q)
BW-8516B (BW-1514+SC-140Q)









Center/Dual
BW-8564A (BW-3513+SS-89RS3)
BW-8564B (BW-3514+SS-89RS3)



Center/Dual
BW-8572A (BW-3513+SE-89x79QS2)
BW-8572B (BW-3514+SE-89x79QS2)



KV-Silencer Kit



MV-Sport Silencer



Center/Center Tip:SS-115RS
MV-1011:2"x2"
MV-1012:2 1/4"x2 1/4"
MV-1013:2 1/2"x2 1/2"



Offset/Center Tip:SS-102RP3
MV-2011:2"x2"
MV-2012:2 1/4"x2 1/4"
MV-2013:2 1/2"x2 1/2"



Center/Dual Tip:SO-76
MV-3011:2"x1 7/8"x1 7/8"
MV-3012:2 1/4"x1 7/8"x1 7/8"
MV-3013:2 1/2"x2"x2"



Offset/Dual Tip:SO-76
MV-4011:2"x1 7/8"x1 7/8"
MV-4012:2 1/4"x1 7/8"x1 1/4"
MV-4013:2 1/2"x2"x2"



Center/Center
MV-1020A:
KV-1013+SC-102RP1

Universal Silencer



Center/Center
MV-1015A
KV-1013+SS-100x90QS1
MV-1015B
KV-1014+SS-100x90QS1



Center/Dual
MV-3031A
KV-3013+SE-89RS



Center/Center
MV-1016A
KV1013+SC-140Q
MV-1016B
KV1014+SC-140Q



Center/Dual
MV-3032A
KV-3013+SE-89x79QS2




Center/Center
MV-1017A
KV1013+SS-115RS1
MV-1017B
KV1014+SS-115RS1



Center/Dual
MV-3033A
KV-3013+SS-89x79QS1



Center/Center
MV-1018A
KV-1013+SS-102RS3
MV-1018B
KV-1014+SS-102RS3



Center/Dual
MV-3034A
KV-3013+SS-76R



Center/Center
MV-1019A
KV-1013+SO-115RS
MV-1019B
KV-1014+SO-115RS



Center/Dual
MV-3035A
KV-3013+SS-76RP



Offset/Center
MV-2015A
KV-2013+SC-140Q
MV-2015B
KV-2014+SC-140Q



Offset/Center
MV-2018A
KV-2013+SS102RS3
MV-2018B
KV-2013+SS102RS3



BF-Competition Silencer

A type: Ø2-1/2" Inlet B type: Ø3" Inlet



Center/Center
BF-1011A: W/SO-115RS
BF-1012A: W/SO-115RS1
BF-1013B: W/SO-130RS



Offset/Center
BF-2016A: W/SC-140Q
BF-2016B: W/SC-140Q



Center/Center
BF-1015A: W/SS-115RS1
BF-1015B: W/SS-115RS1



Center/Dual
BF-3013A:
 W/SS-89x79QS1
BF-3013B:
 W/SS-89x79QS1



Center/Center
BF-1016A: W/SC-140Q
BF-1016B: W/SC-140Q



Center/Dual
BF-3014A:
 W/SE-89x79QS2
BF-3014B:
 W/SE-89x79QS2



Offset/Center
BF-2011A: W/SS-102RP2
BF-2013B: W/SS-130RP



BF-3015A: W/SO-76
 Dual DTM Tips
BF-3015B: W/SO-89
 Dual DTM Tips