



**TH-2500:**Air Needle Scaler  
**TH-2500V:**Vacuum Type



**TH-2501**  
Air Flux Chipper



**TH-2502**  
Air Flux Chipper



**TH-2503:**Air Needle Scaler  
**TH-2503V:**Vacuum Type



**TH-2504:**Air Needle Scaler  
**TH-2504V:**Vacuum Type



**TH-2505:**Air Needle Scaler  
**TH-2505V:**Vacuum Type



**TH-2509:**Air Needle Scaler  
**TH-2509V:**Vacuum Type



**TH-2510**  
Air Flux Chipper

## Specification

(at 90 Psi)

Model No.	Needle Diameter Dia.xL (mm)xPcs	Piston Stroke (mm)	Blow Per. Min.(B.P.M)	Air Inlet (Pt/Npt)	Air Hose (I.D.)	Overall Length		Air Consumption		Net Weight	
						Inch	mm	Cfm	L/Min.	Kgs	Lbs
TH-2500(V)	3x180x19	33	3,700	1/4"	3/8"	14-4/5"	375	10	283	2.8	6.17
TH-2500(V)-2	2x180x29	33	3,700	1/4"	3/8"	14-4/5"	375	10	283	2.8	6.17
TH-2501		33	2,700	1/4"	3/8"	13-1/5"	335	10	283	2.2	4.85
TH-2502		33	2,700	1/4"	3/8"	12-1/5"	310	10	283	2.3	5.06
TH-2503(V)	3x180X28	28	3,500	1/4"	3/8"	13-3/4"	350	12	340	3.6	7.93
TH-2503(V)-2	2x180X66	28	3,500	1/4"	3/8"	13-3/4"	350	12	340	3.6	7.93
TH-2503(V)-4	4X180X14	28	3,500	3/8"	3/8"	13-3/5"	345	8.8	249	4.2	9.25
TH-2504(V)	4X180X35	52	2,500	3/8"	3/8"	18-1/10"	460	10	283	6	13.2
TH-2504(V)-2	2X180X66	52	2,500	3/8"	3/8"	18-1/10"	460	10	283	6	13.2
TH-2504(V)-3	3X180X49	52	2,500	3/8"	3/8"	18-1/10"	460	10	283	6	13.2
TH-2505(V)	3x180x19	33	3,700	1/4"	3/8"	13"	330	10	283	2.7	5.95
TH-2505(V)-2	2X180X29	33	3,700	1/4"	3/8"	13"	330	10	283	2.7	5.95
TH-2509(V)	3x180x19	38	4,600	1/4"	3/8"	18-1/10"	460	15	425	2.8	6.17
TH-2510		38	4,600	1/4"	3/8"	15"	380	15	425	2.1	4.63



**TH-2506**  
Air Needle Scaler



**TH-2513**  
Air Needle Scaler



**TH-2514**  
Air Needle Scaler



**TH-2524**  
Air Needle Scaler



**TH-2525**  
Air Needle Scaler



**TH-2511**  
Air Pistol Grip Needle Scaler



**TH-2512**  
Air Pistol Grip Needle Scaler



**TH-2523**  
Air Pistol Grip Needle Scaler



**TH-2520**  
Air Pistol Grip Needle Scaler



**TH-2522**  
Air Pistol Grip Needle Scaler



**TH-2508**



**TH-2508K**  
Air Gasket Scraper  
1Pc TH-2508  
4Pcs Chisel Shank  
1Pc Air Nipple  
1Pc Hex. Wrench  
1Pc Blow Case

**Specification**

(at 90 Psi)

Model No.	Needle Diameter Dia.xL (mm)	No.of Needles (Pcs)	Piston Stroke (mm)	Blow Per. Min.(B.P.M)	Air Inlet (Pt/Npt)	Air Hose (I.D.)	Overall Length		Air Consumption		Net Weight	
							Inch	mm	Cfm	L/Min.	Kgs	Lbs
TH-2506	3x180	19	38	2,800	1/4"	3/8"	23-3/5"	600	10	283	5.4	11.9
TH-2508			40	4,000	1/4"	3/8"	9-16/25"	245	4	113	0.8	1.76
TH-2511	3x180	23	27	2,400	1/4"	3/8"	13-1/5"	335	10	283	2.8	6.17
TH-2511-2	2x180	53	27	2,400	1/4"	3/8"	13-1/5"	335	10	283	2.8	6.17
TH-2512	2x150	29	16	4,000	1/4"	3/8"	11-11/50"	285	3.5	99	1.6	3.52
TH-2513	3x180	12	27	4,000	1/4"	3/8"	13-3/5"	345	7	198	2.4	5.28
TH-2514	3x180	19	33	4,600	1/4"	3/8"	16-1/2"	420	10	283	2.7	5.95
TH-2520	3x180	19	38	4,600	1/4"	3/8"	18-1/10"	460	15	425	3.2	7.05
TH-2522	3x180	19	38	4,600	1/4"	3/8"	21-1/4"	540	15	425	3.3	7.27
TH-2423	3x180	19	71	3,000	1/4"	3/8"	14-3/5"	370	10	283	2.7	6
TH-2524	3X125	12	32	5,500	1/4"	3/8"	11-2/5"	290	3	85	1.3	2.87
TH-2525	3x180	12	26	4,300	1/4"	3/8"	14-1/5"	360	3	85	1.6	3.52
TH-2525-2	2X180	27	26	4,300	1/4"	3/8"	14-1/5"	360	3	85	1.6	3.52





**TH-2515**  
Air Flux Chipper



**TH-2518**  
Air Flux Chipper



**TH-2526**  
Air Flux Chipper



**TH-2527**  
Air Flux Chipper



**TH-2528**  
Air Flux Chipper



**TH-2519**  
Air Pistol Grip Flux Chipper



**TH-2521**  
Air Pistol Grip Flux Chipper



**TH-2075**  
Air Pistol Grip Scraper



**TH-2074(A,B)**  
Air Long Reach Scraper  
(Length:620,1,220,1,520mm)



**TH-2072**  
Air Roll Type Throttle Scaling Hammer

**TH-2072L**  
Air Lever Type Throttle Scaling Hammer



**TH-2073**  
Air Scaling Hammer

**Specification**

(at 90 Psi)

Model No.	Piston Stroke (mm)	Blow Per. Min.(B.P.M)	Air Inlet (Pt/Npt)	Air Hose (I.D.)	Overall Length		Air Consumption		Net Weight	
					Inch	mm	Cfm	L/Min.	Kgs	Lbs
TH-2072(L)	38	7,000	1/4"	3/8"	22"	560	5	141	2.3	5.07
TH-2073	26	2,400	1/4"	3/8"	21-13/20"	550	11.5	325.5	4	8.81
TH-2074	38	2,400	1/4"	3/8"	24-2/5"	620	10	283	3	6.6
TH-2075	52	2,000	1/4"	3/8"	17-7/10"	450	10	283	5	11
TH-2515	22	4,000	1/4"	3/8"	9-1/4"	235	3	85	1.1	2.42
TH-2518	32	4,800	1/4"	3/8"	9-1/4"	235	3	85	1.1	2.42
TH-2519	38	4,800	1/4"	3/8"	14-4/5"	375	15	425	2.4	5.3
TH-2521	38	4,800	1/4"	3/8"	17-8/25"	440	15	425	2.5	5.5
TH-2526	29	3,800	1/4"	3/8"	13"	330	3	85	1.6	3.52
TH-2527	33	4,400	1/4"	3/8"	25-3/5"	650	10	283	2.7	6
TH-2528	33	5,000	1/4"	3/8"	27-11/20"	700	10	286	2.8	6.17