

Polyurethane Tube (ester & ether base)



- Hardness:Shore 90A~50D (Standard 98A)
- Working Temperature:20°C~70°C
- Fluid:Air
- Colors:Clear, Yellow, Blue, Black, Red, Orange

Model No.	TUBE SIZE (L.D. x O.D.)	WORK PRESSURE	BURST PRESSURE	STANDARD LENGTH (M)
TA-PUA2040	2 x 4 m/m	7 bar	28 bar	100,200
TA-PUA2540	2.5 x 4 m/m	6 bar	24 bar	100,200
TA-PUA3050	3 x 5 m/m	6 bar	24 bar	100,200
TA-PUA4060	4 x 6 m/m	6 bar	24 bar	100,200
TA-PUA5080	5 x 8 m/m	7 bar	28 bar	100
TA-PUA5580	5.5 x 8 m/m	6 bar	24 bar	100
TA-PUA6080	6 x 8 m/m	4 bar	16 bar	100
TA-PUA6510	6.5 x 10 m/m	7 bar	28 bar	100
TA-PUA8012	8 x 12 m/m	7 bar	28 bar	100
TA-PUA1216	12 x 16 m/m	6 bar	24 bar	100
TA-PUA1525	3/16 x 5/16	120 bar	480 bar	100
TA-PUA0203	1/4 x 3/8	120 bar	480 bar	100
TA-PUA0351	3/8 x 1/2	100 bar	400 bar	100


Polyurethane Braid Hose (ester & ether base)



- Hardness:Duty Reinforced Hose
- Hardness:Shore 80A~90A
- Working Temperature:20°C~70°C
- Fluid:Air
- Colors:Clear, Blue, Black, Red, Orange


Model No.	TUBE SIZE (L.D. x O.D.)	WORK PRESSURE	BURST PRESSURE	STANDARD LENGTH (M)
TA-PUR5080	5 x 8 m/m	15 bar	60 bar	10,20,30,50,100
TA-PUR6510	6.5 x 10 m/m	15 bar	60 bar	10,20,30,50,100
TA-PUR8012	8 x 12 m/m	15 bar	60 bar	10,20,30,50,100
TA-PUR80125	8.5 x 12.5 m/m	15 bar	60 bar	10,20,30,50,100
TA-PUR1015	10 x 15 m/m	15 bar	60 bar	10,20,30,50,100
TA-PUR1116	11 x 16 m/m	15 bar	60 bar	10,20,30,50,100
TA-PUR1319	13 x 19 m/m	15 bar	60 bar	10,20,30,50,100
TA-PUR2040	1/4 x 0.400	200 bar	800 bar	10,20,30,50,100
TA-PUR2547	5/16 x 0.472	200 bar	800 bar	10,20,30,50,100
TA-PUR0357	3/8 x 0.570	200 bar	800 bar	10,20,30,50,100
TA-PUR0473	1/2 x 0.732	200 bar	800 bar	10,20,30,50,100

Polyurethane Re-coil Hose




- Temperature:20°C~70°C
- Fluid:Air
- Colors:Clear, Yellow, Blue, Black, Red, Orange

Model No.	TUBE SIZE (I.D.xO.D.)	W.P.	B.P.	COIL-Ø (M/M)	FITTING (PT/NPT)	HOSE LENGTH
TA-PU5080	5 x 8 m/m	7 bar	28 bar	35	1/4	4,5,6,10,12,15,(M)
TA-PU6510	6.5 x 10 m/m	7 bar	28 bar	50	1/4	4,5,6,10,12,15,(M)
TA-PU8012	8 x 12 m/m	7 bar	28 bar	60	1/4,3/8	4,5,6,10,12,15,(M)
TA-PU8305	3/16 x 5/16	120 bar	480 bar	35	1/4	10,20,25,30,(ft)
TA-PU0203	1/4 x 3/8	120 bar	480 bar	50	1/4	10,20,25,30,(ft)
TA-PU2547	5/16 x 0.472	120 bar	480 bar	60	1/4,3/8	10,20,25,30,(ft)
TA-PU0351	3/8 x 0.512	100 bar	400 bar	60	1/4,3/8	10,20,25,30,(ft)

AIR HOSE REEL


- TUBE MATERIAL: POLYURETHANE BRAID HOSE
- WORKING PRESSURE: 15Kg/cm² • BREAKING PRESSURE: 50Kg/cm²

Model No.	Hose Size I.D. m.mm.(Inches)	LEAD HOSE LENGTM (INLET)	HOSE LENGTH (M)	FITTING THREAD SIZE (Inlet+OUTLET)	WEIGHT (N.W.)
TA-HR651020	6.5mm(1/4")	110cm	20m	1/4+1/4	6.7Kgs
TA-HR651030	6.5mm(1/4")	110cm	30m	1/4+1/4	7.5Kgs
TA-HR651040	6.5mm(1/4")	110cm	40m	1/4+1/4	8.3Kgs
TA-HR651050	6.5mm(1/4")	110cm	50m	1/4+1/4	9Kgs
TA-HR801220	6.5mm(5/16")	110cm	20m	1/4+1/4	7Kgs
TA-HR801230	6.5mm(5/16")	110cm	30m	1/4+1/4	8Kgs
TA-HR801240	6.5mm(5/16")	110cm	40m	1/4+1/4	9Kgs
TA-HR851320	8.5mm	110cm	20m	1/4+1/4	7Kgs
TA-HR851330	8.5mm	110cm	30m	1/4+1/4	8Kgs
TA-HR851340	8.5mm	110cm	40m	1/4+1/4	9Kgs
TA-HR951520	9.5mm(3/8")	110cm	20m	1/4+1/4	8Kgs
TA-HR951525	9.5mm(3/8")	110cm	25m	1/4+1/4	8.5Kgs
TA-HR951530	9.5mm(3/8")	110cm	30m	1/4+1/4	9Kgs
TA-HR101520	10mm	110cm	20m	1/4+1/4	8Kgs
TA-HR101530	10mm	110cm	30m	1/4+1/4	9Kgs
TA-HR111630	11mm	110cm	30m	1/4+1/4	10Kgs

Polyamide (Nylon) Tube (PA.6 & PA.12)


- Working Temperature: 20°C~90°C
- Fluid: Air, Oil
- Standard Colors: Natural, Yellow, Blue, Black

Model No.	TUBE SIZE (L.D. x O.D.)	WORK PRESSURE	BURST PRESSURE	STANDARD LENGTH (M)
TA-NY2040	2 x 4 m/m	22 bar	90 bar	100,200
TA-NY2540	2.5 x 4 m/m	20 bar	80 bar	100,200
TA-NY4060	4 x 6 m/m	20 bar	80 bar	100
TA-NY6080	6 x 8 m/m	15 bar	60 bar	100
TA-NY7510	7.5 x 10 m/m	15 bar	60 bar	100
TA-NY8010	8 x 10 m/m	10 bar	40 bar	100
TA-NY9012	9 x 12 m/m	15 bar	60 bar	100
TA-NY1012	10 x 12 m/m	10 bar	40 bar	100
TA-NY1316	13 x 16 m/m	15 bar	60 bar	100
TA-NY1115	0.118 x 3/16	20 bar	80 bar	100
TA-NY1802	0.180 x 1/4	20 bar	80 bar	100
TA-NY2325	0.236 x 5/16	15 bar	60 bar	100
TA-NY2703	0.275 x 3/8	15 bar	60 bar	100
TA-NY3504	0.375 x 1/2	19 bar	76 bar	100

AIR Hose REEL


Model No.	HOSE SIZE I.d. (mm)	WORK PRESSURE (psi)	BURST PRESSURE (psi)	Fitting (Pt/Npt)	LENGTH (m)
TA-HR2004	8	220	880	1/4	10
TA-HR2004A	8	220	880	1/4	12
TA-HR2004B	8	220	880	1/4	15
TA-HR2004C	9.5	220	880	3/8	10
TA-HR2004D	10.0	220	880	3/8	10



- Close Version
- Automatic Hose Reel for Compressor.
- High Quality Special Plastic Material Durable Construction.
- Working Temperature:-5°C~+60°C
- Packing:240 mmx 215 mm x95 mm (LxWxH)
- Weight:1.4 Kg
- CUF:0.18/Set

Model No.	Hose Size mm	HOSE LENGTH (M)	COUPLER STYLE	NET WEIGHT
TA-HR2006	5x8.0 mm	1.2	1/4" MALE	0.9
TA-HR2006A	5x8.0 mm	2.0	1/4" MALE	0.96



HANDY AIR HOSE REEL

- TUBE MATERIAL:POLYURETHANE TUBE
- CASE SIZE:200 m/m (ø)x60 m/m(T)
- WORKING PRESSURE:7.0Kg/cm²
- BREAKING PRESSURE:24Kg/cm²

Model No.	Hose Size mm	HOSE LENGTH (M)	NET WEIGHT
TA-HR2005	5 x 8	7.6	1.4 Kg
TA-HR2005A	6.5 x 9.5	6	1.4 Kg
TA-HR2005B	6.5 x 10.0	8	2.5 Kg
TA-HR2005C	8 x 12.0	7.5	2.5 Kg



HANDY AIR HOSE REEL

- TUBE MATERIAL:POLYURETHANE BRAID HOSE
- CASE SIZE:290 m/m(L)x285m/m(W)x150m/m(H)
- WORKING PRESSURE:15Kg/cm²
- BREAKING PRESSURE:50Kg/cm²

Model No.	Hose Size mm	HOSE LENGTH (M)	COUPLER STYLE	NET WEIGHT
TA-HR2002	5.5 x 10	8	1/4" MALE	2.4 Kg
TA-HR2002A	6.5 x 10	10	1/4" MALE	2.5 Kg
TA-HR2002B	8 x 12	8	1/4" MALE	3 Kg



HANDY AIR HOSE REEL

- TUBE MATERIAL:POLYURETHANE BRAID HOSE
- CASE SIZE:345 m/m(L)x300m/m(W)x145m/m(H)
- WORKING PRESSURE:15Kg/cm²
- BREAKING PRESSURE:50Kg/cm²

Model No.	Hose Size mm	HOSE LENGTH (M)	COUPLER STYLE	NET WEIGHT
TA-HR2001	0.5 x 10	8	1/4" MALE	2.2
TA-HR2001A	0.5 x 10	10	1/4" MALE	2.3
TA-HR2001B	0.5 x 10	12	1/4" MALE	2.4
TA-HR2001C	8 x 12	8	1/4" MALE	2.6



Steel Housing

Model No.	Hose Siz I.D.(mmxM)	(LxWxH) mm	Inlet / Outlet	Max. Pressure	N.W./pc	Hose Capacity		
						Length	I.D.	Material
TA-HR2003	8x12x10M	305x140x370	1/4"	300 psi	5.5 Kg	30 ft(9M)	5/16"	PU Braid
TA-HR2003A	6x10x10M	305x140x370	1/4"	300 psi	5.5 Kg	30 ft(9M)	5/16"	PU Braid
TA-HR2003B	10x13x12M	305x140x370	1/4"	300 psi	5.5 Kg	30 ft(9M)	5/16"	PU Braid
TA-HR2003C	8x10x15M	305x140x370	1/4"	300 psi	5.5 Kg	30 ft(9M)	5/16"	PU Braid