

BIT SYSTEM

- Made by heat-treated **Chrome Vanadium Steel** for strength exceeding international specifications.
- Professional plating prevents socket accessories from corrosion.
- Superior life-time test.

SPINNER HANDLE

MEETS OR EXCEEDS
A.N.S.I.
STANDARDS

MEETS OR EXCEEDS
DIN
STANDARDS

Material | Chrome Vanadium Steel
Surface | Mirror / Matt Finish
Feature | TPR & PP Grip

Drive (inch)	Wt. (g)	L (mm)
1/4 (6.35mm)	76	156



SPINNER HANDLE

MEETS OR EXCEEDS
A.N.S.I.
STANDARDS

MEETS OR EXCEEDS
DIN
STANDARDS

Material | Chrome Vanadium Steel
Surface | Mirror / Matt Finish
Feature | Injection Moulding Grip

Drive (inch)	Wt. (g)	L (mm)
1/4 (6.35mm)	100	170



Spinner handle can be used as an extension bar when combined with a ratchet handle.

COUPLER

MEETS OR EXCEEDS
A.N.S.I.
STANDARDS

MEETS OR EXCEEDS
DIN
STANDARDS

Material | Chrome Vanadium Steel
Surface | Mirror / Matt Finish

Drive (inch)	Hex (inch)	Wt. (g)	L (mm)
1/4 (6.35mm)	1/4 (6.35mm)	14	25




QUICK RELEASE BIT HANDLE

MEETS OR EXCEEDS
A.N.S.I.
STANDARDS

MEETS OR EXCEEDS
DIN
STANDARDS

Material | Chrome Vanadium Steel
Surface | Mirror / Matt Finish
Feature | Bit Quick Release Feature
TPR & PP Grip

Hex (inch)	Wt. (g)	L (mm)
1/4 (6.35mm)	120	212



BIT SYSTEM

- Made by heat-treated S2 Steel for strength exceeding international specifications.
- Professional plating prevents socket accessories from corrosion.

BIT ADAPTER

MEETS OR EXCEEDS
A.N.S.I. DIN
STANDARDS STANDARDS

Material | S2 Steel
Surface |

Hex (inch)	Drive (inch)	Wt. (g)	L (mm)
1/4 (6.35mm)	1/4 (6.35mm)	7	25
1/4 (6.35mm)	1/4 (6.35mm)	20	64
1/4 (6.35mm)	1/2 (12.7mm)	46	72



Ratchet handle can be used as a bit driver when using with bit adapter.

COUPLER FOR RATCHET HANDLE

MEETS OR EXCEEDS
A.N.S.I. DIN
STANDARDS STANDARDS

Material | Chrome Vanadium Steel
Surface | Mirror / Matt / Micro Satin Finish

Drive (inch)	Hex (inch)	Wt. (g)	L (mm)
1/4 (6.35mm)	1/4 (6.35mm)	14	25.4
3/8 (9.5mm)	1/4 (6.35mm)	20	28.0
1/2 (12.7mm)	5/16 (7.9mm)	46	38.4

1/4" HEX 1"(L) SPLINE BIT

Material | S2 Steel
Surface |

Size (mm)	L (mm)
M5	25
M6	25
M8	25

1/4" HEX 1"(L) SQUARE BIT

Material | S2 Steel
Surface |

Size (mm)	L (mm)
S0	25
S1	25
S2	25
S3	25

UNIVERSAL BIT HOLDER

MEETS OR EXCEEDS
A.N.S.I. DIN
STANDARDS STANDARDS

Material | S2 Steel
Surface | Black Oxide Finish

Hex (inch)	Hex (inch)	Wt. (g)	L (mm)
1/4 (6.35mm)	1/4 (6.35mm)	83	100

MAGNETIC BIT HOLDER

MEETS OR EXCEEDS
A.N.S.I. DIN
STANDARDS STANDARDS

Material | S2 Steel
Surface |

Hex (inch)	Hex (inch)	Wt. (g)	L (mm)
1/4 (6.35mm)	1/4 (6.35mm)	19	59.5

QUICK RELEASE BIT HOLDER

MEETS OR EXCEEDS
A.N.S.I. DIN
STANDARDS STANDARDS

Material | Chrome Vanadium Steel
Surface | Mirror / Matt Finish
Feature | Bit Quick Release Feature

Hex (inch)	Hex (inch)	Wt. (g)	L (mm)
1/4 (6.35mm)	1/4 (6.35mm)	36	60

BIT SYSTEM

- Made by heat-treated S2 Steel for strength exceeding international specifications.
- Professional plating prevents socket accessories from corrosion.

1/4" HEX 1"(L) HEX BIT

Material | S2 Steel
Surface |

Size (mm)	L (mm)
H2	25
H2.5	25
H3	25
H4	25
H5	25
H6	25
H7	25
H8	25

1/4" HEX 1"(L) SLOTTED BIT

Material | S2 Steel
Surface |

Size (mm)	L (mm)
SL3	25
SL4	25
SL4.5	25
SL5.5	25
SL6.5	25

1/4" HEX 1"(L) SPANNER BIT

Material | S2 Steel
Surface |

Size (mm)	L (mm)
SH6	25
SH8	25
SH10	25

1/4" HEX 1"(L) PHILLIPS BIT

Material | S2 Steel
Surface |

Size (mm)	L (mm)
PH00	25
PH0	25
PH1	25
PH2	25
PH3	25

1/4" HEX 3"(L) PHILLIPS BIT

Material | S2 Steel
Surface |

Size (mm)	L (mm)
PH1	75
PH2	75
PH3	75

1/4" HEX 3"(L) POZIDR BIT

Material | S2 Steel
Surface |

Size (mm)	L (mm)
PZ1	75
PZ2	75

1/4" HEX 1"(L) POZI BIT

Material | S2 Steel
Surface |

Size (mm)	L (mm)
PZ1	25
PZ2	25
PZ3	25

1/4" HEX 1"(L) STAR BIT

Material | S2 Steel
Surface |

Size (star)	L (mm)
T7	25
T8	25
T9	25
T10	25
T15	25
T20	25
T25	25
T27	25
T30	25
T40	25

1/4" HEX 1"(L) TAMPER STAR BIT

Material | S2 Steel
Surface |

Size (star)	L (mm)
TT7	25
TT8	25
TT9	25
TT10	25
TT15	25
TT20	25
TT25	25
TT27	25
TT30	25
TT40	25

1/4" HEX 1"(L) 5 POINT STAR BIT

Material | S2 Steel
Surface |

Size (star)	L (mm)
TS10	25
TS15	25
TS20	25
TS25	25
TS27	25
TS30	25
TS40	25
TS45	25
TS50	25

BIT SET



67x 1/4" Hex Power Bit Set

EVA Tray + EVA Label + Plastic Case + Color Box

Content 1x 1/4" Dr x 1/4" Hex Coupler

1x 1/4" Hex 100mm Universal Bit Holder

65x 1/4" Hex 25mm Bits:

10x Taper Star: T17, T18, T19, T110, T115, T120, T125, T127, T130, T140

10x Star: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40

9x 5PT Star: TS10, TS15, TS20, TS25, TS27, TS30, TS40, TS45, TS50

8x Hex: H2, H2.5, H3, H4, H5, H6, H7, H8

3x Spline: M5, M6, M8

3x Spanner: SH6, SH8, SH10


4x Square: S0, S1, S2, S3

5x Slotted: SL3, SL4, SL4.5, SL5.5, SL6.5

6x Phillips: PH1(x2), PH2(x2), PH3(x2)

6x Pozl: PZ1(x2), PZ2(x2), PZ3(x2)

1x 1/4" Dr Adapter



8x 1/4" Hex Ratchet Bit Driver Set

Single Blister + Cardboard

Content 1x 1/4" Hex Ratchet Bit Driver

7x 1/4" Hex 25mm Bits Clip-on Rail:

PH1, PH2, PH3, SL4.5, SL7, T15, T20

6x 1/4" Hex Half Flexible Hose Clip Nut Driver Set

Single Blister + Cardboard

Content 1x 1/4" Hex Flexible 610mm Bit Holder Driver

5x 1/4" Dr Metric Sockets Clip-on Rail:

5, 6, 7, 8, 10mm



37x 10mm Hex Professional Bit Set

PVC Tray + EVA Label + Metal Case + Color Box

Content 1x 1/2" Dr x 10mm Hex Coupler

1x 3/8" Dr x 10mm Hex Coupler

1x 10mm Hex 100mm Extension Bit Holder

34x 10mm Hex 30mm Bits:

12x Star: T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, T60, T70

6x Hex: H4, H5, H6, H8, H10, H12

6x Spline: M4, M5, M6, M8, M10, M12

10x Rib: R4, R5, R6, R7, R8, R9, R10, R12, R13, R14



10x 1/2" Dr Heavy Duty Impact Driver Set

Double Blister + Card

Content 1x 1/2" Dr Impact Handle

1x 1/2" Dr x 5/16" Hex Coupler:

4x 5/16" Hex 36mm Bits: PH2, PH3, SL8, SL10

4x 5/16" Hex 80mm Bits:

PH2, PH3, SL8, SL10



11x 1/4" Hex Half Flexible Hose Clip Bit Driver Set

Single Blister + Cardboard

Content 1x 1/4" Hex Flexible 610mm Bit Holder Driver

10x 1/4" Hex 25mm(L) Bits Clip-on Rail:

PH1, PH2, PZ1, PZ2, SL4, SL5, T20, T25, T30, T40

