

GEARTECH® STUBBY COMBINATION WRENCH

- Made by heat-treated **Chrome Vanadium Steel** for strength exceeding international specifications.
- Professional plating prevents wrenches from corrosion.
- **72 teeth** needs as little as 5° to move fasteners while a regular wrench needs 30° of sweep space.
- Specially designed for working on automotive engine and confined space.
- Small head profile.
- Superior life-time test.



Ratchet head allows wrench to travel without removing from fastener.



5° space requirement for each turn.



GEARTECH® STUBBY COMBINATION WRENCH

MEETS OR EXCEEDS
A.N.S.I.
STANDARDS

12 POINT

SPLINE

GT4SSNV

Material | Chrome Vanadium Steel

Surface | Mirror / Matt / Micro Satin / Color Electro-deposition Finish

Feature | Flat Offset Ratchet Head

12 Point / Spline Ratchet Ring

Regular / Non-slip Open End

Stubby Panel

Size (inch)	Wt. (g)	L (mm)	Size (mm)	Wt. (g)	L (mm)
1/4	24	88	6	24	88
5/16	23	88	7	24	88
3/8	42	96	8	23	88
7/16	50	100	9	42	96
1/2	65	108	10	41	96
9/16	81	114	11	50	100
5/8	108	122	12	56	104
11/16	122	128	13	64	108
3/4	154	138	14	83	114
			15	94	118
			16	108	122
			17	123	128
			18	141	132
			19	153	138



7x Geartech® Stubby Combination Wrench Set

PP Window Holder + Label

7x SAE 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

7x MM 10, 12, 13, 14, 15, 17, 19mm



10x Geartech® Stubby Combination Wrench Set

PVC Double Blister + Label

10x MM 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

FLEX HEAD GEARTECH® STUBBY COMBINATION WRENCH

- Made by heat-treated **Chrome Vanadium Steel** for strength exceeding international specifications.
- Professional plating prevents wrenches from corrosion.
- **72 teeth** needs as little as 5° to move fasteners while a regular wrench needs 30° of sweep space.
- **Flexible head** tilts 180° at any interval with continuous head tension.
- Specially designed for working on automotive engine and confined space.
- Superior life-time test.



Flexible head tilts 180° at any interval with continuous head tension.



Ratchet head allows wrench to travel without removing from fastener.



5° space requirement for each turn.

FLEX HEAD GEARTECH® STUBBY COMBINATION WRENCH

FXGT4SSNV



Material | Chrome Vanadium Steel
Surface | Mirror / Matt / Micro Satin / Color Electro-deposition Finish
Feature | 180° Flexible Ratchet Head
 12 Point Ratchet Ring
 Regular / Non-slip Open End
 Stubby Panel

Size (inch)	Wt. (g)	L (mm)	Size (mm)	Wt. (g)	L (mm)
1/4	32	88	6	32	88
5/16	32	88	7	32	88
3/8	48	96	8	31	88
7/16	58	100	9	42	96
1/2	81	108	10	46	96
9/16	96	114	11	58	100
5/8	128	122	12	69	104
11/16	148	128	13	79	108
3/4	188	138	14	96	114
			15	110	118
			16	127	122
			17	150	128
			18	166	132
			19	188	138



Flex Head GearTech® Stubby Combination Wrench Set

PP Small Try Me Tray + Cardboard + Label

8x SAE (US) 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

8x MM (US) 8, 10, 12, 13, 14, 15, 17, 19mm

7x SAE (US) 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"

7x MM (US) 10, 12, 13, 14, 15, 17, 19mm

5x MM (US) 8, 10, 13, 17, 19mm

REVERSIBLE GEARTECH® STUBBY COMBINATION WRENCH

- Made by heat-treated **Chrome Vanadium Steel** for strength exceeding international specifications.
- Professional plating prevents wrenches from corrosion.
- **72 teeth** needs as little as 5° to move fasteners while a regular wrench needs 30° of sweep space.
- **Reversible switch** enables ratchet to move from either direction.
- **15° offset ratchet head** helps to reduce swing obstacles and to minimize knuckle fatigue.
- Specially designed for working on automotive engine and confined space.
- Superior life-time test.




5° space requirement for each turn.



Reversible switch enables wrench to move from either direction.



15° offset ratchet head for knuckle clearance.



6x Reversible Geartech® Stubby Combination Wrench Set

PS Tray + Card + POF

6x MM 8, 10, 12, 13, 14, 15mm

REVERSIBLE GEARTECH® STUBBY COMBINATION WRENCH

RG2SSNV



Material | Chrome Vanadium Steel
Surface | Mirror / Matt / Micro Satin / Color Electro-deposition Finish
Feature | 15° Offset Ratchet Head
 12 Point Ratchet Ring
 Regular / Non-slip Open End
 Stubby Panel

Size (inch)	Wt. (g)	L (mm)	Size (mm)	Wt. (g)	L (mm)
1/4	30	90	6	30	90
5/16	29	90	7	30	90
3/8	42	95	8	28	90
7/16	49	102	9	43	95
1/2	69	107	10	40	95
9/16	87	114	11	49	102
5/8	112	122	12	59	105
11/16	132	126	13	69	107
3/4	165	138	14	87	114
			15	98	118
			16	111	122
			17	133	126
			18	145	130
			19	165	138



10x Reversible Geartech® Stubby Combination Wrench Set

PVC Double Blister + Label

10x MM 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm