Rotary & Headlight Switches

Headlight Switches for Farm Tractor & Excavator
Stop Light Switches
Dimmer Switches

AES-1112-01
Universal Switch
3 Position, 4 Terminals



AES-1112-02
Universal Switch
3 Position, 5 Terminals



AES-1112-03
Universal Type
12VDC 30Amps, ON-OFF

AES-1112-03A
Illuminated way Switch,
With LED
12VDC 30Amps, ON-OFF

AES-1112-04
Universal Type
12VDC 30Amps, OFF-ON-ON

AES-1112-05
Universal Type
12VDC 30Amps, OFF-ON-ON
With Fuse Protection

AES-1112-10
Standard # DS-120

Universal heavy duty,
2 position, single pole,
single throw, Push-Pull Switch
Rating: 6VDC 30Amps
12VDC 15Amps

AES-1112-11
Pollak # 35-300
Standard # 33664

Universal Push-Pull Switch
Headlight Switch
12VDC, 15Amps.
Switch is On when pulled out.
2 Position – Off/On
7/16" Diameter.
Natural Knob.

AES-1112-12
Pollak # 35-308
Standard # DS1835
General # 1600

Universal Push-Pull Switch
Headlight Switch
12VDC, 15Amps.
Switch is On when pulled out.
3 Position – Off/On/On
7/16" Diameter.
Natural Knob.

AES-1112-13
Universal Push-Pull Switch
Headlight Switch
12VDC, 15Amps.
4 Screw Terminals.
3 Position – Off/On/On.
7/16" Diameter. Natural Knob

AES-1112-14
Pollak # 35-307
Standard # DS-121
General # 1602

Universal Push-Pull Headlight Switch
5 Screw Terminals, 3 Position - Off/On/On.
Complete with 15 Amps Fuse.
Mounting Stem 7/16" Diameter,
1/2" Long, Natural Knob.
IHC 363130R91 Delco U-1502

AES-1112-15
Standard # DS142
Valley Forge # HS-85X
Pollak # 35-316
General # 1607

Universal Type Headlight Switch
3 Position – OFF/ON/ON
12VDC, With 20Amps Circuit Breaker.
4 screw terminals, 2 stud terminals.
Push Pull for headlights,
Turn to Dim Panel. Bright Metal Knob.

AES-1112-15-1
Standard # DS141

Same as AES-1112-15,
except with 30Amps circuit breaker.

Rotary & Headlight Switches

Headlight Switches for Farm Tractor & Excavator
Stop Light Switches
Dimmer Switches

AES-1112-16

Standard # DS-198
Valley Forge # HS-102
General # 1623
Echlin # HL-6634
Wells # SW210

Headlight Switch
5350105, 5450558, 929955
Jeep 1974-'80

AES-1112-18



Standard # DS-188
Valley Forge # HS-90
General # 1672
Wells # SW-154
Echlin # HL-6541

Headlight Switch C5DZ, C5TZ,
C8UZ, D3UZ, D3ZZ-11654A;
C5TZ-11654B, C5TZ-11654C,
SW-435, 439, 504, 695, 718, 1153, 1245.
Bronco 1966-'76 Comet 1970-'72
Falcon 1965-'70 Ford Truck
1965-'72 Maverick 1970-'72
Mustang 1965-'66, 1971-'72

AES-1112-19



Standard # DS-148
Valley Forge # HS-95
General # 1668
Echlin # HL-6038
Wells # SW-132

Headlight Switch C5AB, C5AZ-11654A, B,
C5GB, C5GY, C5OB, C5OZ, D3AZ,
DOMY-11654A, SW-434, 629, 631, 898,
1229, 1226 Bobcat 1975-'79 Capri 1979
Comet 1965-'67, 1973-'78 Cougar 1974-'78
Fairlane 1965-'77 Fairmont 1978
Granada 1975-'79 Maverick 1974-'78 Mercury 1965-'69, 1971-'78 Meteor 1974-'76
Monarch 1975-'79 Montego 6, 8, 1968-'78 Mustang 6,8,1971, 1973-'78
Pinto 1974-'79 Torino 1965-'78 Use w/o Hooded Headlights

AES-1112-20



Standard # DS-210
Valley Forge # HS-110
General # 1679
Echlin # HL-6636
Wells # SW-166

Headlight Switch
EOAZ-11654C, EOAB-11654CA,
SW-1596, F-1521 Capri 4,6,8,1980
Cougar 8, 1980 Escort 1981
Fairmont 4, 6, 8, 1980
Ford 1980 Granada 6, 8, 1980 LTD 8, 1980
Marquis 8, 1980 Maverick 1980
Monarch 6, 8, 1980 Mustang 4, 6, 8, 1980
Zephyr 4, 6, 8, 1980

AES-1112-20A



Valley Forge # HS-117
General # 1682
Standard # DS-218
Echlin # HL-6637
Wells # SW-187

Headlight Switch
Ford EOAZ-11654-D
SW-1597
Ford, Mercury '80-'88

AES-1112-21

Pollak # 35-306
Valley Forge # SW-101
General # 1820

Heavy Duty Push-Pull
Headlight Switch
6-28 Volt DC, 75Amps
S.P.S.T. Two Position "Off-On"
Die-Casting Body, Chrome Plated Knob,
Copper Terminals, Mounting stem 5/8" Long,
15/32" Diameter.

AES-1112-22



Headlight Switch

AES-1112-23

Headlight Switch

AES-1112-24



Standard # DS-165
Valley Forge # HS-37
Echlin # HL-6571
Wells # SW-151
General # 1621

Headlight Switch 3601624
Ambassador 1970-73, 1979-'80
AMX 1969-'70, 1974-'80
Concord 1978-'80 Gremlin 1970-'80
Hornet 1970'80 Javelin 1969-'70, 1974-'80
Matador 1970-'73, 1979-'80
Pacer 1975-'80 Spirit 1979-'80

AES-1112-24A

Valley Forge # HS-55
General # 1621

Headlight Switch
AMC 3601624, Delco 1972514
2448823, 2580436, 2582496,
2584929, 2809087, 2820792,
CH-2563, CH-2640 Barracuda 1937-'69
Dart 6 1963-'65, 1967-'77
Demon 1974-'77 Valiant 1963-'65, 1967-'77

All specifications and information is subject to change without notice.

Rotary & Headlight Switches

Headlight Switches for Farm Tractor & Excavator
Stop Light Switches
Dimmer Switches

AES-1112-25

Headlight Switch
VW 113-941-531B

AES-1112-25A

Headlight Switch
111 941 531A
111 941 531E
113 941 531E
Bettle '49~92
Beetle Cabrio (15) '64~'81
Volkswagen '69-'79

AES-1112-26

Headlight Switch
VW 211-941-531B
BAQ 941-531B

AES-1112-27

Headlight Switch
For Kada



AES-1112-28

Standard # DS-199
Valley Forge # HS-109
General # 1650
Echlin # HL-6641
Wells # SW-226

Headlight Switch
D3TZ, E0HZ,
E1HZ-11654A, SW-1157
Ford Truck 1972-'80
Daimler Truck
Uta 73056591



AES-1112-29

Standard # DS-183
Valley Forge # HS-103

Headlight Switch
3746821, 3747189, 3747216
Chrys Corp Carts '84-'75
Dodge Trucks '83-'78



AES-1112-30

Standard # DS-220
Valley Forge # HS-120
Echlin # HL-6656

Headlight Switch
3240717, 8956001197,
56007334
American Motors '88-'82
Jeep '89-'84

AES-1112-31

Standard # DS-150
Valley Forge # HS-25
General # 1669

Headlight Switch
C5ZZ-11654B, C6DZ-11654A,
DOHZ-11654B, SW-441, 544, 902
Falcon 1965-'70
Ford Truck 1965-'76
Mustang 1965-'69

AES-1112-32

Standard # DS-177
Valley Forge # HS-99
General # 1733
Echlin # HL-6613
Wells # SW144

Headlight Switch
1995159, 170, 180, 182, 188, 192,
193, 195, 199, 203, 216, 217, D-1543,
61, 67, 83, 85, 89, 91, 93, 97, 99
Buick '68-'80 Cadillac '82-'88
Chevrolet '71-'90
Chevrolet/GMC Trucks '73-'94
Oldsmobile '68-'90 Pontiac '68-'68



AES-1112-34

Standard # DS-155
Valley Forge # HS-5
General # 1729
Echlin # HL-6554
Wells # SW-141
AC Delco # D1588
Cole Hersee # 71092



Headlight Switch, 12V 26Amps
Dia 7/16"-28UNF Thread.
1995156, 165, 173, 175, 179, 186, 194;
D-1559, 79, 80, 81, 88, 92 Buick '64-'73
Chevrolet '64-'89 Chevrolet/GMC
Trucks '71-'94 Oldsmobile '67-'73 Pontiac '70-'73



Rotary & Headlight Switches

Headlight Switches for Farm Tractor & Excavator
Stop Light Switches
Dimmer Switches

AES-1112-34A

Cole Hersee # 71092-02

Headlight Switch with knob lever.
4.5 ohms rheostat dimmer,
15 amps internal circuit breaker, 8 blades.
3 position: Off – Park & Tail - Head& Tail
With aluminum knob lever.



AES-1112-35

Standard # DS-186
Valley Forge # HS-121
General # 1734

Headlight Switch
1995181, 1995197,
1995196, 1995214,
1995225, 1995177, D-1595, 1598,
D-1510A, D-1503A
Cadillac 1968-'88 Camaro 1669-'70



AES-1112-36

Headlight Switch
GM 1995257
Chevrolet Corvette
1984-'88



AES-1112-37

Cole Hersee # 7496-04

Truck Heater Switch
Plated Steel, 1.32" dia., 88" long.
Mounting Stem: 7/16" – 28 thread,
13/32" Long.
Knob: Black Plastic with Metal
Insert and Set Screw.
2 Terminals, 8.0 Ohms.
For 12VDC electrical systems.
Ceramic Insulator with Imbedded Coil.
1935-39 Chevrolet

AES-1112-38

Standard # DS-357
Echlin # HL-6548
Wells # SW-276

Headlight Switch
4565320, 4373751
Chrysler '90-'93 Dodge '87-'96
Dodge Truck '90-'96
Jeep '92-'96 Plymouth '90-'96



AES-1112-39

Headlight Switch
2.5~3 ohms
rheostat dimmer,
15 amps internal
circuit breaker



AES-1112-39A

Headlight Switch
2.5~3 ohms rheostat dimmer,
15 amps internal circuit breaker
A8268, 1968-87 Corvette



AES-1112-40

General # 1726
Standard # DS-156
Valley Forge # HS-8

Headlight Switch 4.5 Ohms
rheostat dimmer 1995095, 096, 098, 099
D-1517, D-1518, D-1526
Buick 1959-'63
Chevrolet Products 1967-'65
Chevrolet Truck 1960-'63
GMC Truck 1960-'64



AES-1112-41

Headlight Switch



AES-1112-42

Headlight Switch
2.5~3 ohms rheostat dimmer,
15 amps internal circuit breaker.
CV05-DR045D
8 pins.
A8269, 1978-82 Corvette



All specifications and information is subject to change without notice.

Rotary & Headlight Switches

Headlight Switches for Farm Tractor & Excavator
Stop Light Switches
Dimmer Switches

AES-1112-48

Standard # DS180

Headlight Switch
Ford 97
D0ZZ-11654A; SW-928
C9ZZ-11654-AR

AES-1112-51

Cole Hersee # 7127

3 Position Headlight Switch
Off-Park&Tail-Head-Tail
With 20A at 12VDC fuse,
black knob printing " LIGHTS".
Four screw terminals, plated steel
case mounting stem with 7/16"-28 thread.

AES-1112-52

Cole Hersee # 7124

3 Position Headlight Switch
Off-Park&Tail-Head-Tail
15Amper per circuit at 12VDC.
Four screw terminals, plated steel
case mounting stem with 7/16"-28 thread.

AES-1112-53

Cole Hersee # 91811

12VDC, 10Amps
Normally ON-MOM off- MOM ON. Two Circuits.
7/16"-28 thread mounting stem, 3/4" (19mm) long,
flat on stem for mounting in D hole.
Four screw terminals, Plunger 23/64" (9.2mm) long.
Extra-heavy duty.

School Bus Momentary Switch, 2 circuits.
(Designed for use in 8 light warning systems in school buses)

AES-1112-54

Cole Hersee # 91804

12VDC, 10Amps.
Normally ON. Momentary OFF.
7/16"-28 thread mounting stem,
3/4 (19mm) long, flat on stem for
mounting in D hole. Six screws,
Plunger 23/64" (9.2mm) long.
Extra heavy duty.

School Bus Momentary Switch, 4 circuits.
(Designed for use in 8 light warning systems in school buses)



AES-1112-55

Cole Hersee # 7112

Headlight and Worklight Switch
12VDC, 10Amps
4 Position: OFF-Park & Tail – Low Bean
& Tail – High Bean & Tail
Thread: 3/8" – 28

AES-1112-55A

Headlight and Worklight Switch
12VDC, 10Amps
4 Position: OFF-Park & Tail – Low Bean
& Tail – High Bean & Tail
Thread: 7/16" – 28

Rotary & Headlight Switches

Headlight Switches for Farm Tractor & Excavator
Stop Light Switches
Dimmer Switches

AES-1112-61 type

- Capacity: 12VDC 20Amps
- Compact, with a very positive detent action and snap-on knobs.
- Durable Nylon body, knob and stem, aluminum hardware and plated brass terminals.



Knob A

Knob B

AES-1112-61-P3-A **OFF-ON-ON** **#72171-01** **#4023**	259502 259500 259515	+-1 +-2 +-3 +-4 0 I II	
AES-1112-61-P4-A **OFF-ON-ON-ON** **#72170**	259010 259009 259000	+-1 +-2 +-3 +-4 0 I II III	

AES-1112-61-P3-B **OFF-ON-ON** **#269500** **#72171-04**	+-1 +-2 +-3 +-4 0 I II	
AES-1112-61-P4-B **OFF-ON-ON-ON** **#269000** **#72170-04**	+-1 +-2 +-3 +-4 0 I II III	

All specifications and information is subject to change without notice.

Rotary & Headlight Switches

Headlight Switches for Farm Tractor & Excavator
Stop Light Switches
Dimmer Switches



AES-1112-62 type

- Capacity: 12VDC 10Amps
- Compact, with a very positive detent action and snap-on knobs.
- Durable Nylon body, knob and stem, aluminum hardware and plated brass terminals.
- Illuminated or non-illuminated type.



Knob A

Knob A1

Knob B

Knob B1

AES-1112-62-P2A-A OFF-ON #72150-01 #4020	250000	A-B 0 I	A 5 B
AES-1112-62-P2A-AM OFF-(ON) #72151-01	251000	A-B 0 I	A 5 B
Illuminated **AES-1112-62-P2A-A1** OFF-ON #250940(red/orange/green) Red #250200/72160-04 Orange #250400 Green #250600/72160-060 #4022		A-B 0 I E- ⊗ -F 14V	A E 1 F B
Illuminated **AES-1112-62-P2A-A1M** OFF-(ON)		A-B 0 I E- ⊗ -F 14V	A E 1 F B
AES-1112-62-P2B-A ON-ON	252000	A-B I II A-C	A 2 C B
AES-1112-62-P2B-AM ON-(ON)		A-B I II A-C	A 2 C B
Illuminated **AES-1112-62-P2B-A1** ON-ON		A-B I II A-C E- ⊗ -F 14V	A E 7 F C B
Illuminated **AES-1112-62-P2B-A1M** ON-(ON)		A-B I II A-C E- ⊗ -F 14V	A E 7 F C B

AES-1112-62-P2A-B OFF-ON #260000 #72150-02 #4021	A-B 0 I	A 5 B
AES-1112-62-P2A-BM OFF-(ON) #261000 #72151-02	A-B 0 I	A 5 B
Illuminated **AES-1112-62-P2A-B1** OFF-ON Red #260200/72160-01 Orange #260400 Green #260600	A-B 0 I E- ⊗ -F 14V	A E 1 F B
Illuminated **AES-1112-62-P2A-B1M** OFF-(ON)	A-B 0 I E- ⊗ -F 14V	A E 1 F B
AES-1112-62-P2B-B ON-ON #262000	A-B I II A-C	A 2 C B
AES-1112-62-P2B-BM ON-(ON)	A-B I II A-C	A 2 C B
Illuminated **AES-1112-62-P2B-B1** ON-ON	A-B I II A-C E- ⊗ -F 14V	A E 7 F C B
Illuminated **AES-1112-62-P2B-B1M** ON-(ON)	A-B I II A-C E- ⊗ -F 14V	A E 7 F C B

Rotary & Headlight Switches

Headlight Switches for Farm Tractor & Excavator
Stop Light Switches
Dimmer Switches



Rotary Switch AES-1112-63 type

- Capacity: 12VDC 10Amps
- Compact, with a very positive detent action and snap-on knobs.
- Durable Nylon body, knob and stem, aluminum hardware and plated brass terminals.
- Illuminated or non-illuminated type.



Knob A

Knob A1

Knob B

Knob B1

AES-1112-63-P3A-A ON-OFF-ON	254000	A-B A-C I 0 II	A B C
AES-1112-63-P3A-AM (ON)-OFF-(ON)	255000	A-B A-C I 0 II	A B C
AES-1112-63-P3A-AMR ON-OFF-(ON) #258000		A-B A-C I 0 II	A B C
AES-1112-63-P3A-AML (ON)-OFF-ON		A-B A-C I 0 II	A B C
Illuminated AES-1112-63-P3A-A1 ON-OFF-ON Red #254200 Orange #254400 Green #254600		A-B A-C E- ⊗ -F I 0 II 14V	A E F C B
Illuminated AES-1112-63-P3A-A1M (ON)-OFF-(ON)		A-B A-C E- ⊗ -F I 0 II 14V	A E F C B
Illuminated AES-1112-63-P3A-A1MR ON-OFF-(ON)		A-B A-C E- ⊗ -F I 0 II 14V	A E F C B
Illuminated AES-1112-63-P3A-A1ML (ON)-OFF-ON		A-B A-C E- ⊗ -F I 0 II 14V	A E F C B

AES-1112-63-P3A-B ON-OFF-ON #264000	A-B A-C I 0 II	A B C
AES-1112-63-P3A-BM (ON)-OFF-(ON) #265000 #72154	A-B A-C I 0 II	A B C
AES-1112-63-P3A-BMR ON-OFF-(ON) #268000	A-B A-C I 0 II	A B C
AES-1112-63-P3A-BML (ON)-OFF-ON	A-B A-C I 0 II	A B C
Illuminated AES-1112-63-P3A-B1 ON-OFF-ON Red #264200 Orange #264400 Green #256600	A-B A-C E- ⊗ -F I 0 II 14V	A E F C B
Illuminated AES-1112-63-P3A-B1M (ON)-OFF-(ON)	A-B A-C E- ⊗ -F I 0 II 14V	A E F C B
Illuminated AES-1112-63-P3A-B1MR ON-OFF-(ON)	A-B A-C E- ⊗ -F I 0 II 14V	A E F C B
Illuminated AES-1112-63-P3A-B1ML (ON)-OFF-ON	A-B A-C E- ⊗ -F I 0 II 14V	A E F C B

All specifications and information is subject to change without notice.

Rotary & Headlight Switches

Headlight Switches for Farm Tractor & Excavator
Stop Light Switches
Dimmer Switches

AES-1112-64 type

- Capacity: 12VDC 10Amps
- Compact, with a very positive detent action and snap-on knobs.
- Durable Nylon body, knob and stem, aluminum hardware and plated brass terminals.
- Illuminated or non-illuminated type.





Knob A

Knob A1

Knob B

Knob B1

AES-1112-64-P3A-A OFF-ON-ON #72152-01	253000	A-B A-C 0 I II	A 2 C B
AES-1112-64-P3A-AM OFF-ON-(ON) #257000		A-B A-C 0 I II	A 2 C B
Illuminated **AES-1112-64-P3A-A1** OFF-ON-ON Red # 253200/72161-04 Orange # 253400 Green # 253600/75161-06		A-B A-C E- ⊗ -F 0 I II 14V	A E F 7 C B
Illuminated **AES-1112-64-P3A-A1M** OFF-ON-(ON)		A-B A-C E- ⊗ -F 0 I II 14V	A E F 7 C B
AES-1112-64-P3B-A ON-ON-ON	256000	A-B A-C A-D I II III	A 4 C D B
Illuminated **AES-1112-64-P3B-A1** ON-ON-ON		A-B A-C A-D E- ⊗ -F I II III 14V	A E F 8 D C B

AES-1112-64-P3A-B OFF-ON-ON #263000 #75152-02	A-B A-C 0 I II	A 2 C B
AES-1112-64-P3A-BM OFF-ON-(ON) #267000	A-B A-C 0 I II	A 2 C B
Illuminated **AES-1112-64-P3A-B1** OFF-ON-ON Red # 263200/72161-01 Orange # 263400 Green # 263600/75161-03	A-B A-C E- ⊗ -F 0 I II 14V	A E F 7 C B
Illuminated **AES-1112-64-P3A-B1M** OFF-ON-(ON)	A-B A-C E- ⊗ -F 0 I II 14V	A E F 7 C B
AES-1112-64-P3B-B ON-ON-ON #266000	A-B A-C A-D I II III	A 4 C D B
Illuminated **AES-1112-64-P3B-B1** ON-ON-ON	A-B A-C A-D E- ⊗ -F I II III 14V	A E F 8 D C B

Rotary & Headlight Switches

Headlight Switches for Farm Tractor & Excavator

Stop Light Switches

Dimmer Switches

AES-1112-46

Tractor Headlight Switch
12VDC
Supplied with 20Amps Fuse,
2.2 Ohms Resistor.
OFF-ON-ON







AES-1411-31

Master Switch
For Caterpillar 3K3160



AES-1411-31A

Master Switch

AES-1411-31B

Master Switch

AES-1411-31C

Master Switch
Combination Battery Ignition,
Headlight Light or Work Light Switch
For John Deere 40, 50, 60, 70, 320,
330, 420 & 430, 620 and 630 tractors.
Replace # AM1866T, AA5071R

AES-1411-40A

Master Switch
Combination Ignition/Headlight/Work
Light Switch. For 12VDC systems.
Replace John Deere 530
and 630 tractors.
Replace John Deere AR20430

AES-1411-40B

5 POSITION LIGHT SWITCH LESS KNOB:
Fits John Deere Models-GAS / DSL:
830 (3 CYL), 920, 1040, 1140, 1530,
1640, 1830, 2030, 2040, 2040S, 2240,
2440, 2630, 2640, 2840, 3030
(SN 162948 & UP),
3130 (SN 162948 & UP); 300B IND &
FOLLOWING WITHOUT
SOUND GARD CAB: 2150, 2155, 2255,
2355, 2550, 2555, 2755, 2855, 2940,
2950 - 5 SPADE TERMINALS --- 1/2"
DIAMETER THREADED END - AR66478

AES-1411-40C

4 POSITION LIGHT SWITCH WITHOUT KNOB:
Fits John Deere Models-GAS / LP / DSL:
1010, 1020, 1520, 2010,
2020 --- FOLLOWING GAS / LP ONLY:
3010, 3020 (UP TO SN 67999),
4010, 4020 (SN 65000 - 90999) ---
COMBINES: 45 THRU 105 - 6
SPADE TERMINALS --- 1/2"
DIAMETER THREADED END - AR28401



AES-1411-40D

4 POSITION LIGHT SWITCH WITHOUT KNOB:
Fits John Deere Models-DIESEL:
3010, 3020 (SN 67999-122999),
4010, 4020 (SN 65000 - 90000),
5010 (UP TO SN 004499),
8020 - 8 SPADE TERMINALS --- 1/2"
DIAMETER THREADED END - AR28402



AES-1411-40E

4 POSITION LIGHT SWITCH WITHOUT KNOB:
Fits John Deere Models-DIESEL:
3010, 3020 (SN 67999 - 122999),
4010, 4020 (SN 65000 - 90999),
5010 (UP TO SN 004499),
8020 - 8 SPADE TERMINALS --- 1/2"
DIAMETER THREADED END - AR28402



All specifications and information is subject to change without notice.

Rotary & Headlight Switches

Headlight Switches for Farm Tractor & Excavator

Stop Light Switches

Dimmer Switches

AES-1411-19

Cole Hersee # 75701

Forklift Switch
Universal Rotary Switch.
Available in full range of circuitries and styles for lighting, ignition and similar applications.
For Caterpillar 2S-2432, 8S-7713, 7N-4160
20 Amps, 12VDC





AES-1411-19A

Cole Hersee # 75712-04

Head Lamp rotary & Fuel Tank Switch
Hi-Amp forward/Reverse
DPDT. Silver-laminated contacts.
50Amps 3 Position, 4 terminals.

AES-1411-19B

OFF-(ON) Switch
With 2 screws.







AES-1411-35

For Farm Tractor
Lucas 35910D

AES-1411-36

Ilgnition Starter Switch
For Caterpillar

Rotary & Headlight Switches
Headlight Switches for Farm Tractor & Excavator
Stop Light Switches
Dimmer Switches

AES-1113-9
Standard # SLS-93
Valley Forge # MS-103
General # 3096

Stop Light Switch
(Use with Power Brakes)
SW-1368, 1512, 1886
D6UZ, E3UZ-13480A,
E8TZ-13480B



AES-1113-10
Standard # SLS-67
Valley Forge # MS-101
General # 3087
Cole Hersee # 8723

Stop Light Switch
(Use with Standard Brakes)
SW-752, 862, 864,
1255, 1257
D5BZ, C9VY-13480A,
C8ZZ-13480B



AES-1113-11
Valley Forge # MS-13
Standard # SLS-84

Stop Light Switch
3215939, Delco A-850
AMC (All w/Standard Brakes)
Jeep (All w/Standard Brakes)



AES-1113-12
Standard # SLS-79
Valley Forge # MS-96
General # 3083
Cole Hersee # 8732

Stop Light Switch SPST,
Normally Off (Use with Standard Brakes)
D1-ZZ, E3ZZ, E6ZZ, D3VY,
D5TZ-13480A C9AZ-13480-A, C, D,
SW-860, 861, 989, 1199, 1258, 864A,
B Ford Products 1969-'88
Mercury Products 1969-'88



AES-1113-14
Valley Forge # MS-106
General # 3099

Stop Light Switch
D0TZ, E3TZ-13480A,
SW-1575, 1737
(Use with Standard Brakes)
Bronco U150 1980-81
Ford Truck F100/350 1980-82
Truck 1983-84



AES-1113-15
Valley Forge # MS-14
General # 3086

Stop Light Switch
Normally Open.
(Use with Standard Brakes)
D1ZZ-13480A, D5TZ,
D5LY-13480A, SW-989, 1253



AES-1113-20
Standard #SLS-110
Valley Forge # MS-110

Stop Light Switch
2 End Terminals, Normally Open;
2 Side Terminals, Normally Closed.
1/2" – 20 UNF Thread. GM-9794682
GM Products w/Cruise Control
25504628, 25524846 Holden 09794682
Toyota 25524845, 9794682



AES-1113-21
Standard # SLS-66
Cole Hersee # 8715
Valley Forge # MS-43
General # 3118

Stop Light Switch
SPST Normally ON
Mounting stem: 1/2" dimeter, 1 5/32" long.
AMC 5352620, GM 536289, 1362835, 1998192,
3886907, D815, 864, 866, 876, U-850, FC32200, FC32085,
1261219, Ford D2TZ-13480-B, Chrysler 2809033, IHC 358560

AES-1113-22
Stop Light Switch
For **Toyota**
84340-10010, 84340-10011
84340-10013, 84340-30010
84340-30011, 84340-30012
84340-30013, 25312-90000

AES-1113-22A
Standard # SLS-123
General # 3191

Stop Light Switch 2 Terminals,
Normally Closed Toyota Pick-up 77-75
For **Toyota** 84340-12020, 84340-12021
84340-20010, 84340-20011
84340-22060, 84340-22070
84340-22071, 84340-22072
84340-35010, 84340-36030



AES-1113-22C
Valley Forge # SL-45
General # 3001

Stop Light Switch
For **Toyota**
84340-25010,
84340-36020
For Nissan
25320-02700



AES-1113-22D
Stop Light Switch
For **Toyota**
84340-10020, 84340-28010
84340-30030, 84340-30040
84340-32010

All specifications and information is subject to change without notice.

Rotary & Headlight Switches
Headlight Switches for Farm Tractor & Excavator
Stop Light Switches
Dimmer Switches

AES-1113-23

Valley Forge # MS-115
General # 3183
Standard # SLS-101

Stop Light Switch For Datsun
2 Terminals, Normally open.
For **Nissan** 25320-H1000, 25320-H5001
25320-73000
25320-73001, 25320-89910

AES-1113-23A

Standard # SLS-106
General # 3188

AES-1113-23B

Stop Light Switch
For Nissan
25320-01B00, 25320-21P00
25320-28E00, 25320-75A00
For Isuzu
8-94118-754-1, 8-84362-930-0



AES-1113-24

Standard # SLS-105

Stop Light Switch
For Toyota 2R, 3R TS-630
GM: 94024700, 94026196
For Honda: 35350-634-003
For Isuzu: 5-82440-015-0,
2 Terminals, Open.

AES-1113-25

Stop Light Switch
Merit No. 434300

AES-1113-26

Standard # SLS-103
Valley Forge # MS-123
General # 3191

Stop Light Switch
4 Terminals, Normally Open.
For Toyota
84340-12010, 84340-12011,
84340-12012, 84340-22020,
84340- 30021, 84340-30022, 84340-30023

AES-1113-27

Valley Forge # MS-116
General # 3184

Stop Light Switch
Mitsubishi MB-113081
For Datsun 25320-GO300
For Honda
35350-601-000,
35350-601-003
35350-634-003

AES-1113-27A

General # 3189
Standard # SLS-109

Stop Light Switch
For Honda
35350-679-003

AES-1113-28

Standard # SLS-100
Valley Forge # MS-117
General # 3185

Stop Light Switch
For Mitsubishi MA616125,
MA113080
MB196506,

AES-1113-29

Standard # SLS-104
Valley Forge # MS-118
General # 3186

Stop Light Switch
Mazda 0233-66-790,
2 Terminals, Normally Open.
Mitsubishi MT138890,
MB-113078

AES-1113-30

General # 3001
Standard # SLS-27
Cole Hersee # 8629

Stop Light Switch SPST, Normally Off
Pressure: 3.8KG/SQ.CM
Mounting Stem: 1/8"-27 dryseal thread, 11/32" long.
Toyota 84340-25010, 84340-36020
GM 1320938, 1328118,

AES-1113-31

General # 3002
Cole Hersee # 8626

Stop Light Switch
SPST, Normally Off
Pressure: 3-8KG/SQ.CM
Mounting Stem: 1/8"-27 dryseal thread, 11/32" long.
Terminals: two 6-32 screw
Wagner FC-1201, FC5106
GM 403936, 476592, 3136600

Rotary & Headlight Switches
Headlight Switches for Farm Tractor & Excavator
Stop Light Switches
Dimmer Switches

AES-1113-32
Standard# SLS-102

Stop Light Switch PSI 8-9
Heavy Duty Type
721461, 2008780, 2055294, 2327054
Two Terminals, Normally open.
GM Trucks 88-73
Ford Trucks 96-86

AES-1113-32A
Stop Light Switch
Same as AES-1113-32,
except PSI 2-5.

AES-1113-34
Back up Alarms switch
Light Duty Universal
Actuated by shift lever or linkage.
For vehicles without back up lights.
12VDC, 5Amps.
S.P.S.T. Normally Open.
Adjust Arm

AES-1113-34A
Back up Alarms switch
Light Duty Universal
Actuated by shift lever or linkage.
For vehicles without back up lights.
12VDC, 5Amps.
S.P.S.T. Normally Open.

AES-1113-35
Stop Light Switch
Normally Open
Circuit normally open at 0 pressure.
P.T. Supply 1/4"

AES-1113-36
Low Pressure Switch
12 or 14VDC
1/8" NPT
Circuit normally open at 0 pressure.
Actuates at 66 psi.

AES-1113-37
Parking Brake Switch

AES-1113-38
Stop Light Switch
83420-10020

AES-1113-41
Oil Pressure Switch ???

All specifications and information is subject to change without notice.

Rotary & Headlight Switches
Headlight Switches for Farm Tractor & Excavator
Stop Light Switches

Dimmer Switches

AES-1114-11

Standard # DS-68
Valley Forge # DS-113
Pollak # 52-251
Cole Hersee # 7776
Echlin # DS-112
Wells # UDS 421

SPDT, On-On
Depress-release for Low beam,
depress-release for High beam.
Mounting: two 7/32" diameter holes, 1 5/8" on centers.
AM: 3156124, 3160926
Chry.: 1841895, 1881938, 2097628, 2291202,
CH-2437, Ford B9A-13532A, 2701524, Stude 1547356

AES-1114-12



Standard # DS-70
Valley Forge # DS-5
Pollak # 52-252
Cole Hersee # 7702
Echlin # DS-114
Wells # UDS 418

SPDT, On-On
Depress-release for Low beam,
depress-release for High beam.
Mounting: two 7/32" diameter holes, 1 5/8" on centers.
C0TF-13A024A, C0TA-13024A, SW-263
Ford Truck '59-'95
Ford, Lindoln, Mercury '59-'86

AES-1114-13

Standard # DS-72
Valley Forge # DS-7
Pollak # 52-253
Echlin # DS-115
Wells # UDS 419

SPDT, On-On
Depress-release for Low beam,
depress-release for High beam.
Mounting: two 7/32" diameter holes,
1 5/8" on centers.
AM: 538446, 539288
GM: 1997028, 7031, 7036,
7037, 7040, 7043,
D-803, 7, 8, 3841892, Jeep 931201
IHC: 370677C91



AES-1114-14

Standard # DS-40
Valley Forge # DS-81
Cole Hersee # 7769
Echlin # DS-101
Wells # UDS 400 401

Universal Type SPDT, On-On
Depress-release for LOW beam,
depress-release for
HIGH beam. Mounting: three 1/4"-20
tapped holes, 3/4" and 1 3/4" on centers.
Stem: 27/32" diameter. 801903, 805710, 1253003, 1253460,
1265024,A1AZ-13A024A, 1997703, 1997014. D-805
Most GM Cars & Trucks 1946-'60

AES-1114-15



Valley Forge # DS-96
Standard # DS-79
Echlin # DS-125
Wells # UDS 424

7838234, 1997045, D-812, 817
Buick 1978-'80
Chevrolet 1978-'80
GMC 1978-'80
Oldsmobile 1978-'80
Omega 1978-'80
Pontiac 1978-'80

AES-1114-16



Valley Forge # DS-97
Standard # DS-75
Echlin # DS-127
Wells # UDS 426

1997046, 1997068,
7841239, 26035244,
D801A, D819
Buick 1980-'82
Celebrity 1980-'82
Citation 1980-'82
Citation 1980-'81
Omega 1980-'81
Dhoenix 1980-'81
Skylark 1980-'82

AES-1114-17

Universal &
Heavy Duty Type
DS-19

AES-1114-18

Valley Forge # DS-98
Standard # DS-77
General # 2916
Cole Hersee # 7794
Echlin # DS-130
Wells # UDS 430

Terminal: three blades.
AM: 3239703
GM: 7832411, 7819567, 7830217
Buick 1977 Chevrolet 1977
Corvette 1977-78, 1980
Oldsmobile 1977 Pontiac 1977
Toronado 1977 Delco 1997045, 7838234, D-812

Rotary & Headlight Switches
Headlight Switches for Farm Tractor & Excavator
Stop Light Switches
Dimmer Switches

AES-1114 -19

Cole Hersee # 7792-01

Normally off
Depress to On, Spring return to Off
Mounting: three 1/4" 20 tapped holes, 3/4" and 1 3/4" on centers.
Stem: 7/8" diameter.
Rugged, Corrosion, Resistant Die-casting Metal Housing

AES-1114 -20

Cole Hersee # 7792

Normally off Depress to On, Spring return to Off.
Mounting: three 1/4" 20 tapped holes, 3/4" and 1 3/4" on centers.
Stem: 7/8" diameter.
Sealing: weatherproof and dustproof, heavy plastic coating protects against moisture, dust and road splash. Rugged, Corrosion, Resistant Die-casting Metal Housing

AES-1114 -21

Cole Hersee # 7787

Depress-release for LOW beam, depress-release for HIGH beam.
Mounting: two 1/4"-20 tapped holes, 1 3/4" on centers.
Stem: 7/8" diameter.
Delco U-802
Push on, Push off
Rugged, Corrosion, Resistant Die-casting Metal Housing

AES-1114 -22

Cole Hersee # 7786
General # 2904
Standard # DS-40

SPDT, On-On
Depress-release for LOW beam, depress-release for HIGH beam.
Mounting: three 1/4"-20 tapped holes, 3/4" and 1 3/4" on centers.
Stem: 1 1/16" diameter. Delco D-805, U-802 1997008, 1997014
Push on, Push off Rugged, Corrosion, Resistant Die-casting Metal Housing

AES-1114 -23

Cole Hersee # 7785

Headlight Dimmer Switch
Sealing: Weatherproof and dustproof heavy platic coating on case and wire leads
Delco 1994085

AES-1114 -24

Cole Hersee # 7762

Headlight Dimmer Switch.
SPDT, On-On
Depress-release for Low beam, depress-release for High beam.
Mounting: two 9/32" Diameter Holes, 1 3/4" on centers.
Terminal: Three Blades.

AES-1114 -25

Cole Hersee # 7700

Universal Headlight Dimmer Switch
Mounting: three 1/4"-20 tapped holes, 3/4" and 1 3/4" on centers.
Stem: 27/32" diameter.
Terminations: three 16 gauge leads, 5.75" long.

All specifications and information is subject to change without notice.