NS-5D Driving Lamp ECE Homologation SAE Homologation




- Multi-surface reflector
- Crystal glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W



Part NO.	Housing color	Lens color
NS-5D-B-C	Black	Clear
NS-5D-B-B	Black	Blue
NS-5D-B-R	Black	Rainbow








NS-7D Driving Lamp ECE Homologation






- Die-cast aluminum housing
- Multi-surface reflector
- Crystal glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

Part NO.	Housing color	Lens color
NS-7D-B-C	Black	Clear
NS-7D-B-B	Black	Blue
NS-7D-B-R	Black	Rainbow








NS-10 Spot Lamp ECE Homologation











Reinforced metal reflector

- Crystal glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W



Part NO.	Housing color	Lens color
NS-10B-C	Black	Clear
NS-10B-B	Black	Blue
NS-10B-R	Black	Rainbow








NS-11D Driving Lamp ECE Homologation






- Hi-impact plastic housing
- Reinforced metal reflector
- · Opaque glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

Part NO.	Housing color	Lens color
NS-11D-B-C	Black	Clear
NS-11D-B-B	Black	Blue
NS-11D-B-R	Black	Rainbow





NS-12 Driving Lamp ECE Homologation SAE Homologation









- · Die-cast aluminum housing
- Multi-surface reflector
- Crystal glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W



Part NO.	Housing color	Lens color
NS-12B-C	Black	Clear
NS-12B-B	Black	Blue
NS-12B-R	Black	Rainbow








NS-17 Driving Lamp ECE Homologation






- Reinforced metal housing
- Multi-surface reflector
- Crystal glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

Part NO.	Housing color	Lens color
NS-17B-C	Black	Clear
NS-17B-B	Black	Blue
NS-17B-R	Black	Rainbow








NS-18 Driving Lamp ECE Homologation






- Multi-surface reflector
- Crystal glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

Part NO.	Housing color	Lens color
NS-18B-C	Black	Clear
NS-18B-B	Black	Blue
NS-18B-R	Black	Rainbow








NS-20S Spot Lamp






- · Reinforced metal housing
- Reinforced metal reflector
- Crystal glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

Part NO.	Housing c	olor Lens color
NS-20S-B-C	Black	Clear
NS-20S-B-B	Black	Blue
NS-20S-B-R	Black	Rainbow







NS-23 Driving Lamp ECE Homologation









- · Reinforced metal housing
- Multi-surface reflector
- Crystal glass lens
- Steel mounting bracket, black
- · Halogen bulb: H3 12V 55W



Part NO.	Housing color Lens col	
NS-23B-C	Black	Clear
NS-23B-B	Black	Blue
NS-23B-R	Black	Rainhow









NS-24 Driving Lamp ECE Homologation





- Reinforced metal housing
- Multi-surface reflector
- Crystal glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

Part NO.	Housing color	Lens color			
NS-24B-C	Black	Clear			3
NS-24B-B	Black	Blue) 5) 5) 00 15 g_4 3_mxx[t/5505]<4.2 x mx=2
NS-24B-R	Black	Rainbow	160mm	97mm	V, 18 12 17 , 12 17 37 3 8

NS-26 Driving Lamp ECE Homologation









- Die-cast aluminum housing
- Multi-surface reflector
- Crystal glass lens
- 3 axels stainless steel mounting bracket
- Halogen bulb: H3 12V 55W







NS-28 Driving Lamp With LED Position Lamp ECE Homologation SAE Homologation









Part NO.	Housing color	Lens color	
NS-28B-C	Black	Clear	
NS-28B-B	Black	Blue	
NS-28B-R	Black	Rainbow	



- Die-cast aluminum housing
- Multi-surface reflector
- Crystal glass lens
- Stainless steel mounting bracket
- Halogen bulb: H3 12V 55W
- · LED: White





NS-30S Spot Lamp 77





- Hi-impact plastic housing
- Reinforced metal reflector
- Crystal glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

		85.III	IM
Part NO.	Housing color Lens color		
NS-30S-B-C	Black Clear		
NS-30S-B-B	Black Blue	+ 4500	min-0 E max at 23 2.0.5)=11.2 ix max=11.2 [bx] 0.1 0.18 0.32 0.56 1 1.8 3.2 5.6 10
NS-30S-R-R	Black Rainbow	152.2mm	

NS-32D 4" Driving Lamp



ECE Homologation SAE Homologation



- Multi-surface reflector
- Crystal glass lens
- Plastic mounting frame
- Halogen bulb: H1 12V 55W
- Options: H1 24V 70W available upon request

Part NO.	Housing o	color Lens color	Bulb	Ø100.6mm	110.9mm	8
NS-32D-B-C-12 NS-32D-B-B-12 NS-32D-B-R-12 NS-32D-B-C-24 NS-32D-B-B-24 NS-32D-B-R-24	Black Black Black Black Black Black	Clear Blue Rainbow Clear Blue Rainbow	12V 12V 12V 24V 24V 24V		108.5mm	7) 5 50 50 150 150 150 150 150 150 150 150

NS-33D 5" Driving Lamp

ECE Homologation SAE Homologation Die-cast aluminum housing



- - Multi-surface reflector
 - Crystal glass lens
 - Plastic mounting frame
 - Halogen bulb: H1 12V 55W
 - Options: H1 24V 70W available upon request

Part NO.	Housing cold	or Lens coloi	Bulb	Ø116.3mm	109.6mm	S. Company
NS-33D-B-C-12 NS-33D-B-B-12 NS-33D-B-R-12 NS-33D-B-C-24 NS-33D-B-B-24 NS-33D-B-R-24	Black Black	Clear Blue Rainbow Clear Blue Rainbow	12V 12V 12V 24V 24V 24V	127.2mm		5 50 50 50 50 50 50 50 50 50 50 50 50 50



NS-34 Driving Lamp With LED Position Ring SAE Homologation












Part NO.	Housing color	Lens color
NS-34B-C	Black	Clear
NS-34B-B	Black	Blue
NS-34B-R	Black	Rainbow



- Multi-surface reflector
- Crystal glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W
- · LED: White





NS-35 Driving Lamp With LED Position Ring











Part NO.	Housing c	olor Lens color
NS-35B-C	Black	Clear
NS-35B-B	Black	Blue
NS-35B-R	Black	Rainbow



- · Die-cast aluminum housing
- Multi-surface reflector
- Crystal glass lens
- Stainless steel mounting bracket
- Halogen bulb: H3 12V 55W
- LED: Slight yellow beam





NS-36 Driving Lamp With LED Position Ring







Part NO.	Housing color	Lens color
NS-36B-C	Black	Clear
NS-36B-B	Black	Blue
NS-36B-R	Black	Rainbow



- Die-cast aluminum housina
- Multi-surface reflector
- Crystal glass lens
- Stainless steel mounting bracket
- Halogen bulb: H3 12V 55W
- LED: Slight yellow beam






NS-39D Driving Lamp ECE Homologation




	6	•

- Die-cast aluminum housing
- Multi-surface reflector
- Crystal glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

Part NO.	Housing c	olor Lens color
NS-39D-B-C	Black	Clear
NS-39D-B-B	Black	Blue
NS-39D-B-R	Black	Rainbow








NS-41 Driving Lamp ECE Homologation







- Reinforced metal housing
- Multi-surface reflector
- Crystal glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

Part NO.	Housing c	olor Lens color
NS-41B-C	Black	Clear
NS-41B-B	Black	Blue
NS-41B-R	Black	Rainbow








NS-43 Driving Lamp ECE Homologation






- Die-cast aluminum housing
- Multi-surface reflector
- Crystal glass lens
- Steel mounting bracket, black
- OE bulb holder
- Halogen bulb: H3 12V 55W

Part NO.	Housing o	colorLens color
NS-43B-C	Black	Clear
NS-43B-B	Black	Blue
NS-43B-R	Black	Rainbow









NS-71 Driving Lamp

ECE Homologation SAE Homologation









- Multi-surface reflector
- Crystal glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W



Part NO.	Housing c	olor Lens color
NS-71B-C	Black	Clear
NS-71B-B	Black	Blue
NS-71B-R	Black	Rainbow








NS-90 Spot Lamp




Part NO.	Housing c	olor Lens color
NS-90B-C	Black	Clear
NS-90B-B	Black	Blue
NS-90B-R	Black	Rainbow



- Hi-impact plastic housing
- Reinforced metal reflector
- Crystal glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W








NS-91 Spot Lamp




Part NO.	Housing color	Lens color
NS-91B-C	Black	Clear
NS-91B-B	Black	Blue
NS-91B-R	Black	Rainbow



- Reinforced metal housing
- Reinforced metal reflector
- Crystal glass lens
- Steel mounting bracket, black
- · Halogen bulb: H3 12V 55W





Part NO.

NS-102D-B-C Black NS-102D-B-B Black NS-102D-B-R Black


NS-102D Driving Lamp ECE Homologation




- 4	•	Hi-	in	pac	ct p	lasi	tic	ho	usir	10

- Reinforced metal reflector
- Crystal glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

Housina c	olorLens color
Black	Clear
Black	Blue
Black	Rainbow






NS-2102D Driving Lamp ECE Homologation






- Hi-impact plastic housing
- Multi-surface reflector
- Crystal glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

Part NO.	Housing c	olor Lens color
NS-2102D-B-C	Black	Clear
NS-2102D-B-B	Black	Blue
NS-2102D-B-R	Black	Rainbow







NS-103D Driving Lamp ECE Homologation




Part NO.	Housing o	olor Lens color
Turrio.	riousing c	Oldi Eci is Coldi

NS-103D-B-C Black Clear NS-103D-B-B Black Blue NS-103D-B-R Black Rainbow



- Reinforced metal housing
- Reinforced metal reflector
- Crystal glass lens
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W






NS-156 Driving Lamp






- Reinforced metal housing
- Reinforced metal reflector
- Opaque glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

Part NO.	Housing c	olor Lens color
NS-156B-C	Black	Clear
NS-156B-B	Black	Blue
NS-156B-R	Black	Rainbow






NS-157 Driving Lamp





- Reinforced metal housing
- Reinforced metal reflector
- Opaque glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

Part NO.	Housing o	colorLens color	
NS-157B-C	Black	Clear	180.6mm
NS-157B-B	Black	Blue	EE
NS-157B-R	Black	Rainbow	2 E




NS-158 Driving Lamp






- Reinforced metal housing
- Reinforced metal reflector
- Opaque glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

Part NO.	Housing c	olor Lens color
NS-158B-C	Black	Clear
NS-158B-B	Black	Blue
NS-158B-R	Black	Rainbow





NS-168D Driving Lamp ECE Homologation







- Hi-impact plastic housing
- Reinforced metal reflector
- Opaque glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

Part NO.	Housing c	colorLens color
NS-168D-B-C	Black	Clear
NS-168D-B-B	Black	Blue

NS-168D-B-R Black







NS-2168D Driving Lamp ECE Homologation


Rainbow






- Hi-impact plastic housing
- Multi-surface reflector
- Crystal glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

Part NO.	Housing c	olorLens color
NS-2168D-B-C	Black	Clear
NS-2168D-B-B	Black	Blue
NS-2168D-B-R	Black	Rainbow









NS-172 Driving Lamp






- Hi-impact plastic housing
- Reinforced metal reflector
- Opaque glass lens
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W











NS-173D Driving Lamp










- Hi-impact plastic housing
- Reinforced metal reflector
- Opaque glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

			en e	
				N. T.
	Think Sh	100	7	N
() = =	-	141		


Part NO.	Housing colorLens color		
NS-173D-B-C	Black	Clear	

NS-173D-B-B Black NS-173D-B-R Black

Blue Rainbow







NS-175 Driving Lamp






- · Reinforced metal housing
- Reinforced metal reflector
- Opaque glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W


t was a	mondada l I m	
Part NO.	Housing colo	r Lens color
NS-175B-C	Black	Clear

NS-175B-C Black NS-175B-B Black NS-175B-R Black

Blue Rainbow








NS-177 Driving Lamp






- Hi-impact plastic housing
- Reinforced metal reflector
- Opaque glass lens
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W

Part NO.	Housing color Lens c	
NS-177B-C	Black	Clear
NS-177B-B	Black	Blue
NS-177B-R	Black	Rainbow









Hi-impact plastic housing


- Reinforced metal reflector
- Opaque glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W


Part	NO.
NS-1	77S-B

Housing color Lens color

Black NS-177S-B-B Black NS-177S-B-R Black

Clear Blue Rainbow





NS-198D Driving Lamp







 Hi-impact plastic housing Reinforced metal reflector

- Opaque glass lens
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W

Part NO. Housing colorLens color NS-198D-B-C Black Clear

NS-198D-B-B Black NS-198D-B-R Black Blue Rainbow





NS-351 Driving Lamp





- · Reinforced metal housing
- Reinforced metal reflector
- Opaque glass lens
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W

Part NO. Housing color Lens color NS-351B-C Black

NS-351B-B NS-351B-R

Black Black Clear Blue Rainbow








NS-515 Driving Lamp






- Reinforced metal housing
- Reinforced metal reflector
- Crystal glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

Part NO.	Housing c	olor Lens color
NS-515B-C	Black	Clear
NS-515B-B	Black	Blue
NS-515B-R	Black	Rainbow






NS-517 Driving Lamp






- Reinforced metal housing
- Reinforced metal reflector
- Opaque glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

Part NO.	Housing color Lens color	
NS-517B-C	Black	Clear
NS-517B-B	Black	Blue
NS-517B-R	Black	Rainbow







NS-3711 Ø100mm LED Driving Lamp

ECE Homologation SAE Homologation






- EMI Class 3 according to CISPR25
- Ingress Protection IP65
- Aluminum housing as heatsink
- ABS reflector
- Polycarbonate lens
- Steel mounting bracket, black
- Light source: High power LED x 9 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle
- Options: Black finish reflector available upon request








NS-3712 Ø90mm LED Driving Lamp


ECE Homologation SAE Homologation





- Ingress Protection IP66
- Aluminum housing as heatsink
- ABS reflector
- Polycarbonate lens
- Suitable for Focus 03(bumper lamps)
- Light source: High power LED x 8 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle






NS-3723 LED Driving Lamp


ECE Homologation





- Ingress Protection IP68
- Aluminum housing as heatsink
- ABS reflector
- Polycarbonate lens
- Steel mounting bracket, black
- Light source: High power LED x 8 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle
- · Options: Black finish reflector available upon request





NS-3724 5" LED Driving Lamp

ECE Homologation SAE Homologation



NS-3724A




NS-3724B

- EMI Class 3 according to CISPR25
- Ingress Protection IP68
- Aluminum housing as heatsink
 Plastic front frame: Chromed finish, or black finish
 Polycarbonate reflector
- Polycarbonate lens
- Stainless steel mounting bracket
- Light source: High power LED x 7 pcs
 Multivolt (9-33DC) suitable for 12V and 24V vehicle
 Options: PC Cover available upon request









NS-3725 7" LED Driving Lamp

ECE Homologation SAE Homologation



NS-3725A

NS-3725B


EMI Class 3 according to CISPR25

- Ingress Protection IP68
- Aluminum housing as heatsink
 Plastic front frame: Chromed finish, or black finish
 Polycarbonate reflector

- Stainless steel mounting bracket
- Light source: High power LED x 10 pcs
 Multivolt (9-33DC) suitable for 12V and 24V vehicle
 Options: PC Cover available upon request







NS-3726 9" LED Driving Lamp

ECE Homologation SAE Homologation



NS-3726A

NS-3726B




- Ingress Protection IP68
- Aluminum housing as heatsink
- Plastic front frame: Chromed finish, or black finish
- Polycarbonate reflector
- Polycarbonate lens

- Stainless steel mounting bracket
 Light source: High power LED x 15 pcs
 Multivolt (9-33DC) suitable for 12V and 24V vehicle
- Options: PC Cover available upon request








NS-3732 Driving Lamp With LED Position Lamp

ECE Homologation SAE Homologation






- Plastic front frame and housing with chromed finish
- Plastic reflector
- Crystal glass lens
- Stainless steel mounting bracket
- Position lamp: 2 pcs LED fit on light guide
- · Halogen bulb: H1 24V 70W
- Options: H1 12V 55W available upon request PC Cover available upon request







NS-3735 9" LED Driving Lamp With LED Position Ring


ECE Homologation SAE Homologation



- EMI Class 3 according to CISPR25
- Ingress Protection IP67
 - Aluminum housing as heatsink
- Plastic front frame: Chromed finish
- Polycarbonate reflector
- Polycarbonate lens
- Steel mounting bracket, black
- Light source: High power LED x 4 pcs
 Multivolt (9-33DC) suitable for 12V and 24V vehicle
 Options: Black finish front frame available upon request
- PC Cover available upon request








NS-3742 7" LED Driving Lamp With LED Position Ring

ECE Homologation






- Ingress Protection IP67
- Aluminum housing as heatsink
- Plastic front frame: Chromed finish
- Polycarbonate reflector
- Polycarbonate lens
- Steel mounting bracket, black
- Light source: High power LED x 4 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle
 Options: Black finish front frame available upon request
- PC Cover available upon request







NS-3743 7" LED Driving Lamp With LED Position Ring


SAE Homologation



- EMI Class 5 according to CISPR25
- Ingress Protection IP67
- Aluminum housing as heatsink
- Plastic front frame: Chromed finish
- Polycarbonate reflector
- Polycarbonate lens
- Steel mounting bracket, black
- Light source: High power LED x 4 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle
- Options: Black finish front frame available upon request PC Cover available upon request









NS-3744 5" LED Driving Lamp

ECE Homologation SAE Homologation






- EMI Class 5 according to CISPR25
- Ingress protection IP67
- Aluminum housing as heatsink
- Plastic front frame: Chromed finish
- Polycarbonate reflector
- Polycarbonate lens
- Steel mounting bracket, black
- Light source: High power LED x 4 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle
- Option: Black finish front frame available upon request







NS-3745 LED Driving Lamp

ECE Homologation SAE Homologation






- EMI Class 5 according to CISPR25
- Ingress protection IP67
- Aluminum housing as heatsink
- Polycarbonate reflector
- Polycarbonate lens
- Steel mounting bracket, black
- Light source: High power LED x 5 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle







NS-3746 LED Driving Lamp

ECE Homologation






- EMI Class 5 according to CISPR25
- Ingress protection IP67
- Aluminum housing as heatsinkABS reflector: Chromed, iron grey or silver finish
- Polycarbonate lens
- Plastic mounting bracket
- Light source: High power LED x 5 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle








NS-3747 LED Driving Lamp with Position Lamp

ECE Homologation



- EMI Class 5 according to CISPR25
 Ingress protection IP68
- Aluminum housing as heatsink
- Plastic front frame: Chromed finish
- Polycarbonate reflector
- Polycarbonate lens
- Stainless steel mounting bracket
- Light source: High power LED x 6 pcs
- Position LED x 2 pcs
 Multivolt (9-33DC) suitable for 12V and 24V vehicle
- Option: PC Covér available upon request




NS-3748 LED Driving Lamp


SAE Homologation



- EMI Class 5 according to CISPR25
- Ingress protection IP68
- Aluminum housing as heatsink
- ABS reflector: Chromed or black finish
- Polycarbonate lens
- Steel mounting bracket, black
- Light source: High power LED x 10 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle
 Option: PC or PE Cover available upon request







NS-3749 5" LED Driving Lamp


ECE Homologation SAE Homologation



- EMI Class 5 according to CISPR25
- Ingress protection IP67
- Aluminum housing as heatsinkPlastic front frame: Chromed finish
- Polycarbonate reflector
- Polycarbonate lens
- Steel mounting bracket, black
- Light source: High power LED x 2 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle
- Option: Black finish front frame available upon request







NS-3751 9" LED Pencil Beam Lamp with LED Position Ring 🥏 🕏







- EMI Class 5 according to CISPR25
- Ingress Protection IP67
- Aluminum housing as heatsink
- Plastic front frame: Chromed finish
- Polycarbonate reflector
- Polycarbonate lens
- Steel mounting bracket, black
- Light source: High power LED x 4 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle
- Options: Black finish front frame available upon request

PC Cover available upon request







NS-37527" LED Driving Lamp with LED Position Ring

ECE Homologation







- EMI Class 5 according to CISPR25
- Ingress Protection IP67
- Aluminum housing as heatsink
- Plastic front frame: Chromed finish
- Polycarbonate reflector
- Polycarbonate lens
- Steel mounting bracket, black
- Light source: High power LED x 2 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle
- Options: Black finish front frame available upon request

PC Cover available upon request







NS-3753 9" LED Driving Lamp with LED Position Ring


ECE Homologation



- EMI Class 5 according to CISPR25
- Inaress Protection IP67
- Aluminum housing as heatsink
- Plastic front frame: Chromed finish
- Polycarbonate reflector
- Polycarbonate lens
- Steel mounting bracket, black
- Light source: High power LED x 2 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle
- Options: Black finish front frame available upon request PC Cover available upon request









NS-3754 LED Driving Lamp with Position Lamp

ECE Homologation



- EMI Class 5 according to CISPR25
 - Ingress protection IP68
 - Aluminum housing as heatsink
- Plastic front frame: Chromed finish
- Polycarbonate reflector
- Polycarbonate lens
- Stainless steel mounting bracket
- · Light source: High power LED x 2 pcs Position – LED x 2 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle
- Options: PC Cover available upon request








NS-3756 LED Driving Lamp ECE Homologation






- Ingress Protection IP69K
- Aluminum housing as heatsink
- Polycarbonate reflector
- Polycarbonate lens
- Steel mounting bracket
- Light source: High Power 5W LED x 6 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle












NS-3757 LED Driving Lamp ECE Homologation






- Ingress Protection IP69K
- Aluminum housing as heatsink
- Polycarbonate reflector
- Polycarbonate lens
- Steel mounting bracket
- Light source: High Power 5W LED x 12 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle












AUXILIARY LIGHTING

NS-3762 LED Driving Lamp

ECE Homologation

- EMI Class 5 according to CISPR25
- Ingress Protection IP68
- Aluminum housing as heatsink
- Polycarbonate reflector
- Polycarbonate lens
- Stainless steel mounting bracket
- Light source: High Power LED x 4 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle




NS-3763 LED Driving Lamp

ECE Homologation




- Ingress Protection IP68
- Aluminum housing as heatsink
- Polycarbonate reflector
- Polycarbonate lens
- Stainless steel mounting bracket
- Light source: High Power LED x 2 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle



NS-3764 LED Driving Lamp

ECE Homologation

- EMI Class 5 according to CISPR25
- Ingress Protection IP68
- Aluminum housing as heatsink
- Polycarbonate reflector
- Polycarbonate lens
- Stainless steel mounting bracket
- Light source: High Power LED x 2 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle





NS-100 Driving Lamp With Position Lamp 🗾 🗾



Black

Black

Black

Part NO.

NS-100B-C

NS-100B-B

NS-100B-R


	•
A	•

- Hi-impact plastic housing
- Reinforced metal reflector
- Opaque glass lens
- PE white cover
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W




Clear

Blue








NS-2100 Driving Lamp ECE Homologation




Part NO.	Housing C	olor Lens color
NS-2100B-C	Black	Clear
NS-2100B-B	Black	Blue
NS-2100B-R	Black	Rainhow



- Hi-impact plastic housing
- Multi-surface metal reflector
- Crystal glass lens
- · PE white cover
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W








NS-450/810 Driving Lamp




Part NO.	Housing color	Lens color
NS-450B-C	Black	Clear
NS-450B-B	Black	Blue
NS-450B-R	Black	Rainbow
NS-810B-C	Black	Clear
NS-810B-B	Black	Blue
NS-810B-R	Black	Rainbow



- Hi-impact plastic housing
- Reinforced metal reflector
- Opaque glass lens
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W






NS-1001 Driving Lamp




Part NO.	Housing c	olor Lens color
NS-1001B-C	Black	Clear
NS-1001B-B	Black	Blue
NS-1001B-R	Black	Rainbow



- Hi-impact plastic housing
- Reinforced metal reflector
- Opaque glass lens
- PE white cover
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W







NS-1002 Driving Lamp





Part NO.	Housing color Lens co	
NS-1002B-C	Black	Clear
NS-1002B-B	Black	Blue
NS-1002B-R	Black	Rainbow



- Hi-impact plastic housing
- Reinforced metal reflector
- Opaque glass lens
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W







NS-1140 Driving Lamp





Part NO.	Housing c	olor Lens colo
NS-1140B-C	Black	Clear
NS-1140B-B	Black	Blue
NS-11/0B-R	Black	Rainhow



- Hi-impact plastic housing
 - Reinforced metal reflector
 - Opaque glass lens
 - PE white cover
 - Steel upright mounting bracket, zinc-yellow
 - Halogen bulb: H3 12V 55W









NS-2140 Driving Lamp ECE Homologation





Housing color Lens color


Clear

Rainbow


Blue

4	 Hi-impo 	act pla	istic h	ousi	ng

- Multi-surface metal reflector
- Crystal glass lens
- PE white cover
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W







NS-1155 Driving Lamp

Black

Black

Black

Part NO.

NS-2140B-C

NS-2140B-B


NS-2140B-R




Part NO.	Housing c	olor Lens colo
NS-1155B-C	Black	Clear
NS-1155B-B	Black	Blue
NS-1155R-R	Black	Rainhow



- Hi-impact plastic housing
- Reinforced metal reflector
- Opaque alass lens
- PE white cover
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W








NS-2155 Driving Lamp ECE Homologation





Part NO.	Housing c	olor Lens color
NS-2155B-C	Black	Clear
NS-2155B-B	Black	Blue
NS-2155B-R	Black	Rainbow



- Hi-impact plastic housing
- Multi-surface metal reflector
- Crystal glass lens
- · PE white cover
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W







Part NO.

Part NO.

NS-1160F-B-C

NS-1160F-B-B

NS-1160F-B-R

NS-1160D Driving Lamp ECE Homologation




Hi-impact plastic housing
 . Dainfara ad mastel rafta at

- Reinforced metal reflector
- Opaque glass lens
- PE white cover
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W

Housing co	olor Lens color	
Black	Clear	
Black	Blue	
Black	Rainbow	






NS-1160D-B-C Black Clear NS-1160D-B-B Black Blue NS-1160D-B-R Black Rainbo


NS-1160F Fog Lamp ECE Homologation






- Opaque glass lens
- PE white cover
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W








NS-2160 Driving Lamp ECE Homologation




Part NO.	Housing c	olor Lens color
NS-2160B-C	Black	Clear
NS-2160B-B	Black	Blue
NS-2160B-R	Black	Rainbow



- Hi-impact plastic housing
- Multi-surface metal reflector
- Crystal glass lens
- · PE white cover
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W









NS-1162 Driving Lamp




Part NO.	Housing c	olor Lens color
NS-1162B-C	Black	Clear
NS-1162B-B	Black	Blue
NS-1162B-R	Black	Rainbow

1

- Reinforced metal housing
- Reinforced metal reflector
- Opaque glass lens
- · PE white cover
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W








NS-1181D Driving Lamp ECE Homologation




Part NO.	Housing color Lens colo	
NS-1181D-B-C	Black	Clear
NS-1181D-B-B	Black	Blue
NS-1181D-B-R	Black	Rainbow



- Hi-impact plastic housing
- Reinforced metal reflector
- Opaque glass lens
- PE white cover
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W





NS-1181F Fog Lamp





Part NO.	Housing colorLens color	
NS-1181F-B-C	Black	Clear
NS-1181F-B-B	Black	Blue
NS-1181F-B-R	Black	Rainbow

ECE Homologation SAE Homologation



- Hi-impact plastic housing
- Reinforced metal reflector
- Opaque glass lens
- PE white cover
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W






NS-2181 Driving Lamp ECE Homologation




1	 Hi-impact 	plastic	housing

- Multi-surface metal reflector
- Crystal glass lens
- PÉ white cover
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W


		•
Part NO.	Housing c	olor Lens color
NS-2181B-C	Black	Clear
NS-2181B-B	Black	Blue
NS-2181B-R	Black	Rainbow






NS-1184 Fog Lamp ECE Homologation






- Opaque glass lens
- Steel mounting bracket, black
- Halogen bulb: H3 12V 55W

Part NO.	Housing C	olor Lens color
NS-1184B-C	Black	Clear
NS-1184B-B	Black	Blue








NS-8015 Driving Lamp




Part NO.	Housing c	olor Lens colo
NS-8015B-C	Black	Clear
NS-8015B-B	Black	Blue
NS-8015B-R	Black	Rainbow



- Hi-impact plastic housing
- Reinforced metal reflector
- Opaque glass lens
- Steel upright mounting bracket, zinc-yellow
- Halogen bulb: H3 12V 55W







NS-2015 Driving Lamp ECE Homologation







Part NO.	Housing color Lens color	
NS-2015B-C	Black	Clear
NS-2015B-B	Black	Blue
NS-2015B-R	Black	Rainbow



- Hi-impact plastic housing
- Multi-surface metal reflector
- Crystal glass lens
 Steel upright mounting bracket, zinc-yellow
 Halogen bulb: H3 12V 55W






NS-814 4" Off-Road Lamp




1	•	Reir	forced	me	tal	ho	usin	10
- 60		_						

- Free-form metal reflector
- Crystal glass lens
- Steel mounting bracket, zinc-plated
- Halogen bulb: H3 12V 55W


Part NO.	Housing color	Lens color	
NS-814B-C	Black	Clear	
NS-814B-B	Black	Blue	
NS-814B-R	Black	Rainbow	
NS-814C-C	Chrome	Clear	
NS-814C-B	Chrome	Blue	
NS-814C-R	Chrome	Rainbow	








NS-815 5" Off-Road Lamp




- Crystal glass lens
- Rubber mounting bracket
- Halogen bulb: H3 12V 55W



Part NO.	Housing color	Lens color
NS-815B-C NS-815B-B NS-815B-R NS-815C-C NS-815C-B NS-815C-R	Black Black Black Chrome Chrome Chrome	Clear Blue Rainbow Clear Blue Rainbow






NS-818 6" Off-Road Lamp **SAE Homologation**




	138		
Part NO.	Housing color	Lens color	
NS-818B-C NS-818B-B NS-818B-R NS-818C-C NS-818C-B NS-818C-R	Chrome	Clear Blue Rainbow Clear Blue Rainbow	



- Reinforced metal housing
- Free-form metal reflector
- Crystal glass lens
- Rubber mounting bracket
- Halogen bulb: H3 12V 55W








NS-818R 6" Off-Road Lamp



4	• Free-form i	
	The state of the s	

- Reinforced metal housing
 - metal reflector
 - Crystal glass lens
 - Rubber mounting bracket
 - Halogen bulb: H3 12V 55W

Part NO.	Housing color	Lens color			
NS-818R-B-C	Black	Clear			
NS-818R-B-B	Black	Blue			
NS-818R-B-R	Black	Rainbow			
NS-818R-C-C	Chrome	Clear			
NS-818R-C-B	Chrome	Blue			
NS-818R-C-R	Chrome	Rainbow			





NS-870D 6-1/4" Driving Lamp ECE Homologation



٠	Reinf	orce
	Multi	_crirf

- ed metal housing
- Multi-surface metal reflector
- Crystal glass lens
- Steel mounting bracket, zinc-plated
- Halogen bulb: H3 12V 55W





Part NO. Housing color Lens color NS-870D-C-C Chrome Clear NS-870D-C-B Chrome NS-870D-C-R Chrome Blue Rainbow


NS-870F 6-1/4" Fog Lamp




Part NO.	Housing color Lens colo		
NS-870F-C-C NS-870F-C-B	Chrome Chrome	Clear Blue	
NS-870F-C-R	Chrome	Rainbow	

ECE Homologation SAE Homologation

- Reinforced metal housing
- Multi-surface metal reflector
- Crystal glass lens
- Steel mounting bracket, zinc-plated
- Halogen bulb: H3 12V 55W





NS-880 8" Driving Lamp ECE Homologation



■ Raintarca	d metal housing
- Nell IIOICE	a merai noosii i

- Multi-surface metal reflector
- Crystal glass lens
- · Steel mounting bracket, zinc-plated
- Halogen bulb: H3 12V 55W


Reinforced metal housingMulti-surface metal reflector

Halogen bulb: H3 12V 55W

Steel mounting bracket, zinc-plated


Crystal glass lens

W			
Part NO.	Housing co	lor Lens color	
NS-880B-C NS-880B-B	Black Black	Clear Blue	
NS-880B-R	Black	Rainbow	
NS-880C-C NS-880C-B	Chrome Chrome	Clear Blue	
NIC COOC-D	Chrome	Doinhou	




NS-890 6-1/2" Driving Lamp ECE Homologation





Ø165mm

108./mm




NS-907 8" Driving Lamp With LED Position Ring ECE Homologation




Part NO. Housing color Lens color NS-907SS-C Stainless Steel Clear NS-907SS-B Stainless Steel Blue



- Stainless steel housing
- Multi-surface metal reflector
- Crystal glass lens
- Stainless steel mounting bracket
- Halogen bulb: H3 12V 55W
- Options:Chrome finish steel housing available upon request







NS-1182 Fog Lamp

ECE Homologation SAE Homologation






Part NO. Housing color Lens color NS-1182C-C Chrome Clear



- · Reinforced metal housing
- Multi-surface metal reflector
- Opaque glass lens
- Steel mounting bracket, zinc-plated
- Halogen bulb: H3 12V 55W



NS-3708 5" Off-Road Lamp

ECE Homologation SAE Homologation







- Hi-impact plastic housing
- · Black front frame
- Multi-surface reflector
- Crystal glass lens
- Stainless steel mounting bracket
- Halogen bulb: H3 12V 55W
- Options: PE white cover available upon request

Part NO. Housing color Lens color

NS-3708B-C Black Clear
NS-3708B-B Black Blue







NS-3716 9" Driving Lamp With Position Lamp

ECE Homologation SAE Homologation






- Hi-impact plastic housing
- Plastic front frame
- Multi-surface reflector
- Crystal glass lens
- Stainless steel mounting bracket
- · Halogen bulb: H1 12V 55W
- Options: H1 24V 70W available upon request
- Options: Black front frame and housing / Black chromed finish front frame and housing / Chromed finish front frame and housing
- Options: PC Cover available upon request

Part NO. Housing Color Lens Color NS-3716B-C Black Clear

NS-3716B-B NS-3716BC-C NS-3716BC-B NS-3716C-C NS-3716C-B Black Clear Black Blue Black chromed Clear Black chromed Blue Chromed Clear Chromed Blue










NS-3717 9" Driving Lamp With LED Position Ring


ECE Homologation SAE Homologation




- Hi-impact plastic housing
- Plastic front frame
- Multi-surface reflector
- Crystal glass lens
- Stainless steel mounting bracket
- Halogen bulb: H1 12V 55W
- LED: 2 pcs x White LED
- Options: H1 24V 70W available upon request
- Options: Black front frame and housing / Black chromed finish front frame and housing / Chromed finish front frame and housing
- Options: PC Cover available upon request

Part NO.	Housing Color	Lens Color
NS-3717B-C NS-3717B-B NS-3717BC-C NS-3717BC-B NS-3717C-C NS-3717C-B	Black Black Black chromed Black chromed Chromed Chromed	







NS-3736 5" Driving Lamp


ECE Homologation SAE Homologation






- Chromed finish plastic front frame and housing
- Multi-surface reflector
- Crystal glass lens
- Stainless steel mounting bracket
- · Halogen bulb: H3 12V 55W
- Options: H3 24V 70W available upon request
- Options: Black painting plastic front frame and housing M4 stabilizer strut available upon request

Part NO.	Housing Color	Lens Color
NS-3736C-C	Chromed	Clear
NS-3736B-C	Black	Clear





NS-3738 7" Driving Lamp With Position Lamp

ECE Homologation SAE Homologation



Chromed finish plastic front frame and housing

• Multi-surface reflector

Crystal glass lens


Stainless steel mounting bracket


• Halogen bulb: H1 12V 55W

• Options: H1 24V 70W available upon request

 Options: Black painting plastic front frame and housing M4 stabilizer strut available upon request

Part NO. Housing Color Lens Color
NS-3738C-C Chromed Clear
NS-3738B-C Black Clear





NS-3740 9" Driving Lamp With Position Lamp

ECE Homologation SAE Homologation



- Chromed finish plastic front frame and housing
- Multi-surface reflector
- Crystal glass lens
- Stainless steel mounting bracket
- Halogen bulb: H1 12V 55W
- Options: H1 24V 70W available upon request
- Options: Black painting plastic front frame and housing M4 stabilizer strut available upon request

Part NO. Housing Color Lens Color NS-3740C-C Chromed Clear NS-3740B-C Black Clear

