




NS-4201 Ø90mm LED Daytime Running Lamp

ECE Homologation
SAE Homologation


- EMI Class 3 according to CISPR25
- Ingress Protection IP68
- Hi-impact plastic housing
- ABS reflector
- Crystal glass lens
- Light source: LED x 4 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle



NS-4202 Ø90mm LED Daytime Running Lamp

ECE Homologation
SAE Homologation


- EMI Class 3 according to CISPR25
- Ingress Protection IP68
- Hi-impact plastic housing
- ABS reflector
- Crystal glass lens
- Steel mounting bracket, black
- Light source: LED x 4 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle



NS-4203 LED Daytime Running Lamp

ECE Homologation
SAE Homologation

- EMI Class 3 according to CISPR25
- Ingress Protection IP68
- Aluminum housing as heatsink
- ABS reflector
- Polycarbonate lens
- Steel mounting bracket, black
- Light source: LED x 4 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle






NS-4205 LED Daytime Running Lamp & Position Lamp

ECE Homologation
SAE Homologation



- EMI Class 3 according to CISPR25
- Ingress Protection IP68
- Aluminum housing as heatsink
- ABS reflector
- Polycarbonate lens
- Steel mounting bracket, black
- Light source: LED x 4 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle




NS-4207 Ø70mm LED Daytime Running Lamp

ECE Homologation
SAE Homologation



- EMI Class 3 according to CISPR25
- Ingress Protection IP68
- Aluminum housing as heatsink
- ABS reflector
- Polycarbonate lens
- Steel mounting bracket, black
- Light source: LED x 4 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle




NS-4208 LED Daytime Running Lamp

ECE Homologation
SAE Homologation



- EMI Class 3 according to CISPR25
- Ingress Protection IP68
- Aluminum housing as heatsink
- ABS reflector
- Polycarbonate lens
- Steel mounting bracket, black
- Light source: LED x 5 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle






NS-4209 Flexible LED Daytime Running Lamp ↗ ↗

ECE Homologation
SAE Homologation

- EMI Class 3 according to CISPR25
- Ingress Protection IP68
- Aluminum housing as heatsink
- ABS reflector
- PMMA lens
- Driver built outside
- Mounting method: With black metal bracket or with metal fixing pieces
- Light source: LED
- Multivolt (9-33DC) suitable for 12V and 24V vehicle
- Options: Interlinked version - 5 LED Kit / 7 LED Kit / 9 LED Kit
- Options: DIY version available from 1 pc to 9 pcs



- With black metal bracket -



- With metal fixing pieces -




- 5 LED Kit -



- 7 LED Kit -



- 9 LED Kit -



- DIY version -

NS-4210 LED Daytime Running Lamp & Position Lamp ↗ ↗

ECE Homologation
SAE Homologation

- EMI Class 3 according to CISPR25
- Ingress Protection IP68
- Aluminum housing as heatsink
- Polycarbonate lens
- Light guide included
- Driver built outside
- Steel mounting bracket, black
- Light source:
 - DRL – High power LED x 4 pcs
 - Position – High power LED x 2 pcs
- Multivolt (9-33DC) suitable for 12V and 24V vehicle

