

Combined Antenna 組合天線



R39

Product Name: Combined Antenna for 4G/LTE

Product Type: Screw Mount 4G/LTE Antenna

Frequency: 690~960 MHz/1710~2170 MHz/2600~2700 MHz

V.S.W.R: 4.0:1

Gain: 0~3 dB

Cable Type: RG316U(Black)

Connector: SMA M(Gold)

※RoHS Compliant

※ISO9001 & ISO14001

※Accept ODM and OEM (cable, connector and frequency)



R39

Product Name: Combined Antenna for 2.4G/5.8G/GNSS/4G/LTE

Product Type: Screw Mount Antenna

Frequency for 4G/LTE: 690~960 MHz/1710~2170 MHz/2600~2700 MHz

Frequency for WIFI: 2.4G /5.8G

Frequency for GNSS: 1575.42 MHz/1602 MHz

V.S.W.R: 4.0:1

Gain: 3 dB


Cable Type: RG174U(Black)

Connector: SMA (Gold) / SMA (Gold) /SMB (Gold)

※RoHS Compliant

※ISO9001 & ISO14001

※Accept ODM and OEM (cable, connector and frequency)



R36A

Product Name: Combined Antenna for GPS/4G/LTE

Product Type: Screw Mount GPS/4G/LTE Antenna

Frequency for GPS: 1575.42 MHz

Frequency for 4G: 824~960 MHz/1710~2170 MHz/2600~2700 MHz

Gain for GPS: 30 dB

Gain for 4G: 0~2 dB

V.S.W.R: 2.0:1

Impedance: 50Ω

Cable Type: RG316U(Black)

OD: Ø2.53±0.05mm

Connector: SMA M(Gold)

※RoHS Compliant

※ISO9001 & ISO14001

※Accept ODM and OEM (cable, connector and frequency)



R36F

Product Name: Combined Antenna for GPS/GLONASS/4G/LTE

Product Type: Screw Mount GPS/GLONASS/4G/LTE Antenna

Frequency for GPS: 1575.42 MHz /1602 MHz

Frequency for 4G: 824~960 MHz/1710~2170 MHz/2600~2700 MHz

Gain for GPS: 30 dB

Gain for 4G: 0 dB

V.S.W.R: 2.0:1

Impedance: 50 Ω

Cable Type: RG174

Connector: SMA M(Gold)

※RoHS Compliant

※ISO9001 & ISO14001

※Accept ODM and OEM (cable, connector and frequency)



R30

Product Name: Combined Antenna for GPS/GSM

Product Type: Screw Mount GPS/GSM Antenna

Frequency for GPS: 1575.42 MHz

Frequency for GSM: 900 MHz/1800 MHz

Gain for GPS: 30 dB

Gain for 4G: 0 dB

V.S.W.R for GPS: 2.0 Max

V.S.W.R for GSM: 1.8:1

Impedance: 50 Ω

Cable Type: RG174

Connector: SMA M(Gold) /FME F(Ni)

※RoHS Compliant

※ISO9001 & ISO14001

※Accept ODM and OEM (cable, connector and frequency)



R40

Product Name: Combined Antenna for 2.4G/GPS/GSM/UMTS

Product Type: Adhesive Type Antenna

Frequency for GPS: 1575.42 MHz

Frequency for WIFI: 2.4G

Frequency for GSM/UMTS: 800 MHz /900 MHz /2100 MHz

Gain for GPS: 30 dB

Gain for 2.4G: 2 dB

Gain for GSM/UMTS: 0-2 dB

V.S.W.R: 1.8:1

Cable Type: RG174U(Black)

Connector: SMA (Gold) / SMA (Gold) /SMA (Gold)

※RoHS Compliant

※ISO9001 & ISO14001

※Accept ODM and OEM (cable, connector and frequency)



L39

Product Name: Combined Antenna for 4G/LTE

Product Type: On-glass for 4G/LTE Antenna

Frequency for GPS: 1575.42 MHz/1710~2170 MHz/2600~2700 MHz

Frequency for GSM/UMTS: 800 MHz/900 MHz/1800 MHz/1900 MHz/2100 MHz

V.S.W.R: 1.8:1

Gain for GPS: 30 dB

Gain for GSM/UMTS: 2.5 dB

Cable Type: RG174(Black)

Connector: SMA M(Gold)/ FME F(Ni)

※RoHS Compliant

※ISO9001 & ISO14001

※Accept ODM and OEM (cable, connector)