DIGITAL MANOMETER



One AAA battery


1.5" LCD & backlight

3 buttons, 8 functions

16mm rectangular prism

1/8" NPT

1/4" NPT



Maxima or minima of current memory

Current Pressure or Information 5 unit indicator





789-0070-HG

DIGITAL DIESEL COMPRESSION TESTER

*Digital manometer : 0-800 psi : 05500 kPa. *Application : Ford/Navistar,
General Motors ,Audi,Cummins, Merceds Benz

Merceds Benz.

Volkswagen, Volvo, Bacharach, Allis, Chal mers, Bedford, Case, J.I., Deere, John, Fiat Allis, Ford Tractor, Interational Harvester, Mack Turk, Onan, Waukesha, BMW, Lincolnconntinetal, Mark VII, Peugeot, Chevy Luv, Isuzu, Toyota, GeneralMotors, Detroit Diesel, Caterpillar, Case, Waukesha.



789-0270-HG

DIGITAL DIESEL CYLINDER PRESSURE DETECTION TESTER

DETECTION TESTER

**Digital manometer: 0-800 psi: 0-5500 kPa. Application: ALFA ROMEO, AUDI, BENZ, BMW, CHEVETTE, CHRYSLER, CONTINENTAL, DEUTZ, DEUTZ, FORD, GENERALMOTORS, HUMMER, INTEMATIONAL, ISUZU/SUZU TRUCK, KUBOTA, LAND ROVER, LINCOLN, LUV, MARK VLL, MAZDA, MERCEDES BENZ, MITSUBISH, NAVISTAR, NISSAN/UDTRUCK, OPEL, PEUGEOT, RENAULT, ROVER, TOYOTA, VAUXHALL, VOLVO, WV.



789-0025-HG

DIGITAL DIESEL COMPRESSION TESTER

*A basic set for Diesel work in the American
market. *Tester has a handy deflator for releasing air & retesting. • Digital
manometer: 0-800 psi: 0-5500 kPa.
• Adapters for GM, Isuzu, Lincoln Mark VII
and Continental, Ford/Navistar, Audi,
Mercedes, Peugeot, Toyota, VW, VolvoBacharach conversion adapter also



789-0025A-HG

DIGITAL DIESEL COMPRESSION TESER
•A basic set for Diesel work in the American
market. •Tester has a handy deflator for releasing air & retesting - Digital
manometer : 0 - 800 psi : 0 - 5500 kPa.
-Adapters for All GM, Isuzu , Lincoln Mark VII
and Continental, Ford/Navistar, Audi,
Mercedes, Peugeot, Toyota, VW, Volvo-

Bacharach conversion adapter also



789-0110-HG

DIGITAL DIESEL ENGINE COMPRESSION TESTER (CARS)

•Comprehensive test kit for both direct and indirect diesel injectedcars. •Simple & easy to use. •For use on both direct or indirect injection engines. •Checks engine compression under cranking conditions. •Small profile, quick coupling adapters for speed & security. *Built-in pressure relief valve enables repeat tests with out dismantling. *igital manometer: 0-800 psi; 0-5500 kPa.



789-0110A-HG

DIGITAL DIESEL ENGINE COMPRESSION TESTER SET (CARS) • Comprehensive test kit for both direct and

indirect diesel injectedcars. •Simple & easy to use. •For use on both direct or indirect injection engines. •Checks engine compression under cranking conditions. •Small profile, quick coupling adapters for speed & security. •Built-in pressure relief valve enables repeat tests with out dismantling. •Digital manometer: 0-800 psi; 0-5500 kPa.



789-0110D-HG
DIGITAL DIESEL ENGINE COMPRESSION
TESTER SET (CARS/C.V.S)
-Comprehensive test kit for both direct and indirect diesel injected cars. •For commercials, marine & industrial engines. Checks enjine compression when cranking. Small profile, quick release coupling system. *Built-in pressure release enables complete tests with out dismantling. *Digital manometer: 0-800 psi: 0-5500 kPa.



789-0115-HG

DIGITAL DIESEL ENGINE COMPRESSION

DIGITAL DIESEL ENGINE COMPRESSION TESTER SET (C.V.S)

•Comprehensive kit for checking compression on both direct and indirect diesel injected commercial, marine and industrial engines. •For commercials, marine & industrial engines. •Checks engine compression when cranking. •For use on direct or indirect fuel injection engines. •Built-in pressure release enables complete tests with out dismantling. •Small profile, quick release coupling system. •Digital manometer: 0 - 800 psi: 0 - 5500 kPa. manometer: 0-800 psi; 0-5500 kPa.



789-0190-HG

DIGITAL DIESEL ENGINE COMPRESSION

•Comprehensive test kit for both direct and *Comprehensive test kit for both direct and indirect diesel injected cars. *Simple & easy to use, quick coupling adapters for speed & security. *For use on both direct or indirect injection engines. *Checks engine compression under cranking conditions. *Built-in pressure relief valve enables repeat tests without dismantling. *Digital manometer: 0. 800 psi: 0-5500 kPa. *Glow plug Adaptor: Wide range of Alfa, BMW, Chrysler, Fait, Ford, Hyundai, Isuzu, LandRover, Mazda, Mercedes, Mitsubishi, Nissan, Opel, Renault, Suzuki, Toyota, Volvo diesel engines.



789-0220-HG

DIGITAL DIESEL ENGINE COMPRESSION

TESTER

*Comprehensive test kit for both direct and indirect diesel injected cars. *Simple & easy to use. *For use on both direct or indirect injection engines. *Checks engine compression under cranking conditions. *Small profile, quick coupling adapters for speed & security. *Built-in pressure relief valve enables repeat tests without dismantling. *Digital manometer: 0-800 psi; 0-5500 kPa.



Automotive Special Service 700ls

TEST EQUIPMENT



789-0145A-HG

DIGITAL DIESEL ENGINE COMPRESSION TESTER
As this kit but with the addition of it Clamp-on Injector
Adaptor Set. Digital manometer: 0. 800 psi: 0 5500
kPa. An extensive range of glow plug and injector adaptors kra. X-ni extensive range of glow plug and injector adaptions enable this kit to cover the vast majority of car, van, truck and bus, agricultural and marine diesel engines. Glow plug Adaptor: Wide range of Affa, BMW , Chrysler Daewoo, Fait, Ford , Hyuidai , Izusu , LandRover , LDV , Mazda , Mercedes , Mitsubishi , Nissan , Opel , PSA , Renault , Saab , Suzuki , Toyota , VAG , Vauxhall , Volvo diesel engines Injector: M20 , M22 , M24 & Ford Stanadyne injector plans on picetors. injector plus clamp-on injector



789-0275-HG

DIGITAL PETROL & DIESEL ENGINE COMPRESSION AND

DIGITAL PETROL & DIESEL ENGINE COMPRESSION AND LEAKAGE TESTER

'This petrol & diesel engine compression and cylinder leakage test kits that cover the wide range of modern engines, including Hdi, TDCi and pump duse. *Digital manometer: 0.* 800 psi: 0.* 5500 kPa. *An extensive range of glow plug and injector adaptors enable this kit to cover the vast majority of car, van, truck, and bus, agricultural and marine diesel engines. *Additional pressure gauge for references on incoming pressure during the operation (0.*7 Bar). *Glow Plug Adaptors: Wide range of Alfa, BMW. Chrysler, Daewoo, Fait, Ford, Hyuidi, Izusu, Land Rover, LDV, Mazda, Mercedes, Mitsubishi, Nissan, Opel, PSA, Renault, Saab, Suzuki, Toyda, VAG, Vauxhall, Volvo diesel engines. *Spark plug size: 10, 12, 14, 18mm. *Injector: M20, M22, M24 & Ford Stanadyne injector plus clamp-on injector.



01A987355-HG

DIGITAL PETROL & DIESEL ENGINE COMPRESSION AND LEAKAGE TESTER This petrol & diesel engine compression and cylinder leakage

-This petrol & diesel engine compression and cylinder leakage test kits that cover the wide range of modern engines, including Hdi, TDCi and Pumpe Duse. •Digital manometer: •0. 800 psi: 0. 5500 kPa. •An extensive range of glow plug and injector adaptors enable this kit to cover the vast majority of car, van, truck, and bus, agricultural and marine diesel engines. •Additional pressure gauge for references on incoming pressure during the operation (0-7bar). •Glow Plug Adaptors: Wide range of Alfa, BMW, Chrusler, Daewoo, Fait, Ford, Hyuidi, Izusu, Land Rover, LDV, Mazda, Mercedes, Mitsubishi, Nissan, Opel, PSA, Renault, Saab, Suzuki, Toyola, VAG, Vauxhall, Volvo diesel engines. •Spark plug size: 10, 12, 14, 18mm. •Injector: M20, M22, M24 & Ford Stanadyne injector plus clamp-on injector.



789-0145I-HG

DIGITAL PETROL & DIESEL ENGINE COMPRESSION

DIGITAL PETROL & DIESEL ENGINE COMPRESSION TESTER

- Digital manometer: 0-800 psi: 0-5500 kPa. An extensive range of glow plug and injector adaptors enable this kit to cover the vast majority of car, van, truck and bus, agricultural and marine diesel engines. -Glow plug Adaptor: Wide range of Alfa, BMW, Chrysler, Daewoo, Fiat, Ford, Hyuidai, Isuzu, LandRover, LDV, Mazda, Mercedes, Mitsubishi, Nissan, Opel, PSA, Renault, Saab, Suzuki, Toyota, VAG, Vauxhall, Volvo diesel engines - Spark plug size: 10, 12, 14, 18mm - Injector: MZO, MZ2, M24 & Ford Stanadvne injector blus Camp-on injector Stanadyne injector plus clamp-on injector



789-0275A-HG

DIGITAL PETROL & DIESEL ENGINE COMPRESSION

DIGITAL PETROL & DIESEL ENGINE COMPRESSION TESTER

*This petrol & diesel engine compression test kits that cover the wide range of modern engines, including Hdi, TDCi and pump duse. *Digital manometer : 0 - 800 psi : 0 - 5500 kPa. *An extensive range of glow plug and injector adaptors enable this kit to cover the vast majority of car, van, truck, and bus, agricultural and marine diesel engines. *Glow Plug Adaptors: Wide range of Alfa, BMW, Chrysler, Dewoo, Fait, Ford, Hyuldi, Izusu, Land Rover, LDV, Mazda, Mercedes, Mitsubishi, Nissan, Opel, PSA, Penault Saab, Suzukit Tovato MG Vaurhall Volvo diesel Renault, Saab, Suzuki, Toyota, VAG, Vauxhall, Volvo diesel engines. • Spark plug size : 10 , 12 , 14 , 18mm. •Injector: M20, M22, M24 & Ford Stanadyne injector plus clamp-on injector



01A987355A-HG

O1A987355A-HG
DIGITAL PETROL & DIESEL ENGINE COMPRESSION TESTER
This petrol & diesel engine compression test kits that cover the wide range of modern engines, including Hdi, TDCi and pump duse. Digital manometer:0-800 psi: 0-5500 kPa. •An extensive range of glow plug and injector adaptors enable thiskit to cover the vast majority of car, van, truck, and bus, agricultural and marine diesel engines. •Glow plug Adaptor: Wide range of Alfa, BMW, Chrysler, Daewoo, Fiat, Ford, Hyuidai, Isuzu, Land Rover, LDV, Mazda, Mercedes, Mitsubishi, Nissan, Opel, PSA, Renault, Saab, Suzuki, Toyota, VAG, Vauxhall, Volvo diesel engines. •Spark plug size :10, 12, 14, 18mm •Injector: M20, M22, M24 & Ford Stanadyne injector plus clamp-on injector



789-0275B-HG

DIGITAL PETROL & DIESEL ENGINE COMPRESSION

TESTER

*This petrol & diesel engine compression test kits that cover thewide range of modern engines, including Hdi, TDCi and pump duse. *Digital manometer : 0 *800 psi : 0 *500 kPa. *Glow Plug Adaptors: Wide range of Alfa, BMW, Chrysler, Daewoo, Fait, Ford, Hyuidi, Izusu, Land Rover, LDV, Mazda, Mercedes, Mitsubishi, Nissam, Opel, PSA, Renault, Saab, Suzuki, Toyota, VAG, Vauxhali, Volvo diesel engines. * Spark plug size : 10 , 12 , 14 , 18mm.



789-0145J-HG

DIGITAL PETROL & DIESEL ENGINE COMPRESSION AND LEAKAGE TESTER

*This petrol & diesel engine compression and cylinder leakage test kits that cover the wide range of modern engines, including Hdi, TDCi and Pumpe Duse *Digital manometer : 0 - 800 psi 0 - 5500 kPa. *An extensive range of glow plug and injector adaptors enable this kit to cover the vast majority of car, van, truck, and bus, agricultural and marine diesel engines. truck, and bus, agnicultural and manne diesel engines.

"Additional pressure gauge for references on incoming pressure during the operation (0-7bar). "Glow Plug Adaptors: Wide range of Alfa, BMW, Chrusler, Daewoo, Fait, Ford, Hyuidi, Izusu, Land Rover, LDV, Mazda, Mercedes, Mitsubishi, Nissan, Opel, PSA, Renault, Saab, Suzuki, Toyota, VAG, Vauxhall, Volvo diesel engines. "Spark plug size: 10, 12, 14, 18mm. •Injector: M20, M22, M24 & Ford Stanadyne injector plus clamp-on injector.



01A987355B-HG

DIGITAL DIESEL ENGINE COMPRESSION TESTER
Digital manometer: 0. 800 psi: 0. 5500 kPa. An extensive range of glow plug and injector adaptors enable thiskit to cover the vast majority of car, van, truck, and bus, agriculturaland marine diesel engines. Glow plug Adaptor: Wide range of Alfa, BMW, Chrysler, Daewoo, Fait, Ford, Hyuidai, Izusu, LandRover, LDV, Mazda, Mercedes, Mitsubishi, Nissan, Opel, PSA, Renault, Saab, Suzuki, Toyota, VAG, Vauxhall, Volvo diesel enginesInjector: M20, M22, M24 & Ford Stanadyne injector plus clamp-onlinjector

AIR CONDITION SYSTEM LEAKAGE TEST KIT SET 050705009

- •Suitable for condenser leakage test, evaporator leakage test, refrigerant hose leakage test and air condition compressor leakage test.
- ·Adaptor for diameter of fitting and hose to 1/4", 5/16", 3/8", 1/2", 5/8", 7/8".











For evaporator coil

For A/C Hose

- Antifreeze Tester test at hot & cold temperatures.
- Six floating discs for accurate reading.
- Indicator range from -7 to -37 degrees Celsius / from +25 to -34 degrees Fahrenheit.
- Pure antifreeze will freeze at -12°C /10.4°F.
- It permits to determine, with good approximation, the freezing point of the anti-freeze/coolant in the radiator and to reset the required protection level.





01A84906 ADBLUE / DEF TESTER (DIESEL EXHAUST FLUID)

- DEF Tester available on most diesel vehicles.
- Testing the urea solution concentration/content in DEF / AdBlue tanks.
- Testing at hot or cold temperatures.
- Easy to use and read. (Three floating discs for accurate reading)
- An aqueous urea solution made with 32.5% urea and 67.5% deionized water. File Download Inquiry





031166504 COOLANT ANTIFREEZE VACUUM FILL TOOL

- •Use vacuum suction to exchange coolant and shorten the replacement time.
- •Without starting the engine to exhaust bubble.
- ·Capable of binding with all extractors, possible to operate by manual or pneumatic.





02T919WA HEAVY DUTY COOLING SYSTEM TEST KIT-FOR TRUCKS

- ·For cars and light/large trucks.
- •Use shop air to maintain constant system pressure.
- •Quick disconnect hook-up design minimizes set-up time.
- •The kit includes heavy duty adapters, a pressure test regulator, a vacuum refill attachment with tubing, all in a durable storage case.

ADAPTER	CARS AND LIGHT TRUCKS	LARGE TRUCKS
Green	N/A	Typically used with Volvo large trucks 4, 8mm x 3mm.
Orange	Typically used with many 1999 to current domestic vehicles (GM) and some Mercedes, Jaguar, and Ford.	Typicall used with freightliner, GM, International, kenworth, and peterbuilt.
Red	N/A	Typically used with Freightliner 60mm x 3mm.
Blue	N/A	Typically used with Volvo trucks 63mm x 3mm
Yellow	N/A	Typically used with B size truck adapters.





01A07620

Automotive Special Service Tools

TEST EQUIPMENT

INJECTOR TESTER POWER SOURCE: 12V VEHICLE BATTERY

- •The tester generating four different output signal pulses for user to check the condition of the injector.
- •Can check if the injector is clogged, leaking, or blasting.
- •Operation environment:0~40°C(32~104°F); < 80%RH
- •Storage Environment:-10~50°C(14~122°F); < 85%RH



01A07630 TOWING SOCKET TESTER

- •The tester is to connect with the 12V 13-pin Euro-type socket.
- •It can also connect with 7 pin socket through a 13-7 pin towing adaptor.
- •It works for MOT testing of class 4, 5, and 7.
- •The cable is long enough for user to do the test while sitting in the vehicle.
- •The tester can also do self-test (not work for 7 pin socket), 12V power check, ignition, reversing light.



01A07640 GLOW PLUG TESTER

- •To help diagnosing the condition of glow plug without removing it from the engine.
- •Working for 12V system, tester can be energized by 12V vehicle battery directly.
- •The 6 LEDs will indicate the condition of the glow plug and the vehicle battery.



01A07650 LAMDA TESTER AND SIMULATOR

Automotive oxygen sensor simulator



BOILING POINT BRAKE FLUID TESTER 01A06513D WITH PRINTING FUNCTION

- •Testing button (Press and hold this button for testing)
- •Press Instantly: Unit switch °C / °F
- •Read Five Resent saved Brake Fluid Boiling Termperature
- •Accessory: One Brake fluid sucker and one Measuring cup



01A1957A VEHICLE BATTERY TESTER

This is a helpful tester for 12V vehicle battery. User is able to check the battery power level and the charging condition with various circumstances. It is also able to monitor the alternator condition by very easy procedure.

Voltage Range: DC 6 ~ 16V Reverse Polarity Protection: Yes Short Circuit Protection: Yes Over-Voltage Protection: Yes (Forward DC Voltage <30V for < 10 seconds) Working Temperature: 0-50°C (32~122°F) @ <80%RH Storage Temperature: -20~60°C (-4~140°F) @ <85%RH

Indicator	CONDITION
Alternator Overcharging (RED)	Strong Output
Alternator O.K. (GREEN)	Normal Output
≥75% (GREEN)	Good
≥25% (GREEN)	Fair
< 25% (RED)	Poor
Battery Power (GREEN)	Battery Connected



01A05227 VOLTAGE TESTER & WIRE STRIPPER

- •CAT Category:CAT IV 1000V Wire Stripper
- •Non Contact Voltage Detection
- Sound and Light Indication
- Illumination
- Screwdriver
- Magnet Function





01A07122 VOLTAGE TESTER WITH WIRESTRIPPER

Can measure AC volteage 10V to 1000V, and DC voltage 7V to 1000V with polarity indication.

- •Voltage measurement and polarity indication.
- •3 phase voltage rotation indication.
- •Temperature measurement.
- •RCD test / Continuity / Wire cutting and Stripping.
- •Illumination / LCD display / Auto shut down / Low power indication.



01A07122A VOLTAGE TESTER WITH WIRE STRIPPER

Can measure AC volteage 10V to 1000V, and DC voltage 7V to 1000V with polarity indication.

- •Voltage measurement and polarity indication.
- •3 phase voltage rotation indication.
- •RCD test / Continuity / Wire cutting and Stripping.
- •Illumination / LCD display / Auto shut down / Low power indication.



01A06521 MULTI FUNCTION AUTOMOBILE TESTER

Power source 12-24V DC system



01A06522 MULTI FUNCTION AUTOMOBILE TESTER

Power source 12-24V DC system
Measured Temperature Range:-50~500°C / -58~-932°F



BATTERY MONITOR & ANALYZER 082-1200- series description

Simply connect to the battery whenever you want to check.



082-1200S

